

Package ‘CausalMixGPD’

May 5, 2026

Type Package

Title Bayesian Nonparametric Conditional Density Modeling in Causal Inference and Clustering with a Heavy-Tail Extension

Version 0.8.0

Maintainer Arnab Aich <aaich@fsu.edu>

Description The presence of a heavy tail is a feature of many scenarios when risk management involves extremely rare events. While parametric distributions may give adequate representation of the mode of data, they are likely to misrepresent heavy tails, and completely nonparametric approaches lack a rigorous mechanism for tail extrapolation; see Pickands (1975) <doi:10.1214/aos/1176343003>. The package ‘CausalMixGPD’ implements tools for Bayesian analysis of heavy-tailed outcomes by combining Dirichlet process mixture models for the body of the distribution with optional generalized Pareto tails. The method allows for unconditional and covariate-modulated mixtures, implements MCMC estimation using ‘nimble’, and extends to mixtures of different arms’ outcomes with application to causal inference in the Rubin (1974) <doi:10.1037/h0037350> framework. Posterior summaries include density functions, quantiles, expected values, survival functions, and causal effects, with an emphasis on tail quantiles and functional measures sensitive to the tail.

License GPL-3

Encoding UTF-8

LazyData true

Depends R (>= 4.0.0)

Imports nimble, stats, utils, ggplot2

Suggests testthat (>= 3.0.0), knitr, rmarkdown, here, cli, coda, ggmcmc, future, future.apply, crayon, DT, kableExtra, plotly, MatchIt, codetools

VignetteBuilder knitr

RoxygenNote 7.3.3

Config/testthat/edition 3

URL <https://arnabaich96.github.io/CausalMixGPD/pkgdown/>,
<https://doi.org/10.5281/zenodo.19671881>

BugReports <https://arnabaich96.github.io/CausalMixGPD/>

NeedsCompilation no

Author Arnab Aich [aut, cre] (ORCID: <<https://orcid.org/0009-0005-7801-6701>>)

Repository CRAN

Date/Publication 2026-05-05 10:30:02 UTC

Contents

amoroso	4
amoroso_gpd	6
amoroso_lowercase	9
amoroso_mix	13
amoroso_mixgpd	15
ate.causalmixgpd_causal_fit	18
ate_rmean	20
att	21
base_lowercase	23
build_causal_bundle	26
build_nimble_bundle	29
bundle	31
cate.causalmixgpd_causal_fit	32
cauchy	34
cauchy_mix	36
cauchy_mix_lowercase	38
causal_alt_pos500_p3_k3	40
causal_alt_pos500_p5_k4_tail	40
causal_alt_real500_p4_k2	41
causal_pos500_p3_k2	42
check_glue_validity	42
cluster_profiles	43
cqte.causalmixgpd_causal_fit	44
dpmgpd	45
dpmgpd.causal	46
dpmgpd.cluster	48
dpmix	49
dpmix.causal	50
dpmix.cluster	52
ess_summary	53
fitted.mixgpd_fit	54
gamma_gpd	56
gamma_lowercase	58
gamma_mix	61
gamma_mixgpd	63

get_kernel_registry	66
get_tail_registry	66
gpd	67
init_kernel_registry	69
InvGauss	70
InvGauss_gpd	72
invgauss_lowercase	74
InvGauss_mix	77
InvGauss_mixgpd	79
kernel_support_table	82
laplace_gpd	82
laplace_lowercase	84
laplace_mix	88
laplace_MixGpd	90
lognormal_gpd	92
lognormal_lowercase	94
lognormal_mix	98
lognormal_mixgpd	100
mcmc	102
nc_pos200_k3	103
nc_posX100_p3_k2	104
nc_posX100_p4_k3	104
nc_posX100_p5_k4	105
nc_pos_tail200_k4	105
nc_real200_k2	106
nc_realX100_p3_k2	107
nc_realX100_p5_k3	107
normal_gpd	108
normal_lowercase	110
normal_mix	113
normal_mixgpd	115
params	118
plot.causalmixgpd_causal_fit	119
plot.causalmixgpd_qte	121
plot.dpmixgpd_cluster_bundle	123
plot.mixgpd_predict	127
predict.causalmixgpd_causal_fit	128
predict.dpmixgpd_cluster_fit	130
predict.mixgpd_fit	132
print.causalmixgpd_ate	135
print.causalmixgpd_bundle	136
print.causalmixgpd_causal_bundle	137
print.causalmixgpd_causal_fit	138
print.causalmixgpd_causal_fit_plots	139
print.causalmixgpd_causal_predict_plots	140
print.causalmixgpd_ps_bundle	140
print.causalmixgpd_ps_fit	141
print.causalmixgpd_qte	142

print.dpmixgpd_cluster_bundle	143
print.dpmixgpd_cluster_fit	144
print.dpmixgpd_cluster_labels	145
print.dpmixgpd_cluster_psm	146
print.mixgpd_fit	147
print.mixgpd_fitted_plots	148
print.mixgpd_fit_plots	148
print.mixgpd_predict	149
print.mixgpd_predict_plots	150
print.mixgpd_summary	150
print.summary.causalmixgpd_ate	151
print.summary.causalmixgpd_causal_fit	152
print.summary.causalmixgpd_ps_fit	153
print.summary.causalmixgpd_qte	153
qte.causalmixgpd_causal_fit	154
qtt	156
residuals.mixgpd_fit	157
run_mcmc_bundle_manual	158
run_mcmc_causal	160
sim_bulk_tail	161
sim_causal_qte	162
sim_survival_tail	163
summary.causalmixgpd_ate	164
summary.causalmixgpd_bundle	165
summary.causalmixgpd_causal_bundle	166
summary.causalmixgpd_causal_fit	167
summary.causalmixgpd_ps_fit	168
summary.causalmixgpd_qte	169
summary.dpmixgpd_cluster_bundle	170
summary.dpmixgpd_cluster_fit	171
summary.dpmixgpd_cluster_labels	172
summary.dpmixgpd_cluster_psm	173
summary.mixgpd_fit	174

Index**175**

amoroso

*Amoroso distribution***Description**

Scalar Amoroso utilities used as flexible positive-support base kernels and mixture components. The package parameterization uses `loc`, `scale`, `shape1`, and `shape2`, allowing the family to represent a broad range of skewed bulk shapes.

Usage

```
dAmoroso(x, loc, scale, shape1, shape2, log = 0)
pAmoroso(q, loc, scale, shape1, shape2, lower.tail = 1, log.p = 0)
qAmoroso(p, loc, scale, shape1, shape2, lower.tail = TRUE, log.p = FALSE)
rAmoroso(n, loc, scale, shape1, shape2)
```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>loc</code>	Numeric scalar location parameter.
<code>scale</code>	Numeric scalar scale parameter.
<code>shape1</code>	Numeric scalar first shape parameter.
<code>shape2</code>	Numeric scalar second shape parameter.
<code>log</code>	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
<code>q</code>	Numeric scalar giving the point at which the distribution function is evaluated.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
<code>log.p</code>	Logical; if TRUE, probabilities are returned on the log scale.
<code>p</code>	Numeric scalar probability in $(0, 1)$ for the quantile function.
<code>n</code>	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.

Details

Writing `loc = a`, `scale = theta`, `shape1 = alpha`, and `shape2 = beta`, the transformed quantity $((X - a)/\theta)^\beta$ follows a gamma law with shape α .

These uppercase NIMBLE-compatible functions are scalar (`x/q` and `n = 1`). For vectorized R usage, use `base_lowerCase()`.

The Amoroso family used in the package is defined by the density

$$f(x) = \left| \frac{\beta}{\theta} \right| \frac{z^{\alpha\beta-1} \exp(-z^\beta)}{\Gamma(\alpha)}, \quad z = \frac{x - a}{\theta},$$

on the side of the location parameter determined by the sign of θ . Equivalently, $Z = ((X - a)/\theta)^\beta$ follows a Gamma distribution with shape α and unit scale. That representation explains why the quantile function is computed from a gamma quantile and then mapped back through the inverse transformation.

The mean exists whenever $\alpha + 1/\beta$ lies in the domain of the gamma function used by the moment formula. In the package this family serves as a flexible positive-support bulk kernel capable of reproducing gamma-like, Weibull-like, and other skewed shapes with a single parameterization.

Value

Density/CDF/RNG functions return numeric scalars. The quantile function returns a numeric scalar or vector matching the length of p.

Functions

- `dAmoroso()`: Density Function of Amoroso Distribution
- `pAmoroso()`: Distribution Function of Amoroso Distribution
- `qAmoroso()`: Quantile Function of Amoroso Distribution
- `rAmoroso()`: Sample generating Function of Amoroso Distribution

See Also

[amoroso_mix\(\)](#), [amoroso_gpd\(\)](#), [base_lowercase\(\)](#), [kernel_support_table\(\)](#).

Other base bulk distributions: [InvGauss](#), [cauchy](#)

Examples

```
loc <- 0
scale <- 1.5
shape1 <- 2
shape2 <- 1.2

dAmoroso(1.0, loc, scale, shape1, shape2, log = 0)
pAmoroso(1.0, loc, scale, shape1, shape2, lower.tail = 1, log.p = 0)
qAmoroso(0.50, loc, scale, shape1, shape2)
qAmoroso(0.95, loc, scale, shape1, shape2)
replicate(10, rAmoroso(1, loc, scale, shape1, shape2))
```

amoroso_gpd

Amoroso with a GPD tail

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single Amoroso bulk.

Usage

```
dAmorosoGpd(
  x,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
```

```

    tail_shape,
    log = 0
)

pAmorosoGpd(
  q,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)

rAmorosoGpd(n, loc, scale, shape1, shape2, threshold, tail_scale, tail_shape)

qAmorosoGpd(
  p,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
loc	Numeric scalar location parameter of the Amoroso bulk.
scale	Numeric scalar scale parameter of the Amoroso bulk.
shape1	Numeric scalar first Amoroso shape parameter.
shape2	Numeric scalar second Amoroso shape parameter.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
q	Numeric scalar giving the point at which the distribution function is evaluated.

<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
<code>log.p</code>	Logical; if TRUE, probabilities are returned on the log scale.
<code>n</code>	Integer giving the number of draws. The RNG implementation supports $n = 1$.
<code>p</code>	Numeric scalar probability in $(0, 1)$ for the quantile function.
<code>tol</code>	Numeric tolerance for numerical inversion in <code>qAmorosoGpd</code> .
<code>maxiter</code>	Maximum iterations for numerical inversion in <code>qAmorosoGpd</code> .

Details

This is the single-component Amoroso splice. The Amoroso law controls the distribution below the threshold and the GPD controls exceedances above it, scaled so that the resulting CDF is continuous at the threshold. The ordinary mean of the spliced law exists only when the tail satisfies $\xi < 1$; otherwise users should rely on restricted means or quantile summaries.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qAmorosoGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dAmorosoGpd()`: Density Function of Amoroso Distribution with GPD Tail
- `pAmorosoGpd()`: Cumulative Distribution Function of Amoroso Distribution with GPD Tail
- `rAmorosoGpd()`: Random Generation for Amoroso Distribution with GPD Tail
- `qAmorosoGpd()`: Quantile Function of Amoroso Distribution with GPD Tail

See Also

[amoroso_mix\(\)](#), [amoroso_mixgpd\(\)](#), [gpd\(\)](#), [amoroso_lowercase\(\)](#).

Other amoroso kernel families: [amoroso_mix](#), [amoroso_mixgpd](#)

Examples

```
loc <- 0
scale <- 1.5
shape1 <- 2
shape2 <- 1.2
threshold <- 3
tail_scale <- 1.0
tail_shape <- 0.2

dAmorosoGpd(4.0, loc, scale, shape1, shape2,
            threshold, tail_scale, tail_shape, log = 0)
pAmorosoGpd(4.0, loc, scale, shape1, shape2,
            threshold, tail_scale, tail_shape, lower.tail = 1, log.p = 0)
qAmorosoGpd(0.50, loc, scale, shape1, shape2,
            threshold, tail_scale, tail_shape)
qAmorosoGpd(0.95, loc, scale, shape1, shape2,
```

```

        threshold, tail_scale, tail_shape)
replicate(10, rAmorosoGpd(1, loc, scale, shape1, shape2,
                        threshold, tail_scale, tail_shape))

```

amoroso_lowercase *Lowercase vectorized Amoroso distribution functions*

Description

Vectorized R wrappers for the scalar Amoroso-kernel topics in this file.

Usage

```
damorosomix(x, w, loc, scale, shape1, shape2, log = FALSE)
```

```
pamorosomix(q, w, loc, scale, shape1, shape2, lower.tail = TRUE, log.p = FALSE)
```

```
qamorosomix(
  p,
  w,
  loc,
  scale,
  shape1,
  shape2,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

```
ramorosomix(n, w, loc, scale, shape1, shape2)
```

```
damorosomixgpd(
  x,
  w,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  log = FALSE
)
```

```
pamorosomixgpd(
  q,
```

```
w,  
loc,  
scale,  
shape1,  
shape2,  
threshold,  
tail_scale,  
tail_shape,  
lower.tail = TRUE,  
log.p = FALSE  
)
```

```
qamorosomixgpd(  
  p,  
  w,  
  loc,  
  scale,  
  shape1,  
  shape2,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE,  
  tol = 1e-10,  
  maxiter = 200  
)
```

```
ramorosomixgpd(  
  n,  
  w,  
  loc,  
  scale,  
  shape1,  
  shape2,  
  threshold,  
  tail_scale,  
  tail_shape  
)
```

```
damorosogpd(  
  x,  
  loc,  
  scale,  
  shape1,  
  shape2,  
  threshold,  
  tail_scale,
```

```

    tail_shape,
    log = FALSE
  )

pamorosogpd(
  q,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

qamorosogpd(
  p,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

ramorosogpd(n, loc, scale, shape1, shape2, threshold, tail_scale, tail_shape)

```

Arguments

<code>x</code>	Numeric vector of quantiles.
<code>w</code>	Numeric vector of mixture weights.
<code>loc, scale, shape1, shape2</code>	Numeric vectors (mix) or scalars (base+gpd) of component parameters.
<code>log</code>	Logical; if TRUE, return log-density.
<code>q</code>	Numeric vector of quantiles.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.

`n` Integer number of observations to generate.
`threshold, tail_scale, tail_shape`
 GPD tail parameters (scalars).

Details

These are vectorized wrappers around the scalar Amoroso routines used internally by the package. They preserve the same location-scale-shape parameterization and the same piecewise splice logic for GPD tails. Quantile wrappers therefore continue to rely on the scalar numerical inversion or scalar GPD inverse exactly as documented for the uppercase functions.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `damorosomix()`: Amoroso mixture density (vectorized)
- `pamorosomix()`: Amoroso mixture distribution function (vectorized)
- `qamorosomix()`: Amoroso mixture quantile function (vectorized)
- `ramorosomix()`: Amoroso mixture random generation (vectorized)
- `damorosomixgpd()`: Amoroso mixture + GPD density (vectorized)
- `pamorosomixgpd()`: Amoroso mixture + GPD distribution function (vectorized)
- `qamorosomixgpd()`: Amoroso mixture + GPD quantile function (vectorized)
- `ramorosomixgpd()`: Amoroso mixture + GPD random generation (vectorized)
- `damorosogpd()`: Amoroso + GPD density (vectorized)
- `pamorosogpd()`: Amoroso + GPD distribution function (vectorized)
- `qamorosogpd()`: Amoroso + GPD quantile function (vectorized)
- `ramorosogpd()`: Amoroso + GPD random generation (vectorized)

See Also

[amoroso_mix\(\)](#), [amoroso_mixgpd\(\)](#), [amoroso_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [base_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.6, 0.3, 0.1)
locs <- c(0.5, 0.5, 0.5)
scls <- c(1, 1.3, 1.6)
s1 <- c(2.5, 3, 4)
s2 <- c(1.2, 1.2, 1.2)

# Amoroso mixture
damorosomix(c(1, 2, 3), w = w, loc = locs, scale = scls, shape1 = s1, shape2 = s2)
ramorosomix(5, w = w, loc = locs, scale = scls, shape1 = s1, shape2 = s2)
```

amoroso_mix

Amoroso mixture distribution

Description

Finite mixture of Amoroso components for flexible positive-support bulk modeling.

Usage

```
dAmorosoMix(x, w, loc, scale, shape1, shape2, log = 0)
```

```
pAmorosoMix(q, w, loc, scale, shape1, shape2, lower.tail = 1, log.p = 0)
```

```
rAmorosoMix(n, w, loc, scale, shape1, shape2)
```

```
qAmorosoMix(
  p,
  w,
  loc,
  scale,
  shape1,
  shape2,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions treat the weights as non-negative and normalize them internally when needed.
loc	Numeric vector of length K giving component locations.
scale	Numeric vector of length K giving component scales. Negative values flip support for the corresponding component.
shape1	Numeric vector of length K giving the first Amoroso shape parameter for each component.
shape2	Numeric vector of length K giving the second Amoroso shape parameter for each component.
log	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.

n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> in quantile inversion.
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k f_{Amoroso}(x \mid a_k, \theta_k, \alpha_k, \beta_k),$$

with normalized weights \tilde{w}_k . These scalar functions are NIMBLE-compatible; for vectorized R usage, use `amoroso_lowercase()`.

The Amoroso family is especially useful for positive-support data because it can reproduce a wide range of skewed and heavy-right-tail shapes while remaining analytically tractable through its gamma transformation. The mixture CDF is

$$F(x) = \sum_{k=1}^K \tilde{w}_k F_{Amoroso}(x \mid a_k, \theta_k, \alpha_k, \beta_k),$$

and random generation proceeds by selecting a component and sampling from that component.

Closed-form mixture quantiles are not available, so `qAmorosoMix()` inverts the mixture CDF numerically. The analytical mixture mean is the weighted average of the component means, $a_k + \theta_k \Gamma(\alpha_k + 1/\beta_k) / \Gamma(\alpha_k)$, whenever those component moments exist.

Value

Mixture density/CDF/RNG functions return numeric scalars. `qAmorosoMix()` returns a numeric vector with the same length as `p`.

Functions

- `dAmorosoMix()`: Density Function of Amoroso Mixture Distribution
- `pAmorosoMix()`: Cumulative Distribution Function of Amoroso Mixture Distribution
- `rAmorosoMix()`: Random Generation for Amoroso Mixture Distribution
- `qAmorosoMix()`: Quantile Function of Amoroso Mixture Distribution

See Also

`amoroso_mixgpd()`, `amoroso_gpd()`, `amoroso_lowercase()`, `build_nimble_bundle()`, `kernel_support_table()`.

Other amoroso kernel families: `amoroso_gpd`, `amoroso_mixgpd`

Examples

```
w <- c(0.60, 0.25, 0.15)
loc <- c(0, 1, 2)
scale <- c(1.0, 1.2, 1.6)
shape1 <- c(2, 4, 6)
shape2 <- c(1.0, 1.2, 1.5)

dAmorosoMix(2.0, w, loc, scale, shape1, shape2, log = 0)
pAmorosoMix(2.0, w, loc, scale, shape1, shape2, lower.tail = 1, log.p = 0)
qAmorosoMix(0.50, w, loc, scale, shape1, shape2)
qAmorosoMix(0.95, w, loc, scale, shape1, shape2)
replicate(10, rAmorosoMix(1, w, loc, scale, shape1, shape2))
```

amoroso_mixgpd

Amoroso mixture with a GPD tail

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to an Amoroso mixture bulk. Let F_{mix} denote the Amoroso mixture CDF. The spliced CDF is $F(x) = F_{mix}(x)$ for $x < threshold$ and $F(x) = F_{mix}(threshold) + \{1 - F_{mix}(threshold)\}G(x)$ for $x \geq threshold$, where G is the GPD CDF for exceedances above threshold.

Usage

```
dAmorosoMixGpd(
  x,
  w,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  log = 0
)
```

```
pAmorosoMixGpd(
  q,
  w,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
```

```

    tail_shape,
    lower.tail = 1,
    log.p = 0
)

rAmorosoMixGpd(
  n,
  w,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape
)

qAmorosoMixGpd(
  p,
  w,
  loc,
  scale,
  shape1,
  shape2,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>w</code>	Numeric vector of mixture weights of length K . The functions treat the weights as non-negative and normalize them internally when needed.
<code>loc</code>	Numeric vector of length K giving component locations.
<code>scale</code>	Numeric vector of length K giving component scales.
<code>shape1</code>	Numeric vector of length K giving the first Amoroso shape parameter for each component.
<code>shape2</code>	Numeric vector of length K giving the second Amoroso shape parameter for each component.
<code>threshold</code>	Numeric scalar threshold at which the GPD tail is attached.
<code>tail_scale</code>	Numeric scalar GPD scale parameter; must be positive.

tail_shape	Numeric scalar GPD shape parameter.
log	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> in quantile inversion.
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The density, CDF, and RNG are implemented as `nimbleFunctions` for use in NIMBLE models. The quantile function is an R function that uses numerical inversion in the bulk region and the closed-form GPD quantile in the tail region.

The Amoroso mixture describes the bulk up to the threshold and the generalized Pareto describes exceedances above it. If $F_{mix}(u) = p_u$, then the splice uses

$$f(x) = \begin{cases} f_{mix}(x), & x < u, \\ (1 - p_u)g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

Bulk quantiles are computed numerically from the Amoroso mixture CDF and tail quantiles are obtained from the GPD inverse after rescaling the tail probability.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qAmorosoMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dAmorosoMixGpd()`: Density Function of Amoroso Mixture Distribution with GPD Tail
- `pAmorosoMixGpd()`: Cumulative Distribution Function of Amoroso Mixture Distribution with GPD Tail
- `rAmorosoMixGpd()`: Random Generation for Amoroso Mixture Distribution with GPD Tail
- `qAmorosoMixGpd()`: Quantile Function of Amoroso Mixture Distribution with GPD Tail

See Also

[amoroso_mix\(\)](#), [amoroso_gpd\(\)](#), [gpd\(\)](#), [amoroso_lowercase\(\)](#), [dpmgpd\(\)](#).

Other amoroso kernel families: [amoroso_gpd](#), [amoroso_mix](#)

Examples

```

w <- c(0.60, 0.25, 0.15)
loc <- c(0, 1, 2)
scale <- c(1.0, 1.2, 1.6)
shape1 <- c(2, 4, 6)
shape2 <- c(1.0, 1.2, 1.5)
threshold <- 3
tail_scale <- 1.0
tail_shape <- 0.2

dAmorosoMixGpd(4.0, w, loc, scale, shape1, shape2,
               threshold, tail_scale, tail_shape, log = 0)
pAmorosoMixGpd(4.0, w, loc, scale, shape1, shape2,
               threshold, tail_scale, tail_shape, lower.tail = 1, log.p = 0)
qAmorosoMixGpd(0.50, w, loc, scale, shape1, shape2,
               threshold, tail_scale, tail_shape)
qAmorosoMixGpd(0.95, w, loc, scale, shape1, shape2,
               threshold, tail_scale, tail_shape)
replicate(10, rAmorosoMixGpd(1, w, loc, scale, shape1, shape2,
                             threshold, tail_scale, tail_shape))

```

ate.causalmixgpd_causal_fit

Average treatment effects, marginal over the empirical covariate distribution

Description

ate() computes the posterior predictive average treatment effect.

Usage

```

## S3 method for class 'causalmixgpd_causal_fit'
ate(
  fit,
  newdata = NULL,
  y = NULL,
  type = c("mean", "rmean"),
  cutoff = NULL,
  interval = "credible",
  level = 0.95,
  nsim_mean = 200L,
  show_progress = TRUE
)

```

Arguments

fit A "causalmixgpd_causal_fit" object from run_mcmc_causal().

newdata	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
y	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
type	Character; type of mean treatment effect: <ul style="list-style-type: none"> • "mean" (default): ordinary mean ATE • "rmean": restricted-mean ATE (requires cutoff)
cutoff	Finite numeric cutoff for restricted mean; required for type = "rmean", ignored otherwise.
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
level	Numeric credible level for intervals (default 0.95 for 95 percent CI).
nsim_mean	Number of posterior predictive draws used by simulation-based mean targets. Ignored for analytical ordinary means.
show_progress	Logical; if TRUE, print step messages and render progress where supported.

Details

The default mean-scale estimand is

$$\text{ATE} = E\{Y(1)\} - E\{Y(0)\},$$

where the expectation is taken with respect to the empirical training covariate distribution for conditional models.

When type = "rmean", the function instead computes a restricted-mean ATE using $E\{\min(Y(a), c)\}$ for each arm. For outcome kernels with a finite analytical mean, the ordinary mean path is analytical within each posterior draw; rmean remains simulation-based.

For unconditional causal models ($X = \text{NULL}$), the computation reduces to a direct contrast of the unconditional treated and control predictive laws.

Value

An object of class "causalmixgpd_ate" containing the marginal ATE summary, optional intervals, and the arm-specific predictive objects used in the aggregation. The returned object includes a top-level \$fit_df data frame for direct extraction.

See Also

[att](#), [cate](#), [qte](#), [ate_rmean](#), [predict.causalmixgpd_causal_fit](#).

Examples

```

N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
                        components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
ate(fit, interval = "credible", level = 0.90, nsim_mean = 100)

```

ate_rmean

Restricted-mean ATE helper

Description

ate_rmean() is a convenience wrapper for restricted-mean treatment effects when the ordinary mean is unstable or undefined.

Usage

```

ate_rmean(
  fit,
  newdata = NULL,
  cutoff,
  interval = "credible",
  level = 0.95,
  nsim_mean = 200L,
  show_progress = TRUE
)

```

Arguments

fit	A "causalmixgpd_causal_fit" object from run_mcmc_causal().
newdata	Optional data.frame or matrix of covariates for prediction. If NULL, uses the training covariates stored in fit.
cutoff	Finite numeric cutoff for the restricted mean.
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
level	Numeric credible level for intervals (default 0.95 for 95 percent CI).
nsim_mean	Number of posterior predictive draws used by simulation-based mean targets. Ignored for analytical ordinary means.
show_progress	Logical; if TRUE, print step messages and render progress where supported.

Details

The restricted-mean estimand replaces $Y(a)$ by $\min\{Y(a), c\}$, so the contrast remains finite even when the fitted GPD tail implies $\xi \geq 1$.

Value

A "causalmixgpd_ate" object computed via [ate](#) for unconditional fits or [cate](#) for conditional fits. The returned object includes a top-level `$fit_df` data frame for direct extraction.

See Also

[ate](#), [cate](#), [predict.mixgpd_fit](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  GPD = TRUE, components = 3,
  mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb)
ate_rm <- ate_rmean(fit, cutoff = 10, interval = "credible")
```

 att

Average treatment effects standardized to treated covariates

Description

`att()` computes the average treatment effect on the treated.

Usage

```
att(
  fit,
  newdata = NULL,
  y = NULL,
  type = c("mean", "rmean"),
  cutoff = NULL,
  interval = "credible",
  level = 0.95,
  nsim_mean = 200L,
  show_progress = TRUE
)
```

Arguments

<code>fit</code>	A "causalmixgpd_causal_fit" object from <code>run_mcmc_causal()</code> .
<code>newdata</code>	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
<code>y</code>	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
<code>type</code>	Character; type of mean treatment effect: <ul style="list-style-type: none"> • "mean" (default): ordinary mean ATE • "rmean": restricted-mean ATE (requires cutoff)
<code>cutoff</code>	Finite numeric cutoff for restricted mean; required for <code>type = "rmean"</code> , ignored otherwise.
<code>interval</code>	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
<code>level</code>	Numeric credible level for intervals (default 0.95 for 95 percent CI).
<code>nsim_mean</code>	Number of posterior predictive draws used by simulation-based mean targets. Ignored for analytical ordinary means.
<code>show_progress</code>	Logical; if TRUE, print step messages and render progress where supported.

Details

The estimand is

$$ATT = E\{Y(1) - Y(0) \mid A = 1\},$$

approximated by marginalizing over the empirical covariate distribution of treated units.

Value

An object of class "causalmixgpd_ate" containing the ATT summary, optional intervals, and the arm-specific predictive objects used in the aggregation. The returned object includes a top-level `$fit_df` data frame for direct extraction.

See Also

[ate](#), [qtt](#), [cate](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
```

```
fit <- run_mcmc_causal(cb, show_progress = FALSE)
att(fit, interval = "credible", nsim_mean = 100)
```

base_lowercase	<i>Lowercase vectorized distribution functions (base kernels)</i>
----------------	---

Description

Vectorized R wrappers around the scalar base-kernel functions defined in this file. These helpers are intended for interactive R use, examples, testing, and checking numerical behavior outside compiled NIMBLE code.

Usage

```
dgpd(x, threshold, scale, shape, log = FALSE)
pgpd(q, threshold, scale, shape, lower.tail = TRUE, log.p = FALSE)
qgpd(p, threshold, scale, shape, lower.tail = TRUE, log.p = FALSE)
rgpd(n, threshold, scale, shape)
dinvgauss(x, mean, shape, log = FALSE)
pinvgauss(q, mean, shape, lower.tail = TRUE, log.p = FALSE)
qinvgauss(
  p,
  mean,
  shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
rinvgauss(n, mean, shape)
damoroso(x, loc, scale, shape1, shape2, log = FALSE)
pamoroso(q, loc, scale, shape1, shape2, lower.tail = TRUE, log.p = FALSE)
qamoroso(p, loc, scale, shape1, shape2, lower.tail = TRUE, log.p = FALSE)
ramoroso(n, loc, scale, shape1, shape2)
```

```
dcauchy_vec(x, location, scale, log = FALSE)
pcauchy_vec(q, location, scale, lower.tail = TRUE, log.p = FALSE)
qcauchy_vec(p, location, scale, lower.tail = TRUE, log.p = FALSE)
rcauchy_vec(n, location, scale)
```

Arguments

<code>x</code>	Numeric vector of quantiles.
<code>threshold, scale, shape, mean, loc, shape1, shape2, location</code>	Distribution parameters (scalars).
<code>log</code>	Logical; if TRUE, return log-density.
<code>q</code>	Numeric vector of quantiles.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>n</code>	Integer number of observations to generate.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.

Details

The wrappers preserve the same parameterizations as the uppercase scalar functions, but accept vector inputs for `x`, `q`, or `p` and allow `n > 1` for random generation.

Each lowercase helper is a vectorized R wrapper around the corresponding uppercase scalar routine documented in this file. The wrapper keeps the same parameterization and applies the scalar kernel repeatedly over the supplied evaluation points or simulation index. These helpers are therefore appropriate for interactive analysis, testing, and examples, whereas the uppercase functions are the building blocks used inside NIMBLE model code.

The wrappers do not change the underlying theory. For example, `qgpd()` still uses the closed-form GPD inverse, `qinvgauss()` still performs numerical inversion of the inverse Gaussian CDF, and `qamoroso()` still maps a gamma quantile through the Amoroso transformation. Random-generation wrappers call the corresponding scalar RNG repeatedly when `n > 1`.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dgpd()`: GPD density (vectorized)
- `pgpd()`: GPD distribution function (vectorized)
- `qgpd()`: GPD quantile function (vectorized)
- `rgpd()`: GPD random generation (vectorized)

- `dinvgauss()`: Inverse Gaussian density (vectorized)
- `pinvgauss()`: Inverse Gaussian distribution function (vectorized)
- `qinvgauss()`: Inverse Gaussian quantile function (vectorized)
- `rinvgauss()`: Inverse Gaussian random generation (vectorized)
- `damoroso()`: Amoroso density (vectorized)
- `pamoroso()`: Amoroso distribution function (vectorized)
- `qamoroso()`: Amoroso quantile function (vectorized)
- `ramoroso()`: Amoroso random generation (vectorized)
- `dcauchy_vec()`: Cauchy density (vectorized)
- `pcauchy_vec()`: Cauchy distribution function (vectorized)
- `qcauchy_vec()`: Cauchy quantile function (vectorized)
- `rcauchy_vec()`: Cauchy random generation (vectorized)

See Also

[gpd\(\)](#), [InvGauss\(\)](#), [amoroso\(\)](#), [cauchy\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
# GPD
dgpdc(c(1.5, 2.0, 2.5), threshold = 1, scale = 0.8, shape = 0.2)
pgpdc(c(1.5, 2.0), threshold = 1, scale = 0.8, shape = 0.2)
qgpdc(c(0.5, 0.9), threshold = 1, scale = 0.8, shape = 0.2)
rgpdc(5, threshold = 1, scale = 0.8, shape = 0.2)

# Inverse Gaussian
dinvgauss(c(1, 2, 3), mean = 2, shape = 5)
rinvgauss(5, mean = 2, shape = 5)

# Amoroso
damoroso(c(1, 2), loc = 0, scale = 1.5, shape1 = 2, shape2 = 1.2)
ramoroso(5, loc = 0, scale = 1.5, shape1 = 2, shape2 = 1.2)

# Cauchy
dcauchy_vec(c(-1, 0, 1), location = 0, scale = 1)
rcauchy_vec(5, location = 0, scale = 1)
```

build_causal_bundle *Build a causal bundle (design + two outcome arms)*

Description

build_causal_bundle() is the detailed constructor behind [bundle](#) for causal analyses. It prepares:

- a propensity score (PS) design block for $A \mid X$,
- a control-arm outcome bundle for $Y(0)$,
- a treated-arm outcome bundle for $Y(1)$.

Usage

```
build_causal_bundle(
  y,
  X,
  A,
  backend = c("sb", "crp", "spliced"),
  kernel,
  GPD = FALSE,
  components = 10L,
  param_specs = NULL,
  mcmc_outcome = list(niter = 2000, nburnin = 500, thin = 1, nchains = 1, seed = 1),
  mcmc_ps = list(niter = 1000, nburnin = 250, thin = 1, nchains = 1, seed = 1),
  epsilon = 0.025,
  alpha_random = TRUE,
  ps_prior = list(mean = 0, sd = 2),
  include_intercept = TRUE,
  PS = "logit",
  ps_scale = c("logit", "prob"),
  ps_summary = c("mean", "median"),
  ps_clamp = 1e-06,
  monitor = c("core", "full"),
  monitor_latent = FALSE,
  monitor_v = FALSE
)
```

Arguments

y	Numeric outcome vector.
X	Design matrix or data.frame of covariates (N x P).
A	Binary treatment indicator (length N, values 0/1).
backend	Character; the Dirichlet process representation for outcome models: <ul style="list-style-type: none"> • "sb": stick-breaking truncation

	<ul style="list-style-type: none"> • "crp": Chinese Restaurant Process • "spliced": CRP with GPD tail splicing
	If length 2, the first entry is used for treated (A=1) and the second for control (A=0).
kernel	Character kernel name for outcome models (must exist in get_kernel_registry()). If length 2:
	<ul style="list-style-type: none"> • first entry: used for treated (A=1) • second entry: used for control (A=0)
GPD	Logical; include GPD tail for outcomes if TRUE. If length 2:
	<ul style="list-style-type: none"> • first entry: used for treated (A=1) • second entry: used for control (A=0)
components	Integer ≥ 2 ; truncation parameter for outcome mixtures. If length 2:
	<ul style="list-style-type: none"> • first entry: used for treated (A=1) • second entry: used for control (A=0)
param_specs	Outcome parameter overrides (same structure as build_nimble_bundle()):
	<ul style="list-style-type: none"> • a single list: used for both arms • a list with con and trt entries: arm-specific overrides
mcmc_outcome	MCMC settings list for the outcome bundles.
mcmc_ps	MCMC settings list for the PS model.
epsilon	Numeric in [0,1) used by outcome bundles for posterior truncation summaries. If length 2:
	<ul style="list-style-type: none"> • first entry: used for treated (A=1) • second entry: used for control (A=0)
alpha_random	Logical; whether the outcome-model DP concentration parameter κ is stochastic.
ps_prior	Normal prior for PS coefficients. List with mean and sd.
include_intercept	Logical; if TRUE, an intercept column is prepended to X in the PS model.
PS	Character or logical; controls propensity score estimation:
	<ul style="list-style-type: none"> • "logit" (default): Logistic regression PS model • "probit": Probit regression PS model • "naive": Gaussian naive Bayes PS model • FALSE: No PS estimation; outcome models use only X
	The PS model choice is stored in bundle metadata for downstream use in prediction and summaries.
ps_scale	Scale used when augmenting outcomes with PS:
	<ul style="list-style-type: none"> • "logit": augment on the logit (log-odds) scale • "prob": augment on the probability scale
ps_summary	Posterior summary for PS:
	<ul style="list-style-type: none"> • "mean": posterior mean of propensity scores

	<ul style="list-style-type: none"> • "median": posterior median of propensity scores
ps_clamp	Numeric epsilon for clamping PS values to $(\epsilon, 1 - \epsilon)$.
monitor	Character monitor profile: <ul style="list-style-type: none"> • "core" (default): monitors only the essential model parameters • "full": monitors all model nodes
monitor_latent	Logical; whether to monitor latent cluster labels (z) in outcome arms.
monitor_v	Logical; whether to monitor stick-breaking v terms for SB outcomes.

Details

The outcome bundles reuse the one-arm DPM plus optional GPD machinery. The PS block provides a shared adjustment object used by `run_mcmc_causal` and `predict.causalmixgpd_causal_fit`. The causal bundle encodes the two arm-specific predictive laws $F_0(y | x)$ and $F_1(y | x)$. Downstream causal estimands are functionals of these two distributions:

$$\text{ATE} = E\{Y(1)\} - E\{Y(0)\}, \quad \text{QTE}(\tau) = Q_1(\tau) - Q_0(\tau).$$

When PS is enabled, the package estimates a propensity score model $e(x) = \Pr(A = 1 | X = x)$ and uses a posterior summary of that score as an augmented covariate in the arm-specific outcome models. This mirrors the workflow described in the manuscript vignette.

Value

A list of class "causalmixgpd_causal_bundle" containing the design bundle, two outcome bundles, training data, arm indices, and metadata required for posterior prediction and causal effect summaries.

See Also

`bundle`, `run_mcmc_causal`, `predict.causalmixgpd_causal_fit`, `ate`, `qte`, `cate`, `cqte`.

Examples

```
set.seed(1)
N <- 25
X <- cbind(x1 = rnorm(N), x2 = runif(N))
A <- rbinom(N, 1, plogis(0.3 + 0.5 * X[, 1]))
y <- rexp(N) + 0.1

cb <- build_causal_bundle(
  y = y,
  X = X,
  A = A,
  backend = "sb",
  kernel = "gamma",
  GPD = TRUE,
  components = 3,
  PS = "probit"
)
```

build_nimble_bundle *Build the explicit one-arm NIMBLE bundle*

Description

build_nimble_bundle() is the detailed constructor behind `bundle` for one-arm models. It compiles the modeling plan into a self-contained object holding code-generation inputs, initialization rules, monitor policy, and stored MCMC defaults.

Usage

```
build_nimble_bundle(
  y,
  X = NULL,
  ps = NULL,
  backend = c("sb", "crp", "spliced"),
  kernel,
  GPD = FALSE,
  components = 10L,
  param_specs = NULL,
  mcmc = list(niter = 2000, nburnin = 500, thin = 1, nchains = 1, seed = 1),
  epsilon = 0.025,
  alpha_random = TRUE,
  monitor = c("core", "full"),
  monitor_latent = FALSE,
  monitor_v = FALSE
)
```

Arguments

y	Numeric outcome vector.
X	Optional design matrix/data.frame (N x p) for conditional variants.
ps	Optional numeric vector (length N) of propensity scores. When provided, augments the design matrix for PS-adjusted outcome modeling.
backend	Character; the Dirichlet process representation: <ul style="list-style-type: none"> • "sb": stick-breaking truncation • "crp": Chinese Restaurant Process
kernel	Character kernel name (must exist in get_kernel_registry()).
GPD	Logical; whether a GPD tail is requested.
components	Integer >= 2. Single user-facing truncation parameter: <ul style="list-style-type: none"> • SB: number of mixture components used in stick-breaking truncation • CRP: maximum number of clusters represented in the finite NIMBLE model
param_specs	Optional list with entries <code>bulk</code> and <code>tail</code> to override defaults.

mcmc	Named list of MCMC settings (niter, nburnin, thin, nchains, seed). Stored in bundle.
epsilon	Numeric in [0,1). For downstream summaries/plots/prediction we keep the smaller k defined by either (i) cumulative mass $\geq 1 - \text{epsilon}$ or (ii) per-component weights $\geq \text{epsilon}$, then renormalize.
alpha_random	Logical; whether the DP concentration parameter κ is stochastic.
monitor	Character monitor profile: <ul style="list-style-type: none"> • "core" (default): monitors only the essential model parameters • "full": monitors all model nodes
monitor_latent	Logical; if TRUE, include latent cluster labels (z) in monitors.
monitor_v	Logical; if TRUE and backend is SB, include stick breaks (v) in monitors.

Details

The returned bundle encodes a finite approximation to a Dirichlet process mixture using either a stick-breaking ("sb") or Chinese restaurant process / spliced ("crp" / "spliced") representation.

For the bulk-only model, the target likelihood is the DPM predictive law

$$f(y | x) = \sum_{k=1}^K w_k(x) f_k(y | x, \theta_k).$$

When GPD = TRUE, the bundle augments the bulk model with a threshold $u(x)$ and generalized Pareto tail above that threshold, producing the spliced predictive distribution described in the manuscript vignette.

This function intentionally stops before model compilation and sampling. Use [run_mcmc_bundle_manual](#) or [mcmc](#) to execute the stored model definition.

The object contains:

- compiled model spec
- nimbleCode model code
- constants, data, explicit dimensions
- initialization function inits (stored as a function)
- monitor specification
- MCMC settings list (stored but not used for code generation)

Value

A named list of class "causalmixgpd_bundle". Its primary components are spec, code, constants, dimensions, data, inits, monitors, and stored mcmc settings.

See Also

[bundle](#), [run_mcmc_bundle_manual](#), [predict.mixgpd_fit](#), [kernel_support_table](#), [get_kernel_registry](#).

Examples

```

y <- abs(rnorm(25)) + 0.1
bundle <- build_nimble_bundle(
  y = y,
  backend = "sb",
  kernel = "normal",
  GPD = FALSE,
  components = 3,
  mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
)
bundle

```

bundle

Build the workflow bundle used by the package fitters

Description

`bundle()` is the main workflow constructor. It converts raw inputs, a formula/data pair, or an already prepared bundle into the canonical object consumed by `mcmc`, `dpmix`, `dpmgpd`, `dpmix.causal`, and `dpmgpd.causal`.

Usage

```

bundle(
  y = NULL,
  X = NULL,
  treat = NULL,
  data = NULL,
  formula = NULL,
  GPD = FALSE,
  ...
)

```

Arguments

<code>y</code>	Either a response vector or an existing bundle.
<code>X</code>	Optional design matrix/data.frame.
<code>treat</code>	Optional binary treatment indicator.
<code>data</code>	Optional data.frame used with formula.
<code>formula</code>	Optional formula.
<code>GPD</code>	Logical; include GPD tail in build mode.
<code>...</code>	Additional arguments passed to <code>build_nimble_bundle()</code> or <code>build_causal_bundle()</code> .

Details

For one-arm models the returned object represents a bulk Dirichlet process mixture, optionally augmented with a spliced generalized Pareto tail. For causal models the returned object contains two arm-specific outcome bundles plus an optional propensity score block.

The workflow is:

1. prepare a bundle with `bundle()`,
2. run posterior sampling with `mcmc` or one of the `dpmix*/dpmgpd*` wrappers,
3. inspect the fitted object with `summary.mixgpd_fit`, `params`, `predict.mixgpd_fit`, or the causal estimand helpers.

Setting `GPD = TRUE` requests the spliced bulk-tail model with conditional distribution

$$F(y | x) = F_{\text{bulk}}(y | x)\mathbf{1}\{y \leq u(x)\} + [p_u(x) + \{1 - p_u(x)\}F_{\text{GPD}}(y | x)]\mathbf{1}\{y > u(x)\},$$

where $p_u(x)$ is the bulk probability below the threshold $u(x)$.

See the manuscript vignette for the DPM hierarchy, SB/CRP representations, and the spliced bulk-tail construction used throughout the package.

Value

A "causalmixgpd_bundle" for one-arm models or a "causalmixgpd_causal_bundle" for causal models. The bundle stores code-generation inputs, monitor policy, and default MCMC settings, but it does not run MCMC.

See Also

[build_nimble_bundle](#), [build_causal_bundle](#), `mcmc`, `dpmix`, `dpmgpd`.

cate.causalmixgpd_causal_fit

Conditional average treatment effects

Description

`cate()` evaluates treated-minus-control predictive means, or restricted means, at user-supplied covariate rows.

Usage

```
## S3 method for class 'causalmixgpd_causal_fit'
cate(
  fit,
  newdata = NULL,
  type = c("mean", "rmean"),
  cutoff = NULL,
  interval = "credible",
```

```

    level = 0.95,
    nsim_mean = 200L,
    show_progress = TRUE
  )

```

Arguments

fit	A "causalmixgpd_causal_fit" object from run_mcmc_causal().
newdata	Optional data.frame or matrix of covariates for prediction. If NULL, uses the training covariates stored in fit.
type	Character; type of mean treatment effect: <ul style="list-style-type: none"> • "mean" (default): ordinary mean CATE • "rmean": restricted-mean CATE (requires cutoff)
cutoff	Finite numeric cutoff for restricted mean; required for type = "rmean", ignored otherwise.
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
level	Numeric credible level for intervals (default 0.95 for 95 percent CI).
nsim_mean	Number of posterior predictive draws used by simulation-based mean targets. Ignored for analytical ordinary means.
show_progress	Logical; if TRUE, print step messages and render progress where supported.

Details

For each prediction row x , the conditional average treatment effect is

$$\text{CATE}(x) = E\{Y(1) \mid x\} - E\{Y(0) \mid x\}.$$

With type = "rmean", the estimand becomes the conditional restricted mean contrast

$$E\{\min(Y(1), c) \mid x\} - E\{\min(Y(0), c) \mid x\},$$

which remains finite even when the ordinary mean is unstable under a heavy GPD tail. For outcome kernels with a finite analytical mean, the ordinary mean path is analytical within each posterior draw; rmean remains a separate simulation-based estimand.

This estimand is available only for conditional causal models with covariates. For marginal mean contrasts, use [ate](#) or [att](#).

Value

An object of class "causalmixgpd_ate" containing the CATE summary, optional intervals, and the treated/control prediction objects used to construct the effect. The returned object includes a top-level \$fit_df data frame for direct extraction.

See Also

[ate](#), [att](#), [cqte](#), [ate_rmean](#), [predict.causalmixgpd_causal_fit](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
cate(fit, newdata = X[1:5, , drop = FALSE])
cate(fit, interval = "credible", level = 0.90) # 90% CI
cate(fit, interval = "hpd") # HPD intervals
cate(fit, interval = NULL) # No intervals
```

 cauchy

Cauchy distribution

Description

Scalar Cauchy utilities implemented for NIMBLE compatibility. These functions support symmetric heavy-tailed kernels on the real line and feed directly into the finite Cauchy mixture family.

Usage

```
dCauchy(x, location, scale, log = 0)
```

```
pCauchy(q, location, scale, lower.tail = 1, log.p = 0)
```

```
rCauchy(n, location, scale)
```

```
qCauchy(p, location, scale, lower.tail = TRUE, log.p = FALSE)
```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>location</code>	Numeric scalar location parameter.
<code>scale</code>	Numeric scalar scale parameter; must be positive.
<code>log</code>	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
<code>q</code>	Numeric scalar giving the point at which the distribution function is evaluated.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
<code>log.p</code>	Logical; if TRUE, probabilities are returned on the log scale.

n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.

Details

The density is

$$f(x) = \frac{1}{\pi s \{1 + ((x - \ell)/s)^2\}}$$

where location = ℓ and scale = $s > 0$.

These uppercase NIMBLE-compatible functions are scalar (x/q and $n = 1$). For vectorized R usage, use [base_lowercase\(\)](#).

The Cauchy law is a stable heavy-tailed distribution with undefined mean and variance. That is why the package allows the Cauchy kernel only as a bulk distribution and deliberately does not pair it with GPD tails in the kernel registry. For predictive summaries, ordinary means are not available under Cauchy kernels; medians, quantiles, survival curves, and restricted means remain well defined.

The distribution function is

$$F(x) = \frac{1}{2} + \frac{1}{\pi} \arctan\left(\frac{x - \ell}{s}\right),$$

and the quantile is the corresponding inverse

$$Q(p) = \ell + s \tan\{\pi(p - 1/2)\}.$$

Value

`dCauchy()` returns a numeric scalar density, `pCauchy()` returns a numeric scalar CDF, `rCauchy()` returns one random draw, and `qCauchy()` returns a numeric quantile.

Functions

- `dCauchy()`: Cauchy density function
- `pCauchy()`: Cauchy distribution function
- `rCauchy()`: Cauchy random generation
- `qCauchy()`: Cauchy quantile function

See Also

[cauchy_mix\(\)](#), [base_lowercase\(\)](#), [kernel_support_table\(\)](#).

Other base bulk distributions: [InvGauss](#), [amoroso](#)

Examples

```

location <- 0
scale <- 1.5

dCauchy(0.5, location, scale, log = 0)
pCauchy(0.5, location, scale, lower.tail = 1, log.p = 0)
qCauchy(0.50, location, scale)
qCauchy(0.95, location, scale)
replicate(10, rCauchy(1, location, scale))

```

cauchy_mix

Cauchy mixture distribution

Description

Finite mixture of Cauchy components for symmetric heavy-tailed bulk modeling on the real line.

Usage

```

dCauchyMix(x, w, location, scale, log = 0)

pCauchyMix(q, w, location, scale, lower.tail = 1, log.p = 0)

rCauchyMix(n, w, location, scale)

qCauchyMix(
  p,
  w,
  location,
  scale,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
location, scale	Numeric vectors of length K giving component locations and scales.
log	Logical; if TRUE, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.

log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports n = 1.
p	Numeric scalar probability in (0, 1) for the quantile function.
tol	Numeric scalar tolerance passed to stats::uniroot.
maxiter	Integer maximum number of iterations for stats::uniroot.

Details

The mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k f_C(x | \ell_k, s_k),$$

with normalized weights \tilde{w}_k . These scalar functions are NIMBLE-compatible; for vectorized R usage, use `cauchy_mix_lowercase()`.

The mixture CDF is the weighted average of component CDFs,

$$F(x) = \sum_{k=1}^K \tilde{w}_k \left\{ \frac{1}{2} + \frac{1}{\pi} \arctan \left(\frac{x - \ell_k}{s_k} \right) \right\}.$$

Random generation first selects a component according to the normalized weights and then draws from the chosen Cauchy law by inverse-CDF sampling.

Because each Cauchy component has undefined mean and variance, the mixture also lacks an ordinary mean in general. That is why the package exposes Cauchy kernels for densities, CDFs, quantiles, medians, survival functions, and restricted means, but not for ordinary predictive means.

Value

Density/CDF/RNG functions return numeric scalars. `qCauchyMix()` returns a numeric vector with the same length as `p`.

Functions

- `dCauchyMix()`: Cauchy mixture density
- `pCauchyMix()`: Cauchy mixture distribution function
- `rCauchyMix()`: Cauchy mixture random generation
- `qCauchyMix()`: Cauchy mixture quantile function

See Also

[cauchy\(\)](#), [cauchy_mix_lowercase\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Examples

```
w <- c(0.50, 0.30, 0.20)
location <- c(-2, 0, 3)
scale <- c(1.0, 0.7, 1.5)

dCauchyMix(0.5, w = w, location = location, scale = scale, log = FALSE)
pCauchyMix(0.5, w = w, location = location, scale = scale,
  lower.tail = TRUE, log.p = FALSE)
qCauchyMix(0.50, w = w, location = location, scale = scale)
qCauchyMix(0.95, w = w, location = location, scale = scale)
replicate(10, rCauchyMix(1, w = w, location = location, scale = scale))
```

cauchy_mix_lowercase *Lowercase vectorized Cauchy mixture distribution functions*

Description

Vectorized R wrappers for the scalar Cauchy mixture functions in this file.

Usage

```
dcauchymix(x, w, location, scale, log = FALSE)

pcauchymix(q, w, location, scale, lower.tail = TRUE, log.p = FALSE)

qcauchymix(
  p,
  w,
  location,
  scale,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

rcauchymix(n, w, location, scale)
```

Arguments

x	Numeric vector of quantiles.
w	Numeric vector of mixture weights.
location, scale	Numeric vectors of component parameters.
log	Logical; if TRUE, return log-density.
q	Numeric vector of quantiles.

<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.
<code>n</code>	Integer number of observations to generate.

Details

These are vectorized R wrappers around the scalar Cauchy-mixture routines. They retain the same location-scale parameterization and the same inverse-CDF logic for simulation and quantiles. The lowercase functions do not alter the heavy-tail theory of the underlying Cauchy components; they apply the scalar routines elementwise to vector inputs in R.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dcauchymix()`: Cauchy mixture density (vectorized)
- `pcauchymix()`: Cauchy mixture distribution function (vectorized)
- `qcauchymix()`: Cauchy mixture quantile function (vectorized)
- `rcauchymix()`: Cauchy mixture random generation (vectorized)

See Also

[cauchy_mix\(\)](#), [cauchy\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.6, 0.3, 0.1)
loc <- c(-1, 0, 1)
scl <- c(1, 1.2, 2)
```

```
dcauchymix(c(-2, 0, 2), w = w, location = loc, scale = scl)
rcauchymix(5, w = w, location = loc, scale = scl)
```

`causal_alt_pos500_p3_k3`*Alternative Positive-Support Causal Data Set With Three Predictors*

Description

Causal dataset (N=500, p=3) with different positive-support kernels by arm. Intended for alternating-kernel causal vignettes (GPD=FALSE).

Usage`causal_alt_pos500_p3_k3`**Format**

A list with:

y Numeric outcome vector.

A Binary treatment indicator (0/1).

X data.frame with x1-x3.

meta List with N, support, p, K0, K1, tail, exceed_frac.

truth List with kernel0, kernel1, params0, params1, tail_params.

Examples

```
head(causal_alt_pos500_p3_k3$X)
```

`causal_alt_pos500_p5_k4_tail`*Alternative Positive-Support Tail Causal Data Set With Five Predictors*

Description

Causal dataset (N=500, p=5) with different positive-support kernels by arm and tail-designed exceedances (GPD=TRUE).

Usage`causal_alt_pos500_p5_k4_tail`

Format

A list with:

y Numeric outcome vector.

A Binary treatment indicator (0/1).

X data.frame with x1-x5.

meta List with N, support, p, K0, K1, tail, exceed_frac.

truth List with kernel0, kernel1, params0, params1, tail_params.

Examples

```
head(causal_alt_pos500_p5_k4_tail$X)
```

causal_alt_real500_p4_k2

Alternative Real-Line Causal Data Set With Four Predictors

Description

Causal dataset (N=500, p=4) with different real-line kernels by arm. Intended for alternating-kernel causal vignettes (GPD=FALSE).

Usage

```
causal_alt_real500_p4_k2
```

Format

A list with:

y Numeric outcome vector.

A Binary treatment indicator (0/1).

X data.frame with x1-x4.

meta List with N, support, p, K0, K1, tail, exceed_frac.

truth List with kernel0, kernel1, params0, params1, tail_params.

Examples

```
head(causal_alt_real500_p4_k2$X)
```

causal_pos500_p3_k2 *Positive-Support Causal Data Set With Three Predictors*

Description

Causal dataset (N=500, p=3) with the same positive-support kernel for both arms. Intended for same-kernel causal baselines (GPD=FALSE).

Usage

```
causal_pos500_p3_k2
```

Format

A list with:

y Numeric outcome vector.

A Binary treatment indicator (0/1).

X data.frame with x1-x3.

meta List with N, support, p, K0, K1, tail, exceed_frac.

truth List with kernel0, kernel1, params0, params1, tail_params.

Examples

```
head(causal_pos500_p3_k2$X)
```

check_glue_validity *Validate bulk+tail glue for MixGPD predictive distribution*

Description

This diagnostic checks whether the implied predictive distribution behaves like a valid distribution (monotone CDF in $[0, 1]$, nonnegative density, and sensible behavior around the threshold when a GPD tail is enabled).

Usage

```
check_glue_validity(
  fit,
  x = NULL,
  grid = NULL,
  n_draws = 50L,
  tol = 1e-08,
  check_continuity = TRUE,
  eps = 1e-06
)
```

Arguments

fit	A mixgpd_fit object.
x	Optional design matrix for conditional models. If NULL, uses training X.
grid	Numeric evaluation grid. If NULL, defaults to a grid based on training y.
n_draws	Number of posterior draws to check (sampled without replacement when possible).
tol	Numerical tolerance for monotonicity/range checks.
check_continuity	Logical; if TRUE and GPD is enabled, checks continuity at the threshold.
eps	Small offset used for threshold continuity check.

Details

The check is performed draw-by-draw on a user-specified grid. It is intended for development, debugging, and CI (not for routine large-scale use).

Value

A list with per-check pass/fail flags and summaries of violations.

cluster_profiles	<i>Extract Cluster Profiles</i>
------------------	---------------------------------

Description

Access descriptive cluster profiles without reaching into summary internals.

Usage

```
cluster_profiles(object, ...)
```

Arguments

object	A cluster fit, cluster-label object, or corresponding summary object.
...	Additional arguments passed to summary methods for fitted or label objects.

Value

A data frame of cluster-level descriptive summaries, or NULL when profiles are unavailable.

See Also

Other cluster workflow: [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle\(\)](#), [predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

```

cqte.causalmixgpd_causal_fit

```

Conditional quantile treatment effects

Description

`cqte()` evaluates treated-minus-control predictive quantiles at user-supplied covariate rows.

Usage

```

## S3 method for class 'causalmixgpd_causal_fit'
cqte(
  fit,
  probs = c(0.1, 0.5, 0.9),
  newdata = NULL,
  interval = "credible",
  level = 0.95,
  show_progress = TRUE
)

```

Arguments

<code>fit</code>	A "causalmixgpd_causal_fit" object from <code>run_mcmc_causal()</code> .
<code>probs</code>	Numeric vector of probabilities in (0, 1) specifying the quantile levels of the outcome distribution to estimate treatment effects at.
<code>newdata</code>	Optional data.frame or matrix of covariates for prediction. If NULL, uses the training covariates stored in <code>fit</code> .
<code>interval</code>	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
<code>level</code>	Numeric credible level for intervals (default 0.95 for 95 percent CI).
<code>show_progress</code>	Logical; if TRUE, print step messages and render progress where supported.

Details

For each prediction row x , the conditional quantile treatment effect is

$$\text{CQTE}(\tau, x) = Q_1(\tau | x) - Q_0(\tau | x).$$

This estimand is available only for conditional causal models with covariates. For marginal quantile contrasts over the empirical covariate distribution, use [qte](#) or [qtt](#).

If the fit includes a PS block, the same PS adjustment is applied to both arm predictions before differencing.

Value

An object of class "causalmixgpd_qte" containing the CQTE summary, the probability grid, and the treated/control prediction objects used to construct the effect. The returned object includes a top-level \$fit_df data frame for direct extraction.

See Also

[qte](#), [qtt](#), [cate](#), [predict.causalmixgpd_causal_fit](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
cqte(fit, probs = c(0.5, 0.9), newdata = X[1:5, , drop = FALSE])
cqte(fit, probs = c(0.5, 0.9), interval = "credible", level = 0.90) # 90% CI
cqte(fit, probs = c(0.5, 0.9), interval = "hpd") # HPD intervals
cqte(fit, probs = c(0.5, 0.9), interval = NULL) # No intervals
```

dpmgpd

Fit a one-arm Dirichlet process mixture with a spliced GPD tail

Description

dpmgpd() is the one-step convenience wrapper for the spliced bulk-tail model. It combines [bundle](#) and [mcmc](#) for one-arm data.

Usage

```
dpmgpd(
  y = NULL,
  X = NULL,
  treat = NULL,
  data = NULL,
  mcmc = list(),
  formula = NULL,
  ...
)
```

Arguments

<code>y</code>	Either a response vector or a bundle object.
<code>X</code>	Optional design matrix/data.frame.
<code>treat</code>	Optional binary treatment indicator. If supplied, this wrapper errors; use <code>dpmgpd.causal()</code> for causal models.
<code>data</code>	Optional data.frame used with formula.
<code>mcmc</code>	Named list of run arguments passed to <code>mcmc()</code> (including optional performance controls such as <code>parallel_chains</code> , <code>workers</code> , <code>timing</code> , and <code>z_update_every</code>).
<code>formula</code>	Optional formula.
<code>...</code>	Additional build arguments passed to <code>build_nimble_bundle</code> .

Details

This wrapper targets the posterior predictive distribution obtained by combining a flexible bulk DPM with a generalized Pareto exceedance model above the threshold $u(x)$. In the tail region the predictive density is proportional to

$$\{1 - p_u(x)\} f_{\text{GPD}}(y | x), \quad y > u(x),$$

where $p_u(x)$ is the posterior bulk mass below the threshold.

Use this wrapper when upper-tail behavior matters for inference, prediction, or extrapolation of extreme quantiles and survival probabilities.

Value

A fitted object of class "mixgpd_fit".

See Also

[build_nimble_bundle](#), [bundle](#), [dpmix](#), [predict.mixgpd_fit](#), [summary.mixgpd_fit](#).

dpmgpd.causal

Fit a causal two-arm Dirichlet process mixture with a spliced GPD tail

Description

`dpmgpd.causal()` is the highest-level causal fitting wrapper. It builds or accepts a causal bundle, runs posterior sampling for the treated and control arms, and returns a single causal fit ready for prediction and effect estimation.

Usage

```
dpmgpd.causal(
  y = NULL,
  X = NULL,
  treat = NULL,
  data = NULL,
  mcmc = list(),
  formula = NULL,
  ...
)
```

Arguments

<code>y</code>	Either a response vector or a causal bundle object.
<code>X</code>	Optional design matrix/data.frame.
<code>treat</code>	Binary treatment indicator.
<code>data</code>	Optional data.frame used with formula.
<code>mcmc</code>	Named list of run arguments passed to <code>mcmc()</code> (including optional performance controls such as <code>parallel_arms</code> , <code>workers</code> , <code>timing</code> , and <code>z_update_every</code>).
<code>formula</code>	Optional formula.
<code>...</code>	Additional build arguments passed to build_causal_bundle .

Details

The arm-specific predictive distributions $F_1(y | x)$ and $F_0(y | x)$ inherit the spliced bulk-tail structure. Downstream causal estimands are computed as functionals of these two predictive laws, for example

$$\text{QTE}(\tau) = Q_1(\tau) - Q_0(\tau), \quad \text{ATE} = E(Y_1) - E(Y_0).$$

Value

A fitted object of class "causalmixgpd_causal_fit".

See Also

[build_causal_bundle](#), [bundle](#), [dpmix.causal](#), [predict.causalmixgpd_causal_fit](#), [ate](#), [qte](#), [cate](#), [cqte](#).

Examples

```
data("causal_pos500_p3_k2", package = "CausalMixGPD")
idx <- seq_len(30)
fit <- dpmgpd.causal(
  y = causal_pos500_p3_k2$y[idx],
  X = causal_pos500_p3_k2$X[idx, , drop = FALSE],
  treat = causal_pos500_p3_k2$A[idx],
  kernel = "gamma",
  backend = "sb",
```

```

    components = 3,
    mcmc = list(niter = 60, nburnin = 30, thin = 1, nchains = 1, seed = 1,
               show_progress = FALSE, quiet = TRUE)
  )
  ate(fit, show_progress = FALSE)

```

dpmgpd.cluster

Fit a clustering-only bulk-tail model

Description

Variant of `dpmix.cluster()` that augments the cluster kernel with a generalized Pareto tail. This is the clustering analogue of the spliced bulk-tail workflow used by `dpmgpd()`.

Usage

```

dpmgpd.cluster(
  formula,
  data,
  type = c("weights", "param", "both"),
  default = "weights",
  mcmc = list(),
  ...
)

```

Arguments

formula	Model formula. The response must be present in data.
data	Data frame containing the response and optional predictors.
type	Clustering mode: <ul style="list-style-type: none"> • "weights": links mixture weights to predictors • "param": links kernel parameters to predictors • "both": links both weights and kernel parameters to predictors
default	Default mode used when type is omitted.
mcmc	MCMC control list passed into the cluster bundle.
...	Additional arguments passed to <code>build_cluster_bundle()</code> , including kernel settings, prior overrides, component counts, and monitoring controls.

Details

For observations above a component-specific threshold, the component density is spliced as

$$f(y) = (1 - F_{bulk}(u))g_{GPD}(y | u, \sigma_u, \xi_u), \quad y \geq u,$$

so cluster assignment can be informed by both central behavior and tail behavior.

This interface is preferable when cluster separation is driven by upper-tail differences rather than bulk-only shape or location differences.

Value

Object of class `dpmixgpd_cluster_fit`.

See Also

`dpmix.cluster()`, `predict.dpmixgpd_cluster_fit()`, `dpmgpd()`, `sim_bulk_tail()`.

Other cluster workflow: `cluster_profiles()`, `dpmix.cluster()`, `plot.dpmixgpd_cluster_bundle()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

Examples

```
data("nc_posX100_p3_k2", package = "CausalMixGPD")
dat <- data.frame(y = nc_posX100_p3_k2$y[1:20],
                 nc_posX100_p3_k2$X[1:20, , drop = FALSE])
fit <- dpmgpd.cluster(
  y ~ x1 + x2 + x3,
  data = dat,
  kernel = "gamma",
  type = "param",
  components = 3,
  mcmc = list(niter = 60, nburnin = 30, thin = 1, nchains = 1, seed = 1)
)
cluster_profiles(fit)
```

dpmix

Fit a one-arm Dirichlet process mixture without a GPD tail

Description

`dpmix()` is the one-step convenience wrapper for the bulk-only model. It combines `bundle` and `mcmc` for one-arm data.

Usage

```
dpmix(
  y = NULL,
  X = NULL,
  treat = NULL,
  data = NULL,
  mcmc = list(),
  formula = NULL,
  ...
)
```

Arguments

<code>y</code>	Either a response vector or a bundle object.
<code>X</code>	Optional design matrix/data.frame.
<code>treat</code>	Optional binary treatment indicator. If supplied, this wrapper errors; use <code>dpmix.causal()</code> for causal models.
<code>data</code>	Optional data.frame used with formula.
<code>mcmc</code>	Named list of run arguments passed to <code>mcmc()</code> (including optional performance controls such as <code>parallel_chains</code> , <code>workers</code> , <code>timing</code> , and <code>z_update_every</code>).
<code>formula</code>	Optional formula.
<code>...</code>	Additional build arguments passed to build_nimble_bundle .

Details

The fitted model targets the posterior predictive bulk distribution

$$f(y | x) = \int f(y | x, \theta) d\Pi(\theta),$$

without the spliced tail augmentation used by [dpmgpd](#).

Use this wrapper when the outcome support is adequately modeled by the bulk kernel alone. If you need threshold exceedance modeling or extreme-quantile extrapolation, use [dpmgpd](#) instead.

Value

A fitted object of class "mixgpd_fit".

See Also

[build_nimble_bundle](#), [bundle](#), [dpmgpd](#), [predict.mixgpd_fit](#), [summary.mixgpd_fit](#).

`dpmix.causal`

Fit a causal two-arm Dirichlet process mixture without a GPD tail

Description

`dpmix.causal()` fits a causal model with separate treated and control outcome mixtures and, when requested, a propensity score block. It is the bulk-only companion to [dpmgpd.causal](#).

Usage

```
dpmix.causal(
  y = NULL,
  X = NULL,
  treat = NULL,
  data = NULL,
  mcmc = list(),
  formula = NULL,
  ...
)
```

Arguments

<code>y</code>	Either a response vector or a causal bundle object.
<code>X</code>	Optional design matrix/data.frame.
<code>treat</code>	Binary treatment indicator.
<code>data</code>	Optional data.frame used with formula.
<code>mcmc</code>	Named list of run arguments passed to <code>mcmc()</code> (including optional performance controls such as <code>parallel_arms</code> , <code>workers</code> , <code>timing</code> , and <code>z_update_every</code>).
<code>formula</code>	Optional formula.
<code>...</code>	Additional build arguments passed to <code>build_causal_bundle</code> .

Details

The resulting fit supports conditional outcome prediction $F_a(y \mid x)$ for $a \in \{0, 1\}$, followed by causal functionals such as `ate`, `qte`, `cate`, and `cqte`.

Value

A fitted object of class "causalmixgpd_causal_fit".

See Also

`build_causal_bundle`, `bundle`, `dpmgpd.causal`, `predict.causalmixgpd_causal_fit`, `ate`, `qte`.

Examples

```
N <- 30
X <- data.frame(x1 = stats::rnorm(N), x2 = stats::runif(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N) + A + 0.5 * X$x1) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)

fit <- dpmix.causal(
  y = y, X = X, treat = A,
  backend = "sb", kernel = "normal",
  components = 3, mcmc = mcmc_small
)
summary(fit)
ate(fit, show_progress = FALSE)
```

dpmix.cluster

*Fit a clustering-only bulk model***Description**

Build and fit a Dirichlet-process mixture for clustering without causal estimands or posterior prediction for a response surface. This interface focuses on latent partition recovery from a formula specification and returns a cluster-fit object that can be summarized, plotted, or converted into labels and posterior similarity matrices with `predict.dpmixgpd_cluster_fit()`.

Usage

```
dpmix.cluster(
  formula,
  data,
  type = c("weights", "param", "both"),
  default = "weights",
  mcmc = list(),
  ...
)
```

Arguments

formula	Model formula. The response must be present in data.
data	Data frame containing the response and optional predictors.
type	Clustering mode: <ul style="list-style-type: none"> • "weights": links mixture weights to predictors • "param": links kernel parameters to predictors • "both": links both weights and kernel parameters to predictors
default	Default mode used when type is omitted.
mcmc	MCMC control list passed into the cluster bundle.
...	Additional arguments passed to <code>build_cluster_bundle()</code> , including kernel settings, prior overrides, component counts, and monitoring controls.

Details

The fitted model targets a latent partition z_1, \dots, z_n with component-specific kernel parameters. Depending on type, predictors can enter through the gating probabilities

$$\Pr(z_i = k \mid x_i) = \pi_k(x_i)$$

or through linked kernel parameters for each component. The returned fit stores posterior draws of the latent cluster labels and associated parameters; the representative clustering is extracted later by `predict.dpmixgpd_cluster_fit()` using Dahl's least-squares rule.

Use `type = "weights"` or `type = "both"` only when the formula includes predictors and when an explicit number of components is supplied. Otherwise the builder stops before fitting.

Value

Object of class `dpmixgpd_cluster_fit`.

See Also

`dpmgpd.cluster()`, `predict.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_fit()`, `plot.dpmixgpd_cluster_fit()`, `build_nimble_bundle()`, `dpmix()`.

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `plot.dpmixgpd_cluster_bundle()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

Examples

```
data("nc_realX100_p3_k2", package = "CausalMixGPD")
dat <- data.frame(y = nc_realX100_p3_k2$y[1:20],
                 nc_realX100_p3_k2$X[1:20, , drop = FALSE])
fit <- dpmix.cluster(
  y ~ x1 + x2 + x3,
  data = dat,
  kernel = "normal",
  type = "param",
  components = 3,
  mcmc = list(niter = 60, nburnin = 30, thin = 1, nchains = 1, seed = 1)
)
summary(fit)
```

 ess_summary

Effective sample size summaries for fitted models

Description

`ess_summary()` reports effective sample size diagnostics for posterior draws, optionally scaled by wall-clock time.

Usage

```
ess_summary(
  fit,
  params = NULL,
  per_chain = TRUE,
  wall_time = NULL,
  robust = TRUE,
  ...
)
```

Arguments

<code>fit</code>	A "mixgpd_fit" or "causalmixgpd_causal_fit" object.
<code>params</code>	Optional character vector of parameter names/patterns. If NULL, a fixed canonical set is auto-resolved.
<code>per_chain</code>	Logical; if TRUE, include per-chain ESS rows.
<code>wall_time</code>	Optional numeric total MCMC time in seconds. If NULL, uses <code>fit\$timing\$mcmc</code> when available.
<code>robust</code>	Logical; if TRUE, ignore missing parameters.
<code>...</code>	Unused.

Details

This is a convergence and efficiency diagnostic, not a model summary. For causal fits the function evaluates each outcome arm separately and tags the rows accordingly.

Value

Object of class "mixgpd_ess_summary" with elements `table`, `overall`, and `meta`.

See Also

[summary.mixgpd_fit](#), [plot.mixgpd_fit](#), [params](#).

<code>fitted.mixgpd_fit</code>	<i>Fitted values on the training design</i>
--------------------------------	---

Description

`fitted.mixgpd_fit()` is a thin training-data wrapper around [predict.mixgpd_fit](#) for conditional models.

Usage

```
## S3 method for class 'mixgpd_fit'
fitted(
  object,
  type = c("mean", "median", "quantile"),
  p = 0.5,
  level = 0.95,
  interval = "credible",
  seed = 1,
  ...
)
```

Arguments

object	A fitted object of class "mixgpd_fit" (must have covariates).
type	Which fitted functional to return: <ul style="list-style-type: none"> • "mean": posterior predictive mean • "median": posterior predictive median • "quantile": posterior predictive quantile at level p
p	Quantile level used when type = "quantile".
level	Credible level for confidence intervals (default 0.95 for 95 percent credible intervals).
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
seed	Random seed used for deterministic fitted values.
...	Unused.

Details

The method returns posterior predictive fitted values on the observed design matrix. It is available only when the fitted model stored covariates.

Value

A data frame with columns for fitted values, optional intervals, and residuals computed on the training sample.

See Also

[predict.mixgpd_fit](#), [residuals.mixgpd_fit](#), [plot.mixgpd_fitted](#).

Examples

```
# Conditional model (with covariates X)
y <- abs(stats::rnorm(25)) + 0.1
X <- data.frame(x1 = stats::rnorm(25), x2 = stats::runif(25))
bundle <- build_nimble_bundle(y = y, X = X, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
fitted(fit)
fitted(fit, level = 0.90)
fitted(fit, interval = "hpd") # HPD intervals
fitted(fit, interval = NULL) # No intervals
```

 gamma_gpd

Gamma with a GPD tail

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single gamma bulk distribution.

Usage

```
dGammaGpd(x, shape, scale, threshold, tail_scale, tail_shape, log = 0)
```

```
pGammaGpd(
  q,
  shape,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)
```

```
rGammaGpd(n, shape, scale, threshold, tail_scale, tail_shape)
```

```
qGammaGpd(
  p,
  shape,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
shape	Numeric scalar Gamma shape parameter.
scale	Numeric scalar scale parameter for the Gamma bulk.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.

tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric tolerance for numerical inversion in qGammaGpd.
maxiter	Maximum iterations for numerical inversion in qGammaGpd.

Details

This topic combines a single gamma bulk with a generalized Pareto exceedance model. If $F_{\Gamma}(u)$ is the bulk probability below the threshold, then the splice replaces the upper tail by $\{1 - F_{\Gamma}(u)\}g_{GPD}(x)$ while leaving the lower region unchanged. The resulting distribution is continuous at the threshold and preserves the gamma body exactly below u .

The ordinary mean is finite only when the GPD shape satisfies $\xi < 1$. For heavier tails, predictive mean summaries should be replaced by restricted means or quantile summaries.

Value

Spliced density/CDF/RNG functions return numeric scalars. qGammaGpd() returns a numeric vector with the same length as p.

Functions

- dGammaGpd(): Gamma + GPD tail density
- pGammaGpd(): Gamma + GPD tail distribution function
- rGammaGpd(): Gamma + GPD tail random generation
- qGammaGpd(): Gamma + GPD tail quantile function

See Also

[gamma_mix\(\)](#), [gamma_mixgpd\(\)](#), [gpd\(\)](#), [gamma_lowercase\(\)](#).

Other gamma kernel families: [gamma_mix](#), [gamma_mixgpd](#)

Examples

```
scale <- 2.5
shape <- 4
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dGammaGpd(4.0, scale = scale, shape = shape,
           threshold = threshold, tail_scale = tail_scale,
```

```

        tail_shape = tail_shape, log = 0)
pGammaGpd(4.0, scale = scale, shape = shape,
          threshold = threshold, tail_scale = tail_scale,
          tail_shape = tail_shape, lower.tail = 1, log.p = 0)
qGammaGpd(0.50, scale = scale, shape = shape,
          threshold = threshold, tail_scale = tail_scale,
          tail_shape = tail_shape)
qGammaGpd(0.95, scale = scale, shape = shape,
          threshold = threshold, tail_scale = tail_scale,
          tail_shape = tail_shape)
replicate(10, rGammaGpd(1, scale = scale, shape = shape,
                       threshold = threshold,
                       tail_scale = tail_scale,
                       tail_shape = tail_shape))

```

gamma_lowercase

Lowercase vectorized gamma distribution functions

Description

Vectorized R wrappers for the scalar gamma-kernel topics in this file.

Usage

```

dgamma(x, w, shape, scale, log = FALSE)

pgamma(q, w, shape, scale, lower.tail = TRUE, log.p = FALSE)

qgamma(
  p,
  w,
  shape,
  scale,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

rgamma(n, w, shape, scale)

dgamma(x, w, shape, scale,
       threshold,

```

```
    tail_scale,  
    tail_shape,  
    log = FALSE  
  )
```

```
pgammamixgpd(  
  q,  
  w,  
  shape,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)
```

```
qgammamixgpd(  
  p,  
  w,  
  shape,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE,  
  tol = 1e-10,  
  maxiter = 200  
)
```

```
rgammamixgpd(n, w, shape, scale, threshold, tail_scale, tail_shape)
```

```
dgammagpd(x, shape, scale, threshold, tail_scale, tail_shape, log = FALSE)
```

```
pgammagpd(  
  q,  
  shape,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)
```

```
qgammagpd(  
  p,  
  w,  
  shape,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)
```

```

    shape,
    scale,
    threshold,
    tail_scale,
    tail_shape,
    lower.tail = TRUE,
    log.p = FALSE
  )

  rgammagpd(n, shape, scale, threshold, tail_scale, tail_shape)

```

Arguments

<code>x</code>	Numeric vector of quantiles.
<code>w</code>	Numeric vector of mixture weights.
<code>shape, scale</code>	Numeric vectors (mix) or scalars (base+gpd) of component parameters.
<code>log</code>	Logical; if TRUE, return log-density.
<code>q</code>	Numeric vector of quantiles.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.
<code>n</code>	Integer number of observations to generate.
<code>threshold, tail_scale, tail_shape</code>	GPD tail parameters (scalars).

Details

These wrappers are vectorized interfaces to the scalar gamma and gamma-plus-GPD routines. They preserve the package's shape-scale parameterization and the same splice definition used in the fitted-model prediction code. Quantile wrappers delegate to the scalar inversion code rather than implementing separate approximations.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dgammmix()`: Gamma mixture density (vectorized)
- `pgammamix()`: Gamma mixture distribution function (vectorized)
- `qgammmix()`: Gamma mixture quantile function (vectorized)
- `rgammamix()`: Gamma mixture random generation (vectorized)
- `dgammmixgpd()`: Gamma mixture + GPD density (vectorized)
- `pgammamixgpd()`: Gamma mixture + GPD distribution function (vectorized)

- `qgammamixgpd()`: Gamma mixture + GPD quantile function (vectorized)
- `rgammamixgpd()`: Gamma mixture + GPD random generation (vectorized)
- `dgammagpd()`: Gamma + GPD density (vectorized)
- `pgammagpd()`: Gamma + GPD distribution function (vectorized)
- `qgammagpd()`: Gamma + GPD quantile function (vectorized)
- `rgammagpd()`: Gamma + GPD random generation (vectorized)

See Also

[gamma_mix\(\)](#), [gamma_mixgpd\(\)](#), [gamma_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [cauchy_mix_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.55, 0.3, 0.15)
shp <- c(2, 4, 6)
scl <- c(1, 2.5, 5)

# Gamma mixture
dgammamix(c(1, 2, 3), w = w, shape = shp, scale = scl)
rgammamix(5, w = w, shape = shp, scale = scl)

# Gamma mixture + GPD
dgammamixgpd(c(2, 3, 4), w = w, shape = shp, scale = scl,
              threshold = 3, tail_scale = 0.9, tail_shape = 0.2)

# Gamma + GPD (single component)
dgammagpd(c(2, 3, 4), shape = 4, scale = 2.5, threshold = 3,
           tail_scale = 0.9, tail_shape = 0.2)
```

gamma_mix

Gamma mixture distribution

Description

Finite mixture of gamma components for positive-support bulk modeling. The scalar functions in this topic are the compiled building blocks behind the gamma bulk kernel family.

Usage

```
dGammaMix(x, w, shape, scale, log = 0)

pGammaMix(q, w, shape, scale, lower.tail = 1, log.p = 0)

rGammaMix(n, w, shape, scale)
```

```

qGammaMix(
  p,
  w,
  shape,
  scale,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
shape, scale	Numeric vectors of length K giving Gamma shape and scale parameters.
log	Logical; if TRUE, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k f_{\Gamma}(x \mid \alpha_k, \theta_k), \quad x > 0,$$

with normalized weights \tilde{w}_k . For vectorized R usage, use `gamma_lowercase()`.

Under the package parameterization, each component has density $f_{\Gamma}(x \mid \alpha, \theta) = x^{\alpha-1} \exp(-x/\theta) / \{\Gamma(\alpha)\theta^{\alpha}\}$ on $x > 0$. The mixture CDF is therefore

$$F(x) = \sum_{k=1}^K \tilde{w}_k F_{\Gamma}(x \mid \alpha_k, \theta_k).$$

Random generation first selects a component according to the normalized mixture weights and then draws from the corresponding gamma distribution. Since finite gamma mixtures do not have closed form quantiles, `qGammaMix()` obtains them numerically by inverting the mixture CDF.

The analytical mean is

$$E(X) = \sum_{k=1}^K \tilde{w}_k \alpha_k \theta_k.$$

This expression is reused in posterior predictive mean calculations for gamma-based fits.

Value

Density/CDF/RNG functions return numeric scalars. `qGammaMix()` returns a numeric vector with the same length as `p`.

Functions

- `dGammaMix()`: Gamma mixture density
- `pGammaMix()`: Gamma mixture distribution function
- `rGammaMix()`: Gamma mixture random generation
- `qGammaMix()`: Gamma mixture quantile function

See Also

[gamma_mixgpd\(\)](#), [gamma_gpd\(\)](#), [gamma_lowercase\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Other gamma kernel families: [gamma_gpd](#), [gamma_mixgpd](#)

Examples

```
w <- c(0.55, 0.30, 0.15)
scale <- c(1.0, 2.5, 5.0)
shape <- c(2, 4, 6)

dGammaMix(2.0, w = w, scale = scale, shape = shape, log = 0)
pGammaMix(2.0, w = w, scale = scale, shape = shape, lower.tail = 1, log.p = 0)
qGammaMix(0.50, w = w, scale = scale, shape = shape)
qGammaMix(0.95, w = w, scale = scale, shape = shape)
replicate(10, rGammaMix(1, w = w, scale = scale, shape = shape))
```

gamma_mixgpd

Gamma mixture with a GPD tail

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to a gamma mixture bulk.

Usage

```
dGammaMixGpd(x, w, shape, scale, threshold, tail_scale, tail_shape, log = 0)
```

```
pGammaMixGpd(
  q,
  w,
  shape,
  scale,
  threshold,
  tail_scale,
  tail_shape,
```

```

    lower.tail = 1,
    log.p = 0
)

rGammaMixGpd(n, w, shape, scale, threshold, tail_scale, tail_shape)

qGammaMixGpd(
  p,
  w,
  shape,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K .
shape, scale	Numeric vectors of length K giving Gamma shape and scale parameters.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Logical; if TRUE, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The gamma mixture governs the body of the distribution up to the threshold u . Beyond u , only the remaining survival mass is modeled by the GPD, giving

$$f(x) = \begin{cases} f_{mix}(x), & x < u, \\ \{1 - F_{mix}(u)\}g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

This is the positive-support analogue of the normal and lognormal splice families. Bulk quantiles are still found by numerical inversion, while tail quantiles use the explicit GPD inverse.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qGammaMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dGammaMixGpd()`: Gamma mixture + GPD tail density
- `pGammaMixGpd()`: Gamma mixture + GPD tail distribution function
- `rGammaMixGpd()`: Gamma mixture + GPD tail random generation
- `qGammaMixGpd()`: Gamma mixture + GPD tail quantile function

See Also

[gamma_mix\(\)](#), [gamma_gpd\(\)](#), [gpd\(\)](#), [gamma_lowercase\(\)](#), [dpmgpd\(\)](#).

Other gamma kernel families: [gamma_gpd](#), [gamma_mix](#)

Examples

```
w <- c(0.55, 0.30, 0.15)
scale <- c(1.0, 2.5, 5.0)
shape <- c(2, 4, 6)
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dGammaMixGpd(4.0, w = w, scale = scale, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape, log = 0)
pGammaMixGpd(4.0, w = w, scale = scale, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape, lower.tail = 1, log.p = 0)
qGammaMixGpd(0.50, w = w, scale = scale, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape)
qGammaMixGpd(0.95, w = w, scale = scale, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape)
replicate(10, rGammaMixGpd(1, w = w, scale = scale, shape = shape,
                          threshold = threshold,
                          tail_scale = tail_scale,
                          tail_shape = tail_shape))
```

get_kernel_registry *Get kernel registry*

Description

Get kernel registry

Usage

```
get_kernel_registry()
```

Details

This accessor returns the registry created by `init_kernel_registry()`. The returned object is a named list keyed by kernel name. Each kernel definition describes which bulk parameters are present, how those parameters may depend on covariates, whether a GPD tail is allowed, and which density or mean functions should be dispatched for the supported backends.

Downstream builders use this registry as the package-level reference for kernel-specific implementation metadata. Reading it is appropriate when you need to inspect what the package believes a kernel can do before constructing or debugging a model specification.

Value

A list of kernel metadata.

Examples

```
init_kernel_registry()
reg <- get_kernel_registry()
reg$normal$bulk_params
```

get_tail_registry *Get tail registry*

Description

Get tail registry

Usage

```
get_tail_registry()
```

Details

The tail registry records the generalized Pareto splice used by bulk-tail models. It stores the tail parameter names `threshold`, `tail_scale`, and `tail_shape`, together with the support each parameter must satisfy and the modeling modes the builders may assign to them.

In mathematical terms, for a threshold u the upper tail is represented with a generalized Pareto law for excesses above u . Accessing this registry is useful when inspecting how the package encodes those tail parameters before model compilation.

Value

A list of tail metadata.

Examples

```
init_kernel_registry()
tail <- get_tail_registry()
tail$params
```

gpd

Generalized Pareto distribution

Description

Scalar generalized Pareto distribution (GPD) utilities for threshold exceedances above `threshold`. These NIMBLE-compatible functions provide the tail component used by the spliced bulk-tail families elsewhere in the package.

Usage

```
dGpd(x, threshold, scale, shape, log = 0)
```

```
pGpd(q, threshold, scale, shape, lower.tail = 1, log.p = 0)
```

```
rGpd(n, threshold, scale, shape)
```

```
qGpd(p, threshold, scale, shape, lower.tail = TRUE, log.p = FALSE)
```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>threshold</code>	Numeric scalar threshold at which the GPD is attached.
<code>scale</code>	Numeric scalar GPD scale parameter; must be positive.
<code>shape</code>	Numeric scalar GPD shape parameter.
<code>log</code>	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
<code>q</code>	Numeric scalar giving the point at which the distribution function is evaluated.

<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
<code>log.p</code>	Logical; if TRUE, probabilities are returned on the log scale.
<code>n</code>	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
<code>p</code>	Numeric scalar probability in $(0, 1)$ for the quantile function.

Details

The parameterization is

$$G(x) = 1 - \left(1 + \xi \frac{x - u}{\sigma_u}\right)^{-1/\xi}, \quad x \geq u,$$

where `threshold = u`, `scale = sigma_u > 0`, and `shape = xi`. When `shape` approaches zero, the distribution reduces to the exponential tail limit.

These uppercase NIMBLE-compatible functions are scalar (`x/q` and `n = 1`). For vectorized R usage, use `base_lowercase()`.

The associated density is

$$g(x) = \frac{1}{\sigma_u} \left(1 + \xi \frac{x - u}{\sigma_u}\right)^{-1/\xi - 1},$$

on the support where $1 + \xi(x - u)/\sigma_u > 0$. When $\xi = 0$, this reduces to the exponential density with mean excess σ_u . The GPD has finite mean only when $\xi < 1$, and finite variance only when $\xi < 1/2$. Those existence conditions matter for downstream predictive means in the package: spliced models with $\xi \geq 1$ require restricted means rather than ordinary means.

If a bulk distribution has CDF F_{bulk} , the package's spliced families use the tail construction

$$F(x) = \begin{cases} F_{bulk}(x), & x < u, \\ F_{bulk}(u) + \{1 - F_{bulk}(u)\}G(x), & x \geq u. \end{cases}$$

Value

`dGpd()` returns a numeric scalar density, `pGpd()` returns a numeric scalar CDF, `rGpd()` returns one random draw, and `qGpd()` returns a numeric quantile.

Functions

- `dGpd()`: Generalized Pareto density function
- `pGpd()`: Generalized Pareto distribution function
- `rGpd()`: Generalized Pareto random generation
- `qGpd()`: Generalized Pareto quantile function

See Also

`base_lowercase()`, `normal_gpd()`, `lognormal_gpd()`, `gamma_gpd()`, `InvGauss_gpd()`, `laplace_gpd()`, `amoroso_gpd()`.

Examples

```
threshold <- 1
tail_scale <- 0.8
tail_shape <- 0.2

dGpd(1.5, threshold, tail_scale, tail_shape, log = 0)
pGpd(1.5, threshold, tail_scale, tail_shape, lower.tail = 1, log.p = 0)
qGpd(0.50, threshold, tail_scale, tail_shape)
qGpd(0.95, threshold, tail_scale, tail_shape)
replicate(10, rGpd(1, threshold, tail_scale, tail_shape))
```

init_kernel_registry *Initialize kernel registries*

Description

Creates/refreshes registries used by the model specification compiler and code generators. Each kernel entry stores bulk parameters, supports, default regression/link behavior, and distribution signatures for SB/CRP backends.

Usage

```
init_kernel_registry()
```

Details

The kernel registry is the package-level contract that keeps model building, prediction, and documentation aligned. Each entry records the natural bulk parameters for one kernel, the support constraints they must satisfy, the default covariate-link strategy, and the backend-specific distribution names used when generating NIMBLE code.

The companion tail registry records the generalized Pareto tail parameters u (threshold), σ_u (tail scale), and ξ_u (tail shape) together with their support and allowed modeling modes. Calling `init_kernel_registry()` makes those contracts available in the package namespace so later builders can validate requests without duplicating lookup logic.

Value

Invisibly returns TRUE.

Examples

```
init_kernel_registry()
reg <- get_kernel_registry()
names(reg)
tail <- get_tail_registry()
tail$params
```

 InvGauss

Inverse Gaussian (Wald) distribution

Description

Scalar inverse Gaussian utilities under the (μ, λ) parameterization, where mean = $\mu > 0$ and shape = $\lambda > 0$. These functions are used directly and as building blocks for inverse-Gaussian mixtures and spliced inverse-Gaussian-plus-GPD families.

Usage

```
dInvGauss(x, mean, shape, log = 0)
```

```
pInvGauss(q, mean, shape, lower.tail = 1, log.p = 0)
```

```
rInvGauss(n, mean, shape)
```

```
qInvGauss(
  p,
  mean,
  shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
mean	Numeric scalar mean parameter $\mu > 0$.
shape	Numeric scalar shape parameter $\lambda > 0$.
log	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar giving the probability for the quantile.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The density is

$$f(x) = \left(\frac{\lambda}{2\pi x^3}\right)^{1/2} \exp\left\{-\frac{\lambda(x-\mu)^2}{2\mu^2 x}\right\}, \quad x > 0.$$

These uppercase NIMBLE-compatible functions are scalar (x/q and n = 1). For vectorized R usage, use `base_lowercase()`.

The inverse Gaussian is the first-passage-time distribution of a Brownian motion with positive drift. Under the (μ, λ) parameterization used here, the mean is $E(X) = \mu$ and the variance is $\text{Var}(X) = \mu^3/\lambda$. The implementation follows that parameterization throughout the package, so inverse-Gaussian mixture and splice families inherit the same interpretation.

The distribution function is evaluated through the standard normal representation

$$F(x) = \Phi\left(\sqrt{\frac{\lambda}{x}}\left(\frac{x}{\mu} - 1\right)\right) + \exp\left(\frac{2\lambda}{\mu}\right) \Phi\left(-\sqrt{\frac{\lambda}{x}}\left(\frac{x}{\mu} + 1\right)\right),$$

and the quantile is obtained numerically because no simple closed form is available.

Value

`dInvGauss()` returns a numeric scalar density, `pInvGauss()` returns a numeric scalar CDF, `rInvGauss()` returns one random draw, and `qInvGauss()` returns a numeric quantile.

Functions

- `dInvGauss()`: Inverse Gaussian density function
- `pInvGauss()`: Inverse Gaussian distribution function
- `rInvGauss()`: Inverse Gaussian random generation
- `qInvGauss()`: Inverse Gaussian quantile function

See Also

[InvGauss_mix\(\)](#), [InvGauss_gpd\(\)](#), [base_lowercase\(\)](#), [build_nimble_bundle\(\)](#).

Other base bulk distributions: [amoroso](#), [cauchy](#)

Examples

```
mean <- 2
shape <- 5

dInvGauss(2.0, mean, shape, log = 0)
pInvGauss(2.0, mean, shape, lower.tail = 1, log.p = 0)
qInvGauss(0.50, mean, shape)
qInvGauss(0.95, mean, shape)
replicate(10, rInvGauss(1, mean, shape))
```

 InvGauss_gpd

Inverse Gaussian with a GPD tail

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single inverse Gaussian bulk.

Usage

```
dInvGaussGpd(x, mean, shape, threshold, tail_scale, tail_shape, log = 0)
```

```
pInvGaussGpd(
  q,
  mean,
  shape,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)
```

```
rInvGaussGpd(n, mean, shape, threshold, tail_scale, tail_shape)
```

```
qInvGaussGpd(
  p,
  mean,
  shape,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>mean</code>	Numeric scalar mean parameter $\mu > 0$.
<code>shape</code>	Numeric scalar shape parameter $\lambda > 0$.
<code>threshold</code>	Numeric scalar threshold at which the GPD tail is attached.
<code>tail_scale</code>	Numeric scalar GPD scale parameter; must be positive.

tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric tolerance for numerical inversion in qInvGaussGpd.
maxiter	Maximum iterations for numerical inversion in qInvGaussGpd.

Details

This is the one-component version of `InvGauss_mixgpd()`. The inverse Gaussian governs the bulk region and the generalized Pareto governs exceedances over the threshold. The splice is continuous at u because the GPD is scaled by the inverse-Gaussian survival probability at the threshold.

The ordinary mean of the spliced law exists only when the GPD tail has $\xi < 1$. When that condition fails, the package uses restricted means or quantile-based summaries instead of an ordinary mean.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qInvGaussGpd()` returns a numeric vector with the same length as p .

Functions

- `dInvGaussGpd()`: Inverse Gaussian + GPD tail density
- `pInvGaussGpd()`: Inverse Gaussian + GPD tail distribution function
- `rInvGaussGpd()`: Inverse Gaussian + GPD tail random generation
- `qInvGaussGpd()`: Inverse Gaussian + GPD tail quantile function

See Also

[InvGauss_mix\(\)](#), [InvGauss_mixgpd\(\)](#), [gpd\(\)](#), [invgauss_lowercase\(\)](#).

Other inverse-gaussian kernel families: [InvGauss_mix](#), [InvGauss_mixgpd](#)

Examples

```
mean <- 2.5
shape <- 6
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dInvGaussGpd(4.0, mean = mean, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
```

```

        tail_shape = tail_shape, log = 0)
pInvGaussGpd(4.0, mean = mean, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape, lower.tail = 1, log.p = 0)
qInvGaussGpd(0.50, mean = mean, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape)
qInvGaussGpd(0.95, mean = mean, shape = shape,
             threshold = threshold, tail_scale = tail_scale,
             tail_shape = tail_shape)
replicate(10, rInvGaussGpd(1, mean = mean, shape = shape,
                          threshold = threshold,
                          tail_scale = tail_scale,
                          tail_shape = tail_shape))

```

invgauss_lowercase *Lowercase vectorized inverse Gaussian distribution functions*

Description

Vectorized R wrappers for the scalar inverse-Gaussian-kernel topics in this file.

Usage

```

dinvgaussmix(x, w, mean, shape, log = FALSE)

pinvgaussmix(q, w, mean, shape, lower.tail = TRUE, log.p = FALSE)

qinvgaussmix(
  p,
  w,
  mean,
  shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

rinvgaussmix(n, w, mean, shape)

dinvgaussmixgpd(
  x,
  w,
  mean,
  shape,
  threshold,
  tail_scale,

```

```
    tail_shape,  
    log = FALSE  
  )  
  
  pinvgaussmixgpd(  
    q,  
    w,  
    mean,  
    shape,  
    threshold,  
    tail_scale,  
    tail_shape,  
    lower.tail = TRUE,  
    log.p = FALSE  
  )  
  
  qinvgaussmixgpd(  
    p,  
    w,  
    mean,  
    shape,  
    threshold,  
    tail_scale,  
    tail_shape,  
    lower.tail = TRUE,  
    log.p = FALSE,  
    tol = 1e-10,  
    maxiter = 200  
  )  
  
  rinvgaussmixgpd(n, w, mean, shape, threshold, tail_scale, tail_shape)  
  
  dinvgaussgpd(x, mean, shape, threshold, tail_scale, tail_shape, log = FALSE)  
  
  pinvgaussgpd(  
    q,  
    mean,  
    shape,  
    threshold,  
    tail_scale,  
    tail_shape,  
    lower.tail = TRUE,  
    log.p = FALSE  
  )  
  
  qinvgaussgpd(  
    p,  
    mean,
```

```

    shape,
    threshold,
    tail_scale,
    tail_shape,
    lower.tail = TRUE,
    log.p = FALSE,
    tol = 1e-10,
    maxiter = 200
  )

  rinvgaussgpd(n, mean, shape, threshold, tail_scale, tail_shape)

```

Arguments

x	Numeric vector of quantiles.
w	Numeric vector of mixture weights.
mean, shape	Numeric vectors (mix) or scalars (base+gpd) of component parameters.
log	Logical; if TRUE, return log-density.
q	Numeric vector of quantiles.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
log.p	Logical; if TRUE, probabilities are on log scale.
p	Numeric vector of probabilities.
tol, maxiter	Tolerance and max iterations for numerical inversion.
n	Integer number of observations to generate.
threshold, tail_scale, tail_shape	GPD tail parameters (scalars).

Details

These functions are vectorized R front ends to the scalar inverse-Gaussian and splice routines. They retain the (μ, λ) parameterization used everywhere else in the package and apply the scalar evaluator repeatedly over the supplied input vector or draw index.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dinvgaussmix()`: Inverse Gaussian mixture density (vectorized)
- `pinvgaussmix()`: Inverse Gaussian mixture distribution function (vectorized)
- `qinvgaussmix()`: Inverse Gaussian mixture quantile function (vectorized)
- `rinvgaussmix()`: Inverse Gaussian mixture random generation (vectorized)
- `dinvgaussmixgpd()`: Inverse Gaussian mixture + GPD density (vectorized)
- `pinvgaussmixgpd()`: Inverse Gaussian mixture + GPD distribution function (vectorized)

- `qinvgaussmixgpd()`: Inverse Gaussian mixture + GPD quantile function (vectorized)
- `rinvgaussmixgpd()`: Inverse Gaussian mixture + GPD random generation (vectorized)
- `dinvgaussgpd()`: Inverse Gaussian + GPD density (vectorized)
- `pinvgaussgpd()`: Inverse Gaussian + GPD distribution function (vectorized)
- `qinvgaussgpd()`: Inverse Gaussian + GPD quantile function (vectorized)
- `rinvgaussgpd()`: Inverse Gaussian + GPD random generation (vectorized)

See Also

[InvGauss_mix\(\)](#), [InvGauss_mixgpd\(\)](#), [InvGauss_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.6, 0.3, 0.1)
mu <- c(1, 1.5, 2)
lam <- c(2, 3, 4)

# Inverse Gaussian mixture
dinvgaussmix(c(1, 2, 3), w = w, mean = mu, shape = lam)
rinvgaussmix(5, w = w, mean = mu, shape = lam)
```

InvGauss_mix

Inverse Gaussian mixture distribution

Description

Finite mixture of inverse Gaussian components for positive-support bulk modeling. Each component is parameterized by `mean[j]` and `shape[j]`.

Usage

```
dInvGaussMix(x, w, mean, shape, log = 0)

pInvGaussMix(q, w, mean, shape, lower.tail = 1, log.p = 0)

rInvGaussMix(n, w, mean, shape)

qInvGaussMix(
  p,
  w,
  mean,
  shape,
  lower.tail = TRUE,
```

```

log.p = FALSE,
tol = 1e-10,
maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
mean, shape	Numeric vectors of length K giving component means and shapes.
log	Logical; if TRUE, return the log-density (integer flag 0/1 in NIMBLE).
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> in quantile inversion.
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The scalar functions in this topic are the compiled building blocks for inverse-Gaussian bulk kernels. For vectorized R usage, use [invgauss_lowercase\(\)](#).

The mixture distribution is

$$F(x) = \sum_{k=1}^K \tilde{w}_k F_{IG}(x \mid \mu_k, \lambda_k),$$

where each inverse Gaussian component has mean μ_k and variance μ_k^3/λ_k . Random generation selects a component using the normalized weights and then generates from the corresponding inverse Gaussian law. Quantiles are computed numerically because the finite-mixture inverse CDF is not available in closed form.

The analytical mixture mean is

$$E(X) = \sum_{k=1}^K \tilde{w}_k \mu_k.$$

That expression is used by the package whenever inverse-Gaussian mixtures contribute to posterior predictive means.

Value

Density/CDF/RNG functions return numeric scalars. `qInvGaussMix()` returns a numeric vector with the same length as p.

Functions

- `dInvGaussMix()`: Inverse Gaussian mixture density
- `pInvGaussMix()`: Inverse Gaussian mixture distribution function
- `rInvGaussMix()`: Inverse Gaussian mixture random generation
- `qInvGaussMix()`: Inverse Gaussian mixture quantile function

See Also

[InvGauss_mixgpd\(\)](#), [InvGauss_gpd\(\)](#), [invgauss_lowercase\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Other inverse-gaussian kernel families: [InvGauss_gpd](#), [InvGauss_mixgpd](#)

Examples

```
w <- c(0.55, 0.30, 0.15)
mean <- c(1.0, 2.5, 5.0)
shape <- c(2, 4, 8)

dInvGaussMix(2.0, w = w, mean = mean, shape = shape, log = 0)
pInvGaussMix(2.0, w = w, mean = mean, shape = shape,
             lower.tail = 1, log.p = 0)
qInvGaussMix(0.50, w = w, mean = mean, shape = shape)
qInvGaussMix(0.95, w = w, mean = mean, shape = shape)
replicate(10, rInvGaussMix(1, w = w, mean = mean, shape = shape))
```

InvGauss_mixgpd

Inverse Gaussian mixture with a GPD tail

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to an inverse Gaussian mixture bulk.

Usage

```
dInvGaussMixGpd(x, w, mean, shape, threshold, tail_scale, tail_shape, log = 0)

pInvGaussMixGpd(
  q,
  w,
  mean,
  shape,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
```

```

)

rInvGaussMixGpd(n, w, mean, shape, threshold, tail_scale, tail_shape)

qInvGaussMixGpd(
  p,
  w,
  mean,
  shape,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K .
mean, shape	Numeric vectors of length K giving component means and shapes.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. For portability inside NIMBLE, the RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> in quantile inversion.
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

This family keeps the inverse-Gaussian mixture body below the threshold u and attaches a generalized Pareto exceedance law to the residual survival probability above u . If $F_{mix}(u) = p_u$, then the tail density is $(1 - p_u)g_{GPD}(x | u, \sigma_u, \xi)$.

Quantile evaluation is piecewise. For probabilities at or below p_u , the function solves the mixture inverse numerically; above p_u , it rescales the upper-tail probability and applies the GPD inverse directly.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qInvGaussMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dInvGaussMixGpd()`: Inverse Gaussian mixture + GPD tail density
- `pInvGaussMixGpd()`: Inverse Gaussian mixture + GPD tail distribution function
- `rInvGaussMixGpd()`: Inverse Gaussian mixture + GPD tail random generation
- `qInvGaussMixGpd()`: Inverse Gaussian mixture + GPD tail quantile function

See Also

[InvGauss_mix\(\)](#), [InvGauss_gpd\(\)](#), [gpd\(\)](#), [invgauss_lowercase\(\)](#), [dpmgpd\(\)](#).

Other inverse-gaussian kernel families: [InvGauss_gpd](#), [InvGauss_mix](#)

Examples

```
w <- c(0.55, 0.30, 0.15)
mean <- c(1.0, 2.5, 5.0)
shape <- c(2, 4, 8)
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dInvGaussMixGpd(4.0, w = w, mean = mean, shape = shape,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape, log = 0)
pInvGaussMixGpd(4.0, w = w, mean = mean, shape = shape,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape, lower.tail = 1, log.p = 0)
qInvGaussMixGpd(0.50, w = w, mean = mean, shape = shape,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape)
qInvGaussMixGpd(0.95, w = w, mean = mean, shape = shape,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape)
replicate(10, rInvGaussMixGpd(1, w = w, mean = mean, shape = shape,
  threshold = threshold,
  tail_scale = tail_scale,
  tail_shape = tail_shape))
```

kernel_support_table *Kernel support matrix*

Description

Returns a data frame summarizing each kernel's supported features.

Usage

```
kernel_support_table(round = TRUE)
```

Arguments

round Logical; TRUE to replace logical values with symbols.

Details

The returned table is a compact view of the registry contracts. Each row corresponds to one kernel, while the logical columns indicate whether that kernel can be paired with a GPD tail, whether covariate-linked parameter models are defined, and whether the stick-breaking (sb) and Chinese-restaurant (crp) backends are implemented.

This helper is intended for inspection and reporting rather than model fitting. It is a quick way to verify that a requested combination of kernel, tail, and backend is supported before calling higher-level workflow constructors.

Value

data.frame with columns kernel, gpd, covariates, sb, crp.

laplace_gpd *Laplace with a GPD tail*

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single Laplace bulk.

Usage

```
dLaplaceGpd(x, location, scale, threshold, tail_scale, tail_shape, log = 0)
```

```
pLaplaceGpd(
  q,
  location,
  scale,
```

```

    threshold,
    tail_scale,
    tail_shape,
    lower.tail = 1,
    log.p = 0
  )

rLaplaceGpd(n, location, scale, threshold, tail_scale, tail_shape)

qLaplaceGpd(
  p,
  location,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
location	Numeric scalar location parameter for the Laplace bulk.
scale	Numeric scalar scale parameter for the Laplace bulk.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Logical; if TRUE, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.

Details

This topic pairs a single Laplace bulk distribution with a generalized Pareto exceedance tail. The splice is continuous at the threshold because the tail density is multiplied by the Laplace survival probability at that threshold.

The ordinary mean exists only when the GPD tail has $\xi < 1$. If the fitted tail is too heavy for an ordinary mean to exist, the package directs users to restricted means or quantiles rather than returning an unstable mean summary.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qLaplaceGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dLaplaceGpd()`: Laplace + GPD tail density
- `pLaplaceGpd()`: Laplace + GPD tail distribution function
- `rLaplaceGpd()`: Laplace + GPD tail random generation
- `qLaplaceGpd()`: Laplace + GPD tail quantile function

See Also

[laplace_mix\(\)](#), [laplace_MixGpd\(\)](#), [gpd\(\)](#), [laplace_lowercase\(\)](#).

Other laplace kernel families: [laplace_MixGpd](#), [laplace_mix](#)

Examples

```
location <- 0.5
scale <- 1.0
threshold <- 1
tail_scale <- 1.0
tail_shape <- 0.2

dLaplaceGpd(2.0, location, scale, threshold, tail_scale, tail_shape, log = FALSE)
pLaplaceGpd(2.0, location, scale, threshold, tail_scale, tail_shape,
            lower.tail = TRUE, log.p = FALSE)
qLaplaceGpd(0.50, location, scale, threshold, tail_scale, tail_shape)
qLaplaceGpd(0.95, location, scale, threshold, tail_scale, tail_shape)
replicate(10, rLaplaceGpd(1, location, scale, threshold, tail_scale, tail_shape))
```

laplace_lowercase *Lowercase vectorized Laplace distribution functions*

Description

Vectorized R wrappers for the scalar Laplace-kernel topics in this file.

Usage

```
dlaplacemix(x, w, location, scale, log = FALSE)

plaplacemix(q, w, location, scale, lower.tail = TRUE, log.p = FALSE)

qlaplacemix(
  p,
  w,
```

```
    location,  
    scale,  
    lower.tail = TRUE,  
    log.p = FALSE,  
    tol = 1e-10,  
    maxiter = 200  
)  
  
rlaplacemix(n, w, location, scale)  
  
dlaplacemixgpd(  
  x,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  log = FALSE  
)  
  
plaplacemixgpd(  
  q,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)  
  
qlaplacemixgpd(  
  p,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE,  
  tol = 1e-10,  
  maxiter = 200  
)  
  
rlaplacemixgpd(n, w, location, scale, threshold, tail_scale, tail_shape)
```

```

dlaplacegpd(x, location, scale, threshold, tail_scale, tail_shape, log = FALSE)

plaplacegpd(
  q,
  location,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

qlaplacegpd(
  p,
  location,
  scale,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

rlaplacegpd(n, location, scale, threshold, tail_scale, tail_shape)

```

Arguments

<code>x</code>	Numeric vector of quantiles.
<code>w</code>	Numeric vector of mixture weights.
<code>location, scale</code>	Numeric vectors (mix) or scalars (base+gpd) of component parameters.
<code>log</code>	Logical; if TRUE, return log-density.
<code>q</code>	Numeric vector of quantiles.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.
<code>n</code>	Integer number of observations to generate.
<code>threshold, tail_scale, tail_shape</code>	GPD tail parameters (scalars).

Details

These helpers vectorize the scalar Laplace and Laplace-plus-GPD routines for interactive R use. They retain the same location-scale parameterization and the same splice definition as the uppercase

functions. Quantiles continue to use the scalar root-finding or piecewise logic rather than a separate approximation.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dlaplacemix()`: Laplace mixture density (vectorized)
- `plaplacemix()`: Laplace mixture distribution function (vectorized)
- `qlaplacemix()`: Laplace mixture quantile function (vectorized)
- `rlaplacemix()`: Laplace mixture random generation (vectorized)
- `dlaplacemixgpd()`: Laplace mixture + GPD density (vectorized)
- `plaplacemixgpd()`: Laplace mixture + GPD distribution function (vectorized)
- `qlaplacemixgpd()`: Laplace mixture + GPD quantile function (vectorized)
- `rlaplacemixgpd()`: Laplace mixture + GPD random generation (vectorized)
- `dlaplacegpd()`: Laplace + GPD density (vectorized)
- `plaplacegpd()`: Laplace + GPD distribution function (vectorized)
- `qlaplacegpd()`: Laplace + GPD quantile function (vectorized)
- `rlaplacegpd()`: Laplace + GPD random generation (vectorized)

See Also

[laplace_mix\(\)](#), [laplace_MixGpd\(\)](#), [laplace_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [lognormal_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.6, 0.3, 0.1)
loc <- c(0, 1, -2)
scl <- c(1, 0.9, 1.1)

# Laplace mixture
dlaplacemix(c(-1, 0, 1), w = w, location = loc, scale = scl)
rlaplacemix(5, w = w, location = loc, scale = scl)
```

laplace_mix

*Laplace (double exponential) mixture distribution***Description**

Finite mixture of Laplace components for real-valued bulk modeling. The scalar functions in this topic are the NIMBLE-compatible building blocks for Laplace-based kernels.

Usage

```
dLaplaceMix(x, w, location, scale, log = 0)

pLaplaceMix(q, w, location, scale, lower.tail = 1, log.p = 0)

rLaplaceMix(n, w, location, scale)

qLaplaceMix(
  p,
  w,
  location,
  scale,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
location	Numeric vector of length K giving component locations.
scale	Numeric vector of length K giving component scales.
log	Logical; if TRUE, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
log.p	Logical; if TRUE, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum iterations for <code>stats::uniroot</code> .

Details

The mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k f_{Lap}(x | \mu_k, b_k),$$

with normalized weights \tilde{w}_k . For vectorized R usage, use `laplace_lowercase()`.

Each component is a Laplace law with density $f(x | \mu, b) = (2b)^{-1} \exp\{-|x - \mu|/b\}$. The mixture CDF is the corresponding weighted average of component CDFs, and random generation selects a component first and then samples from that component. As with the other finite mixtures in the package, the quantile has no closed form and is therefore obtained numerically.

The analytical mean of the mixture is simply

$$E(X) = \sum_{k=1}^K \tilde{w}_k \mu_k.$$

That is the formula used in downstream predictive mean calculations for Laplace-based fits.

Value

Density/CDF/RNG functions return numeric scalars. `qLaplaceMix()` returns a numeric vector with the same length as `p`.

Functions

- `dLaplaceMix()`: Laplace mixture density
- `pLaplaceMix()`: Laplace mixture distribution function
- `rLaplaceMix()`: Laplace mixture random generation
- `qLaplaceMix()`: Laplace mixture quantile function

See Also

[laplace_MixGpd\(\)](#), [laplace_gpd\(\)](#), [laplace_lowercase\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Other laplace kernel families: [laplace_MixGpd](#), [laplace_gpd](#)

Examples

```
w <- c(0.50, 0.30, 0.20)
location <- c(-1, 0.5, 2.0)
scale <- c(1.0, 0.7, 1.4)

dLaplaceMix(0.8, w = w, location = location, scale = scale, log = FALSE)
pLaplaceMix(0.8, w = w, location = location, scale = scale,
  lower.tail = TRUE, log.p = FALSE)
qLaplaceMix(0.50, w = w, location = location, scale = scale)
qLaplaceMix(0.95, w = w, location = location, scale = scale)
replicate(10, rLaplaceMix(1, w = w, location = location, scale = scale))
```

laplace_MixGpd	<i>Laplace mixture with a GPD tail</i>
----------------	--

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to a Laplace mixture bulk.

Usage

```
dLaplaceMixGpd(  
  x,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  log = 0  
)
```

```
pLaplaceMixGpd(  
  q,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = 1,  
  log.p = 0  
)
```

```
rLaplaceMixGpd(n, w, location, scale, threshold, tail_scale, tail_shape)
```

```
qLaplaceMixGpd(  
  p,  
  w,  
  location,  
  scale,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE,  
  tol = 1e-10,  
  maxiter = 200  
)
```

Arguments

<code>x</code>	Numeric scalar giving the point at which the density is evaluated.
<code>w</code>	Numeric vector of mixture weights of length K .
<code>location</code>	Numeric vector of length K giving component locations.
<code>scale</code>	Numeric vector of length K giving component scales.
<code>threshold</code>	Numeric scalar threshold at which the GPD tail is attached.
<code>tail_scale</code>	Numeric scalar GPD scale parameter; must be positive.
<code>tail_shape</code>	Numeric scalar GPD shape parameter.
<code>log</code>	Logical; if TRUE, return the log-density.
<code>q</code>	Numeric scalar giving the point at which the distribution function is evaluated.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq q)$.
<code>log.p</code>	Logical; if TRUE, probabilities are returned on the log scale.
<code>n</code>	Integer giving the number of draws. The RNG implementation supports $n = 1$.
<code>p</code>	Numeric scalar probability in $(0, 1)$ for the quantile function.
<code>tol</code>	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
<code>maxiter</code>	Integer maximum iterations for <code>stats::uniroot</code> .

Details

This family keeps the Laplace mixture body below the threshold and replaces the upper tail with a generalized Pareto exceedance model scaled by the residual survival mass at the threshold. The tail density is therefore

$$f(x) = \{1 - F_{mix}(u)\}g_{GPD}(x | u, \sigma_u, \xi), \quad x \geq u.$$

Bulk quantiles are found numerically from the mixture CDF, and tail quantiles are computed by rescaling the upper-tail probability and applying the GPD inverse.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qLaplaceMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dLaplaceMixGpd()`: Laplace mixture + GPD tail density
- `pLaplaceMixGpd()`: Laplace mixture + GPD tail distribution function
- `rLaplaceMixGpd()`: Laplace mixture + GPD tail random generation
- `qLaplaceMixGpd()`: Laplace mixture + GPD tail quantile function

See Also

[laplace_mix\(\)](#), [laplace_gpd\(\)](#), [gpd\(\)](#), [laplace_lowercase\(\)](#), [dpmgpd\(\)](#).

Other laplace kernel families: [laplace_gpd](#), [laplace_mix](#)

Examples

```

w <- c(0.50, 0.30, 0.20)
location <- c(-1, 0.5, 2.0)
scale <- c(1.0, 0.7, 1.4)
threshold <- 1
tail_scale <- 1.0
tail_shape <- 0.2

dLaplaceMixGpd(2.0, w = w, location = location, scale = scale,
               threshold = threshold, tail_scale = tail_scale,
               tail_shape = tail_shape, log = FALSE)
pLaplaceMixGpd(2.0, w = w, location = location, scale = scale,
               threshold = threshold, tail_scale = tail_scale,
               tail_shape = tail_shape, lower.tail = TRUE, log.p = FALSE)
qLaplaceMixGpd(0.50, w = w, location = location, scale = scale,
               threshold = threshold, tail_scale = tail_scale,
               tail_shape = tail_shape)
qLaplaceMixGpd(0.95, w = w, location = location, scale = scale,
               threshold = threshold, tail_scale = tail_scale,
               tail_shape = tail_shape)
replicate(10, rLaplaceMixGpd(1, w = w, location = location, scale = scale,
                             threshold = threshold,
                             tail_scale = tail_scale,
                             tail_shape = tail_shape))

```

lognormal_gpd

Lognormal with a GPD tail

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single lognormal bulk.

Usage

```

dLognormalGpd(x, meanlog, sdlog, threshold, tail_scale, tail_shape, log = 0)

pLognormalGpd(
  q,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)

```

```

rLognormalGpd(n, meanlog, sdlog, threshold, tail_scale, tail_shape)

qLognormalGpd(
  p,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
meanlog	Numeric scalar log-mean parameter for the Lognormal bulk.
sdlog	Numeric scalar log-standard deviation for the Lognormal bulk.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.

Details

This is the single-lognormal counterpart of `lognormal_mixgpd()`. If $F_{LN}(u)$ denotes the bulk probability below the threshold, then the spliced density is

$$f(x) = \begin{cases} f_{LN}(x | \mu, \sigma), & x < u, \\ \{1 - F_{LN}(u)\}g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

The ordinary mean is finite only when the GPD tail has $\xi < 1$; otherwise the package requires restricted means or quantiles.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qLognormalGpd()` returns a numeric vector with the same length as p.

Functions

- `dLognormalGpd()`: Lognormal + GPD tail density
- `pLognormalGpd()`: Lognormal + GPD tail distribution function
- `rLognormalGpd()`: Lognormal + GPD tail random generation
- `qLognormalGpd()`: Lognormal + GPD tail quantile function

See Also

[lognormal_mix\(\)](#), [lognormal_mixgpd\(\)](#), [gpd\(\)](#), [lognormal_lowercase\(\)](#).

Other lognormal kernel families: [lognormal_mix](#), [lognormal_mixgpd](#)

Examples

```
meanlog <- 0.4
sdlog <- 0.35
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dLognormalGpd(4.0, meanlog, sdlog, threshold, tail_scale, tail_shape, log = FALSE)
pLognormalGpd(4.0, meanlog, sdlog, threshold, tail_scale, tail_shape,
              lower.tail = TRUE, log.p = FALSE)
qLognormalGpd(0.50, meanlog, sdlog, threshold, tail_scale, tail_shape)
qLognormalGpd(0.95, meanlog, sdlog, threshold, tail_scale, tail_shape)
replicate(10, rLognormalGpd(1, meanlog, sdlog, threshold, tail_scale, tail_shape))
```

lognormal_lowercase *Lowercase vectorized lognormal distribution functions*

Description

Vectorized R wrappers for the scalar lognormal-kernel topics in this file.

Usage

```
dlognormalmix(x, w, meanlog, sdlog, log = FALSE)

plognormalmix(q, w, meanlog, sdlog, lower.tail = TRUE, log.p = FALSE)

qlognormalmix(
  p,
  w,
  meanlog,
  sdlog,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
```

```
    maxiter = 200
  )

rlognormalmix(n, w, meanlog, sdlog)

dlognormalmixgpd(
  x,
  w,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  log = FALSE
)

plognormalmixgpd(
  q,
  w,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

qlognormalmixgpd(
  p,
  w,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

rlognormalmixgpd(n, w, meanlog, sdlog, threshold, tail_scale, tail_shape)

dlognormalgpd(
  x,
  meanlog,
  sdlog,
```

```

    threshold,
    tail_scale,
    tail_shape,
    log = FALSE
  )

plognormalgpd(
  q,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

qlognormalgpd(
  p,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

rlognormalgpd(n, meanlog, sdlog, threshold, tail_scale, tail_shape)

```

Arguments

<code>x</code>	Numeric vector of quantiles.
<code>w</code>	Numeric vector of mixture weights.
<code>meanlog, sdlog</code>	Numeric vectors (mix) or scalars (base+gpd) of component parameters.
<code>log</code>	Logical; if TRUE, return log-density.
<code>q</code>	Numeric vector of quantiles.
<code>lower.tail</code>	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
<code>log.p</code>	Logical; if TRUE, probabilities are on log scale.
<code>p</code>	Numeric vector of probabilities.
<code>tol, maxiter</code>	Tolerance and max iterations for numerical inversion.
<code>n</code>	Integer number of observations to generate.
<code>threshold, tail_scale, tail_shape</code>	GPD tail parameters (scalars).

Details

These are direct vectorized wrappers around the scalar lognormal routines. They keep the same parameterization, support restrictions, and bulk-tail splice, while allowing ordinary vector inputs in R. Quantile wrappers continue to use the scalar inversion logic, so there is no separate approximation layer in the lowercase API.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dlognormalmix()`: Lognormal mixture density (vectorized)
- `plognormalmix()`: Lognormal mixture distribution function (vectorized)
- `qlognormalmix()`: Lognormal mixture quantile function (vectorized)
- `rlognormalmix()`: Lognormal mixture random generation (vectorized)
- `dlognormalmixgpd()`: Lognormal mixture + GPD density (vectorized)
- `plognormalmixgpd()`: Lognormal mixture + GPD distribution function (vectorized)
- `qlognormalmixgpd()`: Lognormal mixture + GPD quantile function (vectorized)
- `rlognormalmixgpd()`: Lognormal mixture + GPD random generation (vectorized)
- `dlognormalgpd()`: Lognormal + GPD density (vectorized)
- `plognormalgpd()`: Lognormal + GPD distribution function (vectorized)
- `qlognormalgpd()`: Lognormal + GPD quantile function (vectorized)
- `rlognormalgpd()`: Lognormal + GPD random generation (vectorized)

See Also

[lognormal_mix\(\)](#), [lognormal_mixgpd\(\)](#), [lognormal_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [normal_lowercase](#)

Examples

```
w <- c(0.6, 0.3, 0.1)
m1 <- c(0, 0.3, 0.6)
s1 <- c(0.4, 0.5, 0.6)

# Lognormal mixture
dlognormalmix(c(1, 2, 3), w = w, meanlog = m1, sdlog = s1)
rlognormalmix(5, w = w, meanlog = m1, sdlog = s1)

# Lognormal mixture + GPD
dlognormalmixgpd(c(2, 3, 4), w = w, meanlog = m1, sdlog = s1,
                 threshold = 2.5, tail_scale = 0.5, tail_shape = 0.2)
```

lognormal_mix	<i>Lognormal mixture distribution</i>
---------------	---------------------------------------

Description

Finite mixture of lognormal components for positive-support bulk modeling. The scalar functions in this topic are the NIMBLE-compatible building blocks for the lognormal bulk kernel family.

Usage

```
dLognormalMix(x, w, meanlog, sdlog, log = 0)

pLognormalMix(q, w, meanlog, sdlog, lower.tail = 1, log.p = 0)

rLognormalMix(n, w, meanlog, sdlog)

qLognormalMix(
  p,
  w,
  meanlog,
  sdlog,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
meanlog, sdlog	Numeric vectors of length K giving component log-means and log-standard deviations.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k f_{LN}(x \mid \mu_k, \sigma_k), \quad x > 0,$$

with normalized weights \tilde{w}_k . For vectorized R usage, use `lognormal_lowercase()`.

Each component satisfies $\log X_k \sim N(\mu_k, \sigma_k^2)$, so the mixture CDF is

$$F(x) = \sum_{k=1}^K \tilde{w}_k \Phi\left(\frac{\log x - \mu_k}{\sigma_k}\right), \quad x > 0.$$

Random generation proceeds by drawing a component index with probability \tilde{w}_k and then sampling from the corresponding lognormal law. Because a finite mixture of lognormals does not admit a closed-form inverse CDF, `qLognormalMix()` computes quantiles by numerical inversion.

The analytical mixture mean is

$$E(X) = \sum_{k=1}^K \tilde{w}_k \exp(\mu_k + \sigma_k^2/2),$$

which is the expression used by the package whenever an ordinary predictive mean exists.

Value

Density/CDF/RNG functions return numeric scalars. `qLognormalMix()` returns a numeric vector with the same length as `p`.

Functions

- `dLognormalMix()`: Lognormal mixture density
- `pLognormalMix()`: Lognormal mixture distribution function
- `rLognormalMix()`: Lognormal mixture random generation
- `qLognormalMix()`: Lognormal mixture quantile function

See Also

`lognormal_mixgpd()`, `lognormal_gpd()`, `lognormal_lowercase()`, `build_nimble_bundle()`, `kernel_support_table()`.

Other lognormal kernel families: `lognormal_gpd`, `lognormal_mixgpd`

Examples

```
w <- c(0.60, 0.25, 0.15)
meanlog <- c(-0.2, 0.6, 1.2)
sdlog <- c(0.4, 0.3, 0.5)

dLognormalMix(2.0, w = w, meanlog = meanlog, sdlog = sdlog, log = FALSE)
```

```

pLognormalMix(2.0, w = w, meanlog = meanlog, sdlog = sdlog,
               lower.tail = TRUE, log.p = FALSE)
qLognormalMix(0.50, w = w, meanlog = meanlog, sdlog = sdlog)
qLognormalMix(0.95, w = w, meanlog = meanlog, sdlog = sdlog)
replicate(10, rLognormalMix(1, w = w, meanlog = meanlog, sdlog = sdlog))

```

lognormal_mixgpd

Lognormal mixture with a GPD tail

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to a lognormal mixture bulk. Let F_{mix} be the Lognormal mixture CDF. The spliced CDF is $F(x) = F_{mix}(x)$ for $x < threshold$ and $F(x) = F_{mix}(threshold) + \{1 - F_{mix}(threshold)\}G(x)$ for $x \geq threshold$, where G is the GPD CDF for exceedances above threshold.

Usage

```

dLognormalMixGpd(
  x,
  w,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  log = 0
)

```

```

pLognormalMixGpd(
  q,
  w,
  meanlog,
  sdlog,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)

```

```

rLognormalMixGpd(n, w, meanlog, sdlog, threshold, tail_scale, tail_shape)

```

```

qLognormalMixGpd(
  p,
  w,
  meanlog,

```

```

sdlog,
threshold,
tail_scale,
tail_shape,
lower.tail = TRUE,
log.p = FALSE,
tol = 1e-10,
maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K .
meanlog, sdlog	Numeric vectors of length K giving component log-means and log-standard deviations.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> in quantile inversion.
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

The density, CDF, and RNG are implemented as `nimbleFunctions`. The quantile is an R function: it uses numerical inversion in the bulk region and the closed-form GPD quantile in the tail.

Let F_{mix} be the lognormal-mixture CDF and let u denote the threshold. The splice uses the bulk law below u and attaches a GPD to the residual survival mass above u . The density therefore becomes

$$f(x) = \begin{cases} f_{mix}(x), & x < u, \\ \{1 - F_{mix}(u)\}g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

The quantile is computed piecewise: bulk quantiles are obtained numerically from the mixture CDF, whereas tail quantiles use the closed-form GPD inverse after rescaling the upper-tail probability.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qLognormalMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dLognormalMixGpd()`: Lognormal mixture + GPD tail density
- `pLognormalMixGpd()`: Lognormal mixture + GPD tail distribution function
- `rLognormalMixGpd()`: Lognormal mixture + GPD tail random generation
- `qLognormalMixGpd()`: Lognormal mixture + GPD tail quantile function

See Also

[lognormal_mix\(\)](#), [lognormal_gpd\(\)](#), [gpd\(\)](#), [lognormal_lowercase\(\)](#), [dpmgpd\(\)](#).

Other lognormal kernel families: [lognormal_gpd](#), [lognormal_mix](#)

Examples

```
w <- c(0.60, 0.25, 0.15)
meanlog <- c(-0.2, 0.6, 1.2)
sdlog <- c(0.4, 0.3, 0.5)
threshold <- 3
tail_scale <- 0.9
tail_shape <- 0.2

dLognormalMixGpd(4.0, w = w, meanlog = meanlog, sdlog = sdlog,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape, log = FALSE)
pLognormalMixGpd(4.0, w = w, meanlog = meanlog, sdlog = sdlog,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape, lower.tail = TRUE, log.p = FALSE)
qLognormalMixGpd(0.50, w = w, meanlog = meanlog, sdlog = sdlog,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape)
qLognormalMixGpd(0.95, w = w, meanlog = meanlog, sdlog = sdlog,
  threshold = threshold, tail_scale = tail_scale,
  tail_shape = tail_shape)
replicate(10, rLognormalMixGpd(1, w = w, meanlog = meanlog, sdlog = sdlog,
  threshold = threshold,
  tail_scale = tail_scale,
  tail_shape = tail_shape))
```

mcmc

Run posterior sampling from a prepared bundle

Description

`mcmc()` is the generic workflow runner. It dispatches to [run_mcmc_bundle_manual](#) for one-arm bundles and to [run_mcmc_causal](#) for causal bundles.

Usage

```
mcmc(b, ...)
```

Arguments

- b** A non-causal or causal bundle.
- ...** Optional MCMC overrides (niter, nburnin, thin, nchains, seed, waic) and runner controls (show_progress, quiet).

Details

This wrapper is useful when you want a two-stage workflow: build first, inspect or modify the bundle, then sample. Named MCMC arguments supplied through `...` override the settings stored in the bundle before execution.

The returned fit represents posterior draws from the finite SB/CRP approximation encoded in the bundle. Downstream summaries therefore target posterior predictive quantities such as $f(y | x)$, $F(y | x)$, and derived treatment-effect functionals.

Value

A fitted object of class "mixgpd_fit" or "causalmixgpd_causal_fit".

See Also

[bundle](#), [run_mcmc_bundle_manual](#), [run_mcmc_causal](#), [predict.mixgpd_fit](#).

 nc_pos200_k3

Positive-Support Bulk-Only Data Set With Three Components

Description

Positive-support, bulk-only mixture dataset with $K=3$ components and no covariates. Intended for non-causal bulk-only positive-kernel vignettes (gamma/lognormal/invgauss/amoroso).

Usage

```
nc_pos200_k3
```

Format

A list with:

y Numeric outcome vector.

X NULL.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_pos200_k3$y)
```

`nc_posX100_p3_k2`*Positive-Support Covariate Data Set With Three Predictors*

Description

Positive-support dataset with covariates ($p=3$) and $K=2$ mixture components. Intended for covariate and prediction vignettes (GPD=FALSE).

Usage`nc_posX100_p3_k2`**Format**

A list with:

y Numeric outcome vector.

X data.frame with x1-x3.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples`head(nc_posX100_p3_k2$X)`

`nc_posX100_p4_k3`*Positive-Support Covariate Data Set With Four Predictors*

Description

Positive-support dataset with covariates ($p=4$) and $K=3$ mixture components. Intended for covariate and prediction vignettes (GPD=FALSE).

Usage`nc_posX100_p4_k3`**Format**

A list with:

y Numeric outcome vector.

X data.frame with x1-x4.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_posX100_p4_k3$X)
```

 nc_posX100_p5_k4

Positive-Support Covariate Data Set With Five Predictors

Description

Positive-support dataset with covariates ($p=5$) and $K=4$ mixture components. Intended for covariate and prediction vignettes (GPD=FALSE).

Usage

```
nc_posX100_p5_k4
```

Format

A list with:

y Numeric outcome vector.

X data.frame with x1-x5.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_posX100_p5_k4$X)
```

 nc_pos_tail200_k4

Positive-Support Tail Data Set With Four Components

Description

Positive-support, tail-designed mixture dataset with $K=4$ components and no covariates. Intended for GPD vignettes (gamma/lognormal/invgauss/amoroso with GPD=TRUE).

Usage

```
nc_pos_tail200_k4
```

Format

A list with:

y Numeric outcome vector.

X NULL.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_pos_tail200_k4$y)
```

nc_real200_k2

Real-Line Bulk-Only Data Set With Two Components

Description

Real-line, bulk-only mixture dataset with K=2 components and no covariates. Intended for non-causal bulk-only vignettes (normal/laplace/cauchy, GPD=FALSE).

Usage

```
nc_real200_k2
```

Format

A list with:

y Numeric outcome vector.

X NULL.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_real200_k2$y)
```

nc_realX100_p3_k2 *Real-Line Covariate Data Set With Three Predictors*

Description

Real-line dataset with covariates ($p=3$) and $K=2$ mixture components. Intended for covariate and prediction vignettes (GPD=FALSE).

Usage

```
nc_realX100_p3_k2
```

Format

A list with:

y Numeric outcome vector.

X data.frame with x1-x3.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_realX100_p3_k2$X)
```

nc_realX100_p5_k3 *Real-Line Covariate Data Set With Five Predictors*

Description

Real-line dataset with covariates ($p=5$) and $K=3$ mixture components. Intended for covariate and prediction vignettes (GPD=FALSE).

Usage

```
nc_realX100_p5_k3
```

Format

A list with:

y Numeric outcome vector.

X data.frame with x1-x5.

meta List with n, support, p, K_true, tail, exceed_frac, seed.

truth List with kernel, weights, params, threshold, tail_params.

Examples

```
head(nc_realX100_p5_k3$X)
```

normal_gpd	<i>Normal with a GPD tail</i>
------------	-------------------------------

Description

Spliced family obtained by attaching a generalized Pareto tail above threshold to a single normal bulk component.

Usage

```
dNormGpd(x, mean, sd, threshold, tail_scale, tail_shape, log = 0)
```

```
pNormGpd(
  q,
  mean,
  sd,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
)
```

```
rNormGpd(n, mean, sd, threshold, tail_scale, tail_shape)
```

```
qNormGpd(
  p,
  mean,
  sd,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)
```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
mean	Numeric scalar mean parameter for the Normal bulk.
sd	Numeric scalar standard deviation for the Normal bulk.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.

tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.

Details

This is the single-component version of `normal_mixgpd()`. If $\Phi_u = \Phi((u - \mu)/\sigma)$ denotes the normal bulk probability below the threshold, then the density is

$$f(x) = \begin{cases} \phi(x | \mu, \sigma^2), & x < u, \\ (1 - \Phi_u)g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

The distribution is continuous at u by construction, although the derivative generally changes there because the tail is modeled by a different family.

The ordinary mean exists only when the GPD tail satisfies $\xi < 1$. When that condition fails, downstream mean prediction is intentionally blocked and the package directs the user to restricted means or quantile-based summaries instead.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qNormGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dNormGpd()`: Normal + GPD tail density
- `pNormGpd()`: Normal + GPD tail distribution function
- `rNormGpd()`: Normal + GPD tail random generation
- `qNormGpd()`: Normal + GPD tail quantile function

See Also

[normal_mix\(\)](#), [normal_mixgpd\(\)](#), [gpd\(\)](#), [normal_lowercase\(\)](#).

Other normal kernel families: [normal_mix](#), [normal_mixgpd](#)

Examples

```
mean <- 0.5
sd <- 1.0
threshold <- 2
tail_scale <- 1.0
tail_shape <- 0.2
```

```

dNormGpd(3.0, mean, sd, threshold, tail_scale, tail_shape, log = FALSE)
pNormGpd(3.0, mean, sd, threshold, tail_scale, tail_shape,
  lower.tail = TRUE, log.p = FALSE)
qNormGpd(0.50, mean, sd, threshold, tail_scale, tail_shape)
qNormGpd(0.95, mean, sd, threshold, tail_scale, tail_shape)
replicate(10, rNormGpd(1, mean, sd, threshold, tail_scale, tail_shape))

```

normal_lowercase	<i>Lowercase vectorized normal distribution functions</i>
------------------	---

Description

Vectorized R wrappers for the scalar normal-kernel topics in this file. These helpers are meant for interactive use and examples rather than direct use inside NIMBLE code.

Usage

```

dnormmix(x, w, mean, sd, log = FALSE)

pnormmix(q, w, mean, sd, lower.tail = TRUE, log.p = FALSE)

qnormmix(
  p,
  w,
  mean,
  sd,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

rnormmix(n, w, mean, sd)

dnormmixgpd(x, w, mean, sd, threshold, tail_scale, tail_shape, log = FALSE)

pnormmixgpd(
  q,
  w,
  mean,
  sd,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE
)

```

```
qnormmixgpd(  
  p,  
  w,  
  mean,  
  sd,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE,  
  tol = 1e-10,  
  maxiter = 200  
)  
  
rnormmixgpd(n, w, mean, sd, threshold, tail_scale, tail_shape)  
  
dnormgpd(x, mean, sd, threshold, tail_scale, tail_shape, log = FALSE)  
  
pnormgpd(  
  q,  
  mean,  
  sd,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)  
  
qnormgpd(  
  p,  
  mean,  
  sd,  
  threshold,  
  tail_scale,  
  tail_shape,  
  lower.tail = TRUE,  
  log.p = FALSE  
)  
  
rnormgpd(n, mean, sd, threshold, tail_scale, tail_shape)
```

Arguments

x	Numeric vector of quantiles.
w	Numeric vector of mixture weights.
mean, sd	Numeric vectors (mix) or scalars (base+gpd) of component parameters.

log	Logical; if TRUE, return log-density.
q	Numeric vector of quantiles.
lower.tail	Logical; if TRUE (default), probabilities are $P(X \leq x)$.
log.p	Logical; if TRUE, probabilities are on log scale.
p	Numeric vector of probabilities.
tol, maxiter	Tolerance and max iterations for numerical inversion.
n	Integer number of observations to generate.
threshold, tail_scale, tail_shape	GPD tail parameters (scalars).

Details

These wrappers vectorize the scalar normal-kernel routines for ordinary R use. They preserve the same formulas, parameter meanings, and tail construction as the uppercase functions; the only change is that `x`, `q`, `p`, and `n` may now be length greater than one.

For the mixture quantile and splice quantile functions, the numerical and piecewise logic is delegated directly to the corresponding scalar routine. As a result, the lowercase helpers are faithful front ends rather than separate implementations.

Value

Numeric vector of densities, probabilities, quantiles, or random variates.

Functions

- `dnormmix()`: Normal mixture density (vectorized)
- `pnormmix()`: Normal mixture distribution function (vectorized)
- `qnormmix()`: Normal mixture quantile function (vectorized)
- `rnormmix()`: Normal mixture random generation (vectorized)
- `dnormmixgpd()`: Normal mixture + GPD density (vectorized)
- `pnormmixgpd()`: Normal mixture + GPD distribution function (vectorized)
- `qnormmixgpd()`: Normal mixture + GPD quantile function (vectorized)
- `rnormmixgpd()`: Normal mixture + GPD random generation (vectorized)
- `dnormgpd()`: Normal + GPD density (vectorized)
- `pnormgpd()`: Normal + GPD distribution function (vectorized)
- `qnormgpd()`: Normal + GPD quantile function (vectorized)
- `rnormgpd()`: Normal + GPD random generation (vectorized)

See Also

[normal_mix\(\)](#), [normal_mixgpd\(\)](#), [normal_gpd\(\)](#), [bundle\(\)](#), [get_kernel_registry\(\)](#).

Other vectorized kernel helpers: [amoroso_lowercase](#), [base_lowercase](#), [cauchy_mix_lowercase](#), [gamma_lowercase](#), [invgauss_lowercase](#), [laplace_lowercase](#), [lognormal_lowercase](#)

Examples

```

w <- c(0.6, 0.25, 0.15)
mu <- c(-1, 0.5, 2)
sig <- c(1, 0.7, 1.3)

# Normal mixture
dnormmix(c(0, 1, 2), w = w, mean = mu, sd = sig)
rnormmix(5, w = w, mean = mu, sd = sig)

# Normal mixture + GPD
dnormmixgpd(c(1, 2, 3), w = w, mean = mu, sd = sig,
            threshold = 2, tail_scale = 1, tail_shape = 0.2)

# Normal + GPD (single component)
dnormgpd(c(1, 2, 3), mean = 0.5, sd = 1, threshold = 2,
         tail_scale = 1, tail_shape = 0.2)

```

normal_mix

Normal mixture distribution

Description

Finite mixture of normal components for real-valued bulk modeling. This topic provides the scalar mixture density, CDF, RNG, and quantile functions used by the bulk-only normal kernel in the package registry.

Usage

```

dNormMix(x, w, mean, sd, log = 0)

pNormMix(q, w, mean, sd, lower.tail = 1, log.p = 0)

rNormMix(n, w, mean, sd)

qNormMix(
  p,
  w,
  mean,
  sd,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K . The functions normalize w internally when needed.
mean, sd	Numeric vectors of length K giving component means and standard deviations.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

With weights w_k , means μ_k , and standard deviations σ_k , the mixture density is

$$f(x) = \sum_{k=1}^K \tilde{w}_k \phi(x \mid \mu_k, \sigma_k^2),$$

where $\tilde{w}_k = w_k / \sum_j w_j$. These uppercase functions are scalar NIMBLE-compatible building blocks. For vectorized R usage, use [normal_lowercase\(\)](#).

If F_k denotes the k -th component CDF, then the mixture distribution function is

$$F(x) = \sum_{k=1}^K \tilde{w}_k F_k(x) = \sum_{k=1}^K \tilde{w}_k \Phi\left(\frac{x - \mu_k}{\sigma_k}\right).$$

Random generation first draws a component index with probability \tilde{w}_k and then generates from the corresponding normal law. The quantile function has no closed form for a general finite mixture, so `qNormMix()` solves $F(x) = p$ numerically by bracketing the root and applying `stats::uniroot()`.

The mixture mean is

$$E(X) = \sum_{k=1}^K \tilde{w}_k \mu_k,$$

which is the analytical mean used by the package when a normal-mixture draw contributes to a posterior predictive mean calculation.

Value

Density/CDF/RNG functions return numeric scalars. `qNormMix()` returns a numeric vector with the same length as `p`.

Functions

- `dNormMix()`: Normal mixture density
- `pNormMix()`: Normal mixture distribution function
- `rNormMix()`: Normal mixture random generation
- `qNormMix()`: Normal mixture quantile function

See Also

[normal_mixgpd\(\)](#), [normal_gpd\(\)](#), [normal_lowercase\(\)](#), [build_nimble_bundle\(\)](#), [kernel_support_table\(\)](#).

Other normal kernel families: [normal_gpd](#), [normal_mixgpd](#)

Examples

```
w <- c(0.60, 0.25, 0.15)
mean <- c(-1, 0.5, 2.0)
sd <- c(1.0, 0.7, 1.3)

dNormMix(0.5, w = w, mean = mean, sd = sd, log = FALSE)
pNormMix(0.5, w = w, mean = mean, sd = sd,
         lower.tail = TRUE, log.p = FALSE)
qNormMix(0.50, w = w, mean = mean, sd = sd)
qNormMix(0.95, w = w, mean = mean, sd = sd)
replicate(10, rNormMix(1, w = w, mean = mean, sd = sd))
```

normal_mixgpd

Normal mixture with a GPD tail

Description

Spliced bulk-tail family formed by attaching a generalized Pareto tail to a normal mixture bulk. This matches the structure used by the package's normal mixgpd kernels.

Usage

```
dNormMixGpd(x, w, mean, sd, threshold, tail_scale, tail_shape, log = 0)
```

```
pNormMixGpd(
  q,
  w,
  mean,
  sd,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = 1,
  log.p = 0
```

```

)

rNormMixGpd(n, w, mean, sd, threshold, tail_scale, tail_shape)

qNormMixGpd(
  p,
  w,
  mean,
  sd,
  threshold,
  tail_scale,
  tail_shape,
  lower.tail = TRUE,
  log.p = FALSE,
  tol = 1e-10,
  maxiter = 200
)

```

Arguments

x	Numeric scalar giving the point at which the density is evaluated.
w	Numeric vector of mixture weights of length K .
mean, sd	Numeric vectors of length K giving component means and standard deviations.
threshold	Numeric scalar threshold at which the GPD tail is attached.
tail_scale	Numeric scalar GPD scale parameter; must be positive.
tail_shape	Numeric scalar GPD shape parameter.
log	Integer flag 0/1; if 1, return the log-density.
q	Numeric scalar giving the point at which the distribution function is evaluated.
lower.tail	Integer flag 0/1; if 1 (default), probabilities are $P(X \leq q)$.
log.p	Integer flag 0/1; if 1, probabilities are returned on the log scale.
n	Integer giving the number of draws. The RNG implementation supports $n = 1$.
p	Numeric scalar probability in $(0, 1)$ for the quantile function.
tol	Numeric scalar tolerance passed to <code>stats::uniroot</code> .
maxiter	Integer maximum number of iterations for <code>stats::uniroot</code> .

Details

If F_{mix} denotes the normal-mixture CDF, the spliced CDF is

$$F(x) = \begin{cases} F_{mix}(x), & x < u, \\ F_{mix}(u) + \{1 - F_{mix}(u)\}G(x), & x \geq u, \end{cases}$$

where $\text{threshold} = u$ and G is the GPD CDF.

The construction keeps the normal mixture unchanged below the threshold u and replaces the upper tail by a generalized Pareto exceedance model. Writing $F_{mix}(u) = p_u$, the spliced density is

$$f(x) = \begin{cases} f_{mix}(x), & x < u, \\ \{1 - p_u\}g_{GPD}(x | u, \sigma_u, \xi), & x \geq u. \end{cases}$$

This formulation preserves total probability because the GPD is attached only to the residual survival mass above the bulk threshold.

The quantile is piecewise. If $p \leq p_u$, `qNormMixGpd()` inverts the bulk mixture CDF; otherwise it rescales the tail probability to $(p - p_u)/(1 - p_u)$ and applies the closed-form GPD quantile. That same piecewise logic is what the fitted-model prediction code uses draw by draw.

Value

Spliced density/CDF/RNG functions return numeric scalars. `qNormMixGpd()` returns a numeric vector with the same length as `p`.

Functions

- `dNormMixGpd()`: Normal mixture + GPD tail density
- `pNormMixGpd()`: Normal mixture + GPD tail distribution function
- `rNormMixGpd()`: Normal mixture + GPD tail random generation
- `qNormMixGpd()`: Normal mixture + GPD tail quantile function

See Also

[normal_mix\(\)](#), [normal_gpd\(\)](#), [gpd\(\)](#), [normal_lowercase\(\)](#), [dpmgpd\(\)](#).

Other normal kernel families: [normal_gpd](#), [normal_mix](#)

Examples

```
w <- c(0.60, 0.25, 0.15)
mean <- c(-1, 0.5, 2.0)
sd <- c(1.0, 0.7, 1.3)
threshold <- 2
tail_scale <- 1.0
tail_shape <- 0.2

dNormMixGpd(3.0, w, mean, sd, threshold, tail_scale, tail_shape, log = FALSE)
pNormMixGpd(3.0, w, mean, sd, threshold, tail_scale, tail_shape,
  lower.tail = TRUE, log.p = FALSE)
qNormMixGpd(0.50, w, mean, sd, threshold, tail_scale, tail_shape)
qNormMixGpd(0.95, w, mean, sd, threshold, tail_scale, tail_shape)
replicate(10, rNormMixGpd(1, w, mean, sd, threshold, tail_scale, tail_shape))
```

params	<i>Extract posterior mean parameters in natural shape</i>
--------	---

Description

params() reshapes posterior mean summaries back into the parameter layout implied by the fitted model specification.

Usage

```
params(object, ...)
```

Arguments

object	A fitted object of class "mixgpd_fit".
...	Unused.

Details

This extractor is intended for structural inspection of the fitted model. Scalar quantities remain scalar, component-specific parameters are returned as vectors, and linked regression blocks are returned as matrices with covariate names as columns when available. If propensity-score adjustment is active for a linked bulk parameter, its coefficient is folded into the returned beta matrix as a leading "PropScore" column.

For a spliced model, the extractor returns posterior means of the bulk mixture parameters together with component-level threshold, tail-scale, and tail-shape terms. When tail terms are link-mode, the corresponding component-by-covariate beta blocks are returned.

Value

An object of class "mixgpd_params" (a named list). For causal fits, params() returns a treated/control pair and includes a ps block when a propensity-score model was fitted.

See Also

[summary.mixgpd_fit](#), [predict.mixgpd_fit](#), [ess_summary](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
params(fit)
p <- params(fit)
```

```
plot.causalmixgpd_causal_fit
```

Plot the treated and control outcome fits from a causal model

Description

`plot.causalmixgpd_causal_fit()` is a convenience router to the underlying one-arm diagnostic plots for the treated and control fits.

Uses `ggmcmc` to produce standard MCMC diagnostic plots. Works with 1+ chains.

S3 method for visualizing fitted values from `fitted.mixgpd_fit()`. Produces a 2-panel figure: Q-Q plot and residuals vs fitted.

Usage

```
## S3 method for class 'causalmixgpd_causal_fit'
plot(x, arm = "treated", ...)

## S3 method for class 'mixgpd_fit'
plot(x, family = "traceplot", params = NULL, nLags = 50, ...)

## S3 method for class 'mixgpd_fitted'
plot(x, y = NULL, ...)
```

Arguments

<code>x</code>	Object of class <code>mixgpd_fitted</code> from <code>fitted.mixgpd_fit()</code> .
<code>arm</code>	Integer or character; 1 or "treated" for treatment, 0 or "control" for control, or "both" for both arms.
<code>...</code>	Additional arguments (ignored).
<code>family</code>	Character vector of plot names (<code>ggmcmc</code> plot types) or a single one. The default "traceplot" returns one diagnostic. Use "all" to include all plots supported for the available number of chains/parameters. "auto" is accepted as an alias for the default single diagnostic. Supported types: <ul style="list-style-type: none"> "histogram": posterior histograms "density": posterior density curves "traceplot": MCMC trace plots "running": running mean plots "compare_partial": partial chain comparisons "autocorrelation": autocorrelation plots "crosscorrelation": cross-correlation matrix "Rhat": Gelman–Rubin R-hat (2+ chains) "grb": Gelman–Rubin–Brooks (2+ chains) "effective": effective sample size

	<ul style="list-style-type: none"> • "geweke": Geweke diagnostic • "caterpillar": caterpillar/forest plots • "pairs": pairwise scatter plots (2+ params)
params	Optional parameter selector: <ul style="list-style-type: none"> • character vector of parameter patterns (exact names or partial matches) • a single regex string (e.g. "alpha threshold tail_") • NULL (default): plots all monitored parameters
nLags	Number of lags for autocorrelation (ggmcmc).
y	Ignored; included for S3 compatibility.

Details

Each arm-specific outcome model is itself a `mixgpd_fit`, so this method delegates to `plot.mixgpd_fit()` for the selected arm. With `arm = "both"`, it returns a named list of treated and control diagnostics so the two fitted outcome models can be assessed side by side.

These are MCMC diagnostics for the nuisance outcome models, not plots of causal estimands. Use `plot()` on objects from `predict.causalmixgpd_causal_fit()`, `qte()`, or `ate()` when the goal is to visualize treatment effects rather than chain behavior.

The supported plots diagnose posterior simulation quality rather than data fit. Depending on the selected family, they show chain traces, marginal posterior densities, autocorrelation, cross-correlation, running means, or Gelman-style convergence summaries for the monitored parameters.

These graphics should be read before interpreting posterior summaries or treatment-effect results. Poor mixing or strong autocorrelation in the MCMC output can invalidate downstream summaries even when the fitted model itself is correctly specified.

These diagnostics compare the fitted values implied by the posterior summary on the training design against the observed responses. The first panel checks how closely fitted and observed values align, while the second panel looks for residual structure that would indicate lack of fit or remaining mean trends.

This method is distinct from posterior predictive simulation on new data. It is a training-sample diagnostic built from `fitted.mixgpd_fit()` and the corresponding residuals.

Value

The result of the underlying plot call (invisibly).

Invisibly returns a named list of ggplot objects.

Invisibly returns a list with the two plots.

See Also

[plot.mixgpd_fit](#), [predict.causalmixgpd_causal_fit](#), [ate](#), [qte](#).

Examples

```

y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
plot(fit, family = c("traceplot", "density"))

```

plot.causalmixgpd_qte *Plot QTE-style effect summaries*

Description

plot.causalmixgpd_qte() visualizes objects returned by `qte`, `qtt`, and `cqte`. The type parameter controls the plot style. When type is omitted, `cqte`() objects default to "effect" and, when multiple quantile levels are present, `facet_by = "id"`. Whenever quantile index appears on the x-axis, it is shown as an ordered categorical axis with equidistant spacing:

- "both" (default): Returns a list with both `trt_control` (treated vs control quantile curves) and `treatment_effect` (QTE curve) plots
- "effect": QTE curve vs quantile levels (probs) with pointwise CI error bars
- "arms": Treated and control quantile curves vs probs, with pointwise CI error bars

plot.causalmixgpd_ate() visualizes objects returned by `ate`, `att`, `cate`, and `ate_rmean`. The type parameter controls the plot style. When type is omitted, `cate`() objects default to "effect":

- "both" (default): Returns a list with both `trt_control` (treated vs control means) and `treatment_effect` (ATE curve) plots
- "effect": ATE curve/points vs index/PS with pointwise CI error bars
- "arms": Treated mean vs control mean, with pointwise CI error bars

Usage

```

## S3 method for class 'causalmixgpd_qte'
plot(
  x,
  y = NULL,
  type = c("both", "effect", "arms"),
  facet_by = c("tau", "id"),
  plotly = getOption("CausalMixGPD.plotly", FALSE),
  ...
)

## S3 method for class 'causalmixgpd_ate'
plot(
  x,

```

```

y = NULL,
type = c("both", "effect", "arms"),
plotly = getOption("CausalMixGPD.plotly", FALSE),
...
)

```

Arguments

x	Object of class causalmixgpd_ate.
y	Ignored.
type	Character; plot type: <ul style="list-style-type: none"> • "both" (default): returns a list with both arm means and treatment-effect plots • "effect": ATE curve/points with pointwise CI error bars • "arms": treated vs control mean with pointwise CI error bars For CATE objects, omitted type defaults to "effect".
facet_by	Character; faceting strategy when multiple prediction points exist: <ul style="list-style-type: none"> • "tau" (default): facets by quantile level • "id": facets by prediction point
plotly	Logical; if TRUE, convert the ggplot2 output to a plotly / htmlwidget representation via .wrap_plotly(). Defaults to getOption("CausalMixGPD.plotly", FALSE).
...	Additional arguments passed to ggplot2 functions.

Details

The effect view emphasizes the quantile contrast $\tau \mapsto Q_{Y^1}(\tau) - Q_{Y^0}(\tau)$, while the arms view shows the treated and control quantile functions that generate that contrast. For conditional CQTE objects, faceting can separate covariate profiles so the same quantile contrast is compared across prediction settings.

These graphics visualize posterior summaries of the effect object itself. They are therefore downstream of model fitting and downstream of the causal prediction step.

The effect panel visualizes the posterior summary of the treatment contrast on the mean scale, namely $E(Y^1) - E(Y^0)$ or its conditional or treated-standardized analogue. The arms panel instead shows the treated and control mean predictions whose difference defines that contrast.

For cate() objects, the x-axis follows the prediction profiles; otherwise it uses the estimated propensity score when available or a simple index order. This keeps the comparison aligned with how the effect object was standardized.

Value

A list of ggplot objects with elements trt_control and treatment_effect (if type="both"), or a single ggplot object (if type is "effect" or "arms").

A list of ggplot objects with elements trt_control and treatment_effect (if type="both"), or a single ggplot object (if type is "effect" or "arms").

See Also

[qte](#), [cqte](#), [summary.causalmixgpd_qte](#).
[ate](#), [cate](#), [summary.causalmixgpd_ate](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
X_new <- X[1:5, , drop = FALSE]
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
qte_result <- cqte(fit, probs = c(0.1, 0.5, 0.9), newdata = X_new)
plot(qte_result) # CQTE default: effect plot (faceted by id when needed)
plot(qte_result, type = "effect") # single QTE plot
plot(qte_result, type = "arms") # single arms plot
```

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
X_new <- X[1:5, , drop = FALSE]
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
ate_result <- cate(fit, newdata = X_new, interval = "credible")
plot(ate_result) # CATE default: effect plot
plot(ate_result, type = "effect") # single ATE plot
plot(ate_result, type = "arms") # single arms plot
```

plot.dpmixgpd_cluster_bundle

Plot a cluster bundle

Description

Produce a compact graphical summary of the cluster bundle metadata.

Visualize either the posterior similarity matrix, the posterior number of occupied clusters, the size distribution of the representative clusters, or cluster-specific response summaries.

Visualize representative cluster sizes, assignment certainty, or cluster-specific response summaries. For type = "summary", the response view is shown as boxplots ordered by cluster size or label.

When `x` comes from `predict(..., newdata = ...)`, only clusters represented in the new sample are displayed.

Heatmap of pairwise posterior co-clustering probabilities.

Usage

```
## S3 method for class 'dpmixgpd_cluster_bundle'
plot(x, plotly = getOption("CausalMixGPD.plotly", FALSE), ...)
```

```
## S3 method for class 'dpmixgpd_cluster_fit'
plot(
  x,
  which = c("psm", "k", "sizes", "summary"),
  burnin = NULL,
  thin = NULL,
  psm_max_n = 2000L,
  top_n = 5L,
  order_by = c("size", "label"),
  plotly = getOption("CausalMixGPD.plotly", FALSE),
  ...
)
```

```
## S3 method for class 'dpmixgpd_cluster_labels'
plot(
  x,
  type = c("sizes", "certainty", "summary"),
  top_n = 5L,
  order_by = c("size", "label"),
  plotly = getOption("CausalMixGPD.plotly", FALSE),
  ...
)
```

```
## S3 method for class 'dpmixgpd_cluster_psm'
plot(
  x,
  psm_max_n = x$psm_max_n %||% 2000L,
  order_by = c("label", "hclust", "input"),
  plotly = getOption("CausalMixGPD.plotly", FALSE),
  ...
)
```

Arguments

<code>x</code>	Cluster PSM object.
<code>plotly</code>	Logical; if TRUE, convert the ggplot2 output to a plotly / htmlwidget representation via <code>.wrap_plotly()</code> . Defaults to <code>getOption("CausalMixGPD.plotly", FALSE)</code> .
<code>...</code>	Unused.

which	Plot type: <ul style="list-style-type: none"> • "psm": posterior similarity matrix heatmap • "k": posterior number of occupied clusters • "sizes": bar chart of representative cluster sizes • "summary": cluster-specific response summaries
burnin	Number of initial posterior draws to discard.
thin	Keep every thin-th posterior draw.
psm_max_n	Maximum allowed matrix size for plotting.
top_n	Number of populated representative clusters to display for type = "sizes" or type = "summary". Use NULL to display all populated clusters.
order_by	Ordering rule for rows and columns: <ul style="list-style-type: none"> • "label": order by representative cluster labels when available • "hclust": order by hierarchical clustering of 1 - PSM • "input": preserve input order
type	Plot type: <ul style="list-style-type: none"> • "sizes": bar chart of representative cluster sizes • "certainty": assignment certainty distribution • "summary": cluster-specific response boxplots

Details

The bundle plot is a metadata display rather than an inferential graphic. It mirrors the structural fields reported by `print()` and `summary()` in a single panel so the pre-MCMC clustering specification can be reviewed in a figure-oriented workflow or notebook.

Because the object has not been sampled yet, no representative partition or posterior uncertainty is shown here. Use `plot.dpmixgpd_cluster_fit()`, `plot.dpmixgpd_cluster_labels()`, or `plot.dpmixgpd_cluster_psm()` after fitting when you need substantive clustering output.

This plot method exposes the main posterior diagnostics for clustering. The `which = "k"` view tracks the number of occupied clusters across retained draws, `which = "psm"` visualizes pairwise co-clustering probabilities, `which = "sizes"` displays the size profile of the representative partition, and `which = "summary"` shows response summaries conditional on the selected representative labels.

The representative partition is obtained from `predict.dpmixgpd_cluster_fit()` using Dahl's least-squares rule. As a result, the `sizes` and `summary` views describe that representative clustering rather than the full posterior distribution over partitions.

This method visualizes the representative partition stored in a `dpmixgpd_cluster_labels` object. The `sizes` view emphasizes the empirical distribution of the selected clusters, the `certainty` view summarizes the assignment scores $\max_k p_{ik}$, and the `summary` view compares the attached response data across representative clusters.

For new-data prediction, the plots are always interpreted relative to the representative training clusters. That is why only clusters observed in the predicted sample are shown even though the training partition may contain additional occupied groups.

The heatmap visualizes the matrix

$$\text{PSM}_{ij} \approx \frac{1}{S} \sum_{s=1}^S I(z_i^{(s)} = z_j^{(s)}),$$

so larger values indicate pairs of observations that are stably allocated to the same cluster over the retained posterior draws.

Because the PSM is an $n \times n$ object, plotting and even storing it becomes expensive for large n . The `psm_max_n` argument is therefore a deliberate guard against accidental quadratic memory use.

Value

A `ggplot2` object or a `plotly/htmlwidget` object when `plotly = TRUE`.

A `ggplot2` object or a `plotly/htmlwidget` object when `plotly = TRUE`.

A `ggplot2` object or a `plotly/htmlwidget` object when `plotly = TRUE`.

A `ggplot2` object or a `plotly/htmlwidget` object when `plotly = TRUE`.

See Also

`summary.dpmixgpd_cluster_bundle()`, `dpmix.cluster()`, `dpmgpd.cluster()`.

`predict.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_fit()`, `plot.dpmixgpd_cluster_psm()`, `plot.dpmixgpd_cluster_labels()`.

`summary.dpmixgpd_cluster_labels()`, `predict.dpmixgpd_cluster_fit()`.

`predict.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_psm()`, `plot.dpmixgpd_cluster_fit()`.

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

plot.mixgpd_predict *Plot prediction results*

Description

Generates type-specific visualizations for prediction objects returned by `predict.mixgpd_fit()`. Each prediction type produces a tailored plot:

- `quantile`: Quantile indices vs estimates with credible intervals
- `sample`: Histogram of samples with density overlay
- `mean`: Histogram density with posterior mean vertical line and CI bounds
- `density`: Density values vs evaluation points
- `survival`: Survival function (decreasing y values)

S3 method for visualizing causal predictions from `predict.causalmixgpd_causal_fit()`. For mean/quantile, plots treated/control and treatment effect versus PS (or index). For `type = "sample"`, plots arm-level posterior predictive samples alongside treatment-effect samples. For `density/prob`, plots treated/control values versus y.

Usage

```
## S3 method for class 'mixgpd_predict'
plot(x, y = NULL, ...)

## S3 method for class 'causalmixgpd_causal_predict'
plot(x, y = NULL, ...)
```

Arguments

<code>x</code>	Object of class <code>causalmixgpd_causal_predict</code> .
<code>y</code>	Ignored.
<code>...</code>	Additional arguments passed to <code>ggplot2</code> functions.

Details

The plotting method is tied to the predictive functional stored in the input object. Quantile and mean outputs display posterior point summaries and intervals, density and survival outputs show evaluated functions on the supplied grid, and posterior samples are visualized as empirical predictive draws.

In every case the plot reflects the quantity requested from `predict.mixgpd_fit()` after integrating over the retained posterior draws. It is therefore distinct from parameter-level summaries and from chain diagnostics.

The causal prediction object carries arm-specific predictions together with the implied contrast. For mean predictions, the contrast is $m_1(x) - m_0(x)$. For quantile predictions, the contrast is $Q_{Y^1}(\tau | x) - Q_{Y^0}(\tau | x)$. The plotting method keeps those arm and contrast views synchronized.

Unlike `plot.causalmixgpd_causal_fit()`, which diagnoses MCMC behavior inside the outcome models, this method visualizes predictive quantities after posterior integration. It is therefore the natural plotting method once the user has already accepted the fitted-model diagnostics.

Value

Invisibly returns the ggplot object.

A ggplot object or a list of ggplot objects.

Examples

```

y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)

# Quantile prediction with plot
pred_q <- predict(fit, type = "quantile", index = c(0.25, 0.5, 0.75))
plot(pred_q)

# Sample prediction with plot
pred_s <- predict(fit, type = "sample", nsim = 500)
plot(pred_s)

# Mean prediction with plot
pred_m <- predict(fit, type = "mean", nsim_mean = 300)
plot(pred_m)

```

`predict.causalmixgpd_causal_fit`

Predict arm-specific and contrast-scale quantities from a causal fit

Description

`predict.causalmixgpd_causal_fit()` is the causal counterpart to [predict.mixgpd_fit](#). It coordinates the treated and control arm predictions so that both sides use the same covariate rows and the same PS adjustment.

Usage

```

## S3 method for class 'causalmixgpd_causal_fit'
predict(
  object,
  newdata = NULL,
  y = NULL,
  ps = NULL,
  id = NULL,
  type = c("mean", "quantile", "density", "survival", "prob", "sample"),
  p = NULL,
  index = NULL,
  nsim = NULL,

```

```

    interval = "credible",
    probs = c(0.025, 0.5, 0.975),
    store_draws = TRUE,
    nsim_mean = 200L,
    ncores = 1L,
    show_progress = TRUE,
    ...
)

```

Arguments

object	A "causalmixgpd_causal_fit" object returned by run_mcmc_causal().
newdata	Optional new data. If NULL, uses training design (if stored).
y	Numeric vector of evaluation points (required for type="density" or "survival").
ps	Optional numeric vector of propensity scores aligned with newdata. When provided, the supplied scores are used instead of recomputing them from the stored PS model (needed only for custom inputs).
id	Optional identifier for prediction rows. Provide either a column name in newdata or a vector of length nrow(newdata). The id column is excluded from analysis.
type	Prediction type: <ul style="list-style-type: none"> • "mean": posterior predictive mean treatment effect • "quantile": posterior predictive quantile treatment effect • "density": arm-specific posterior predictive densities • "survival": arm-specific posterior predictive survival functions • "prob": arm-specific posterior predictive probabilities • "sample": paired posterior predictive samples
p	Numeric vector of probabilities for quantiles (required for type="quantile").
index	Alias for p; numeric vector of quantile levels.
nsim	Number of posterior predictive samples when type = "sample".
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
probs	Quantiles for credible interval bands.
store_draws	Logical; whether to store treatment-effect sample draws in the returned object when type = "sample".
nsim_mean	Number of posterior predictive samples used by simulation-based mean targets. Ignored for analytical type = "mean"; still used for type = "rmean".
ncores	Number of CPU cores to use for parallel prediction (if supported).
show_progress	Logical; if TRUE, print step messages and render progress where supported.
...	Additional arguments forwarded to per-arm predict.mixgpd_fit calls.

Details

For each prediction row x , the function evaluates arm-specific posterior predictive quantities based on $F_1(y | x)$ and $F_0(y | x)$. Mean and quantile outputs are returned on the treatment-effect scale, while density, survival, and probability outputs retain both arm-specific curves. For outcome kernels with a finite analytical mean, the mean path uses analytical per-draw means; restricted means remain simulation-based.

If a PS model is stored in the fit, the same estimated score is supplied to both arms unless the user overrides it with `ps`. This is the main prediction entry point used internally by [ate](#), [qte](#), [cate](#), and [cqte](#).

Value

For "mean" and "quantile", a causal prediction object whose `$fit` component reports treated-minus-control posterior summaries. For "density", "survival", and "prob", the `$fit` component contains side-by-side treated and control summaries evaluated on the supplied `y` grid. For "sample", the returned object contains paired treated, control, and treatment-effect posterior predictive samples. Sample outputs also include long-form data frames `$fit_df`, `$trt_fit_df`, and `$con_fit_df` for direct extraction.

See Also

[predict.mixgpd_fit](#), [ate](#), [qte](#), [cate](#), [cqte](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb)
predict(fit, newdata = X[1:10, , drop = FALSE], type = "quantile", index = c(0.25, 0.5, 0.75))
predict(fit, newdata = X[1:10, ], type = "mean", interval = "hpd") # HPD intervals
predict(fit, newdata = X[1:10, ], type = "mean", interval = NULL) # No intervals
```

predict.dpmixgpd_cluster_fit

Predict labels or similarity matrices from a cluster fit

Description

Convert posterior draws from a `dpmixgpd_cluster_fit` object into either a representative clustering or a posterior similarity matrix (PSM). This is the main post-processing step for the cluster workflow after [dpmix.cluster\(\)](#) or [dpmgpd.cluster\(\)](#).

Usage

```
## S3 method for class 'dpmixgpd_cluster_fit'
predict(
  object,
  newdata = NULL,
  type = c("label", "psm"),
  burnin = NULL,
  thin = NULL,
  return_scores = FALSE,
  psm_max_n = 2000L,
  ...
)
```

Arguments

object	A fitted cluster object.
newdata	Optional new data containing the response and predictors required by the original formula. New-data prediction is available only for type = "label".
type	Prediction target: <ul style="list-style-type: none"> • "label": representative partition via Dahl's least-squares rule • "psm": posterior similarity matrix on the training sample
burnin	Number of initial posterior draws to discard.
thin	Keep every thin-th posterior draw.
return_scores	Logical; if TRUE and type = "label", include the matrix of Dahl-cluster assignment scores.
psm_max_n	Maximum training sample size allowed for type = "psm".
...	Unused.

Details

Let $z_i^{(s)}$ denote the latent cluster label for observation i at posterior draw s . The posterior similarity matrix is

$$\text{PSM}_{ij} = \Pr(z_i = z_j \mid y) \approx \frac{1}{S} \sum_{s=1}^S I(z_i^{(s)} = z_j^{(s)}).$$

The returned label solution is the Dahl representative partition, obtained by choosing the draw whose adjacency matrix is closest to the PSM in squared error.

For newdata, the function combines draw-specific component weights and component densities to produce posterior assignment scores relative to the representative training clusters. Returned newdata label objects also carry the training labels and response data needed for comparative plot(..., type = "summary") displays. A PSM is not defined for newdata, so type = "psm" is restricted to the training sample.

Computing the PSM is $O(n^2)$ in the training sample size, so psm_max_n guards against accidental large matrix allocations.

Value

A dpmixgpd_cluster_labels object when type = "label" or a dpmixgpd_cluster_psm object when type = "psm".

See Also

[dpmix.cluster\(\)](#), [dpmgpd.cluster\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [plot.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

predict.mixgpd_fit *Posterior predictive summaries from a fitted one-arm model*

Description

predict.mixgpd_fit() is the central distributional prediction method for fitted one-arm models.

Usage

```
## S3 method for class 'mixgpd_fit'
predict(
  object,
  newdata = NULL,
  y = NULL,
  ps = NULL,
  id = NULL,
  type = c("density", "survival", "quantile", "sample", "mean", "rmean", "median", "fit"),
  p = NULL,
  index = NULL,
  nsim = NULL,
  level = 0.95,
  interval = "credible",
  probs = c(0.025, 0.5, 0.975),
  store_draws = TRUE,
  nsim_mean = 200L,
  cutoff = NULL,
  ncores = 1L,
  show_progress = TRUE,
  ndraws_pred = NULL,
  chunk_size = NULL,
  parallel = FALSE,
  workers = NULL,
  ...
)
```

Arguments

object	A fitted object of class "mixgpd_fit".
newdata	Optional new data. If NULL, uses training design (if stored).
y	Numeric vector of evaluation points (required for type="density" or "survival").
ps	Optional numeric vector of propensity scores for conditional prediction. Used when the model was fit with propensity score augmentation.
id	Optional identifier for prediction rows. Provide either a column name in newdata or a vector of length nrow(newdata). The id column is excluded from analysis.
type	<p>Prediction type:</p> <ul style="list-style-type: none"> • "density": Posterior predictive density $f(y x, data)$ • "survival": Posterior predictive survival $S(y x, data) = 1 - F(y x, data)$ • "quantile": Posterior predictive quantiles $Q(p x, data)$ • "sample": Posterior predictive samples $Y^{rep} \sim f(y x, data)$ • "mean": Posterior predictive mean $E(Y x, data)$ (averaged over posterior parameter uncertainty) • "rmean": Posterior predictive restricted mean $E[\min(Y, cutoff) x, data]$ • "median": Posterior predictive median (quantile at $p=0.5$) • "fit": Per-observation posterior predictive draws <p>Note: type="mean" returns the posterior predictive mean, which integrates over parameter uncertainty. This differs from the mean of a single model distribution.</p>
p	Numeric vector of probabilities for quantiles (required for type="quantile").
index	Alias for p; numeric vector of quantile levels.
nsim	Number of posterior predictive samples (for type="sample").
level	Credible level for credible intervals (default 0.95 for 95 percent intervals).
interval	<p>Character or NULL; type of credible interval:</p> <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
probs	Quantiles for credible interval bands.
store_draws	Logical; whether to store all posterior draws (for type="sample").
nsim_mean	Number of posterior predictive samples used by simulation-based mean targets. Ignored for analytical type = "mean"; still used for type = "rmean".
cutoff	Finite numeric cutoff for type="rmean" (restricted mean).
ncores	Number of CPU cores to use for parallel prediction (if supported).
show_progress	Logical; if TRUE, print step messages and render progress where supported.
ndraws_pred	Optional integer subsample of posterior draws for prediction speed. If NULL and nrow(newdata) > 20000, defaults to 200.
chunk_size	Optional row chunk size for large newdata prediction. If NULL and nrow(newdata) > 20000, defaults to 10000.
parallel	Logical; if TRUE, enable parallel prediction (alias for setting ncores > 1).
workers	Optional integer worker count (alias for ncores).
...	Unused.

Details

The method works with posterior predictive functionals rather than raw model parameters. Supported output types include:

- "density" for $f(y | x)$,
- "survival" for $S(y | x) = 1 - F(y | x)$,
- "quantile" for $Q(\tau | x)$,
- "mean" for $E(Y | x)$,
- "rmean" for $E\{\min(Y, c) | x\}$,
- "sample" and "fit" for draw-level predictive output.

For spliced models these predictions integrate over both the DPM bulk and the GPD tail using component-specific tail parameters, including link-mode tail coefficients when present. For kernels with a finite analytical mean, type = "mean" computes the posterior-draw mean analytically and then summarizes those draw-level means across the posterior. The type = "rmean" path remains a separate posterior predictive simulation pipeline.

For kernels with an analytical mean, type = "mean" is computed analytically within each posterior draw and then summarized over draws. For GPD-tail fits this analytical path is used when the tail shape parameter satisfies $\xi < 1$. If the mean does not exist analytically for the chosen kernel or if any required GPD tail has $\xi \geq 1$, the ordinary mean is undefined and the function errors with a message directing you to type = "rmean" or other summaries that remain well defined.

Value

A list with elements:

- fit: numeric vector/matrix for type = "sample", otherwise a data frame with estimate/lower/upper columns (posterior means over draws) plus any index columns (e.g. id, y, index).
- fit_df: a machine-readable data frame view of the prediction output. For non-sample types this aliases fit; for type = "sample" it is a long-form data frame with draw indices and sampled values.
- lower, upper: reserved for backward compatibility (typically NULL).
- type, grid: metadata.

See Also

[summary.mixgpd_fit](#), [fitted.mixgpd_fit](#), [residuals.mixgpd_fit](#), [predict.causalmixgpd_causal_fit](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
pr <- predict(fit, type = "quantile", p = c(0.5, 0.9))
pr_surv <- predict(fit, y = sort(y), type = "survival")
```

```
pr_cdf <- list(fit = 1 - pr_surv$fit)
# HPD intervals
pr_hpd <- predict(fit, type = "quantile", p = c(0.5, 0.9), interval = "hpd")
# No intervals
pr_none <- predict(fit, type = "quantile", p = c(0.5, 0.9), interval = NULL)
# Restricted mean (finite under heavy tails)
pr_rmean <- predict(fit, type = "rmean", cutoff = 10, interval = "credible")
```

```
print.causalmixgpd_ate
```

Print an ATE-style effect object

Description

print.causalmixgpd_ate() prints a compact summary for objects produced by [ate](#), [att](#), [cate](#), or [ate_rmean](#).

Usage

```
## S3 method for class 'causalmixgpd_ate'
print(x, digits = 3, max_rows = 6, ...)
```

Arguments

x	A "causalmixgpd_ate" object from ate().
digits	Number of digits to display.
max_rows	Maximum number of estimate rows to display.
...	Unused.

Details

These objects summarize posterior treatment contrasts on the mean scale. For the marginal average treatment effect,

$$\Delta = E(Y^1) - E(Y^0).$$

att() changes the standardization target to the treated population, cate() conditions on supplied covariate profiles, and ate_rmean() replaces the ordinary mean by a restricted mean $\int_0^c S_a(t) dt$ up to the chosen truncation point.

The print method shows the main effect table and setup metadata, but it is not a full diagnostic report. Use summary() for tabular summaries and plot() for graphical inspection of the same treatment-effect object.

Value

The object x, invisibly.

See Also

[summary.causalmixgpd_ate](#), [plot.causalmixgpd_ate](#), [ate](#), [cate](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
a <- ate(fit, interval = "credible")
print(a)
```

```
print.causalmixgpd_bundle
```

Print a one-arm workflow bundle

Description

`print.causalmixgpd_bundle()` gives a compact structural summary of the pre-run bundle created by [build_nimble_bundle](#).

Usage

```
## S3 method for class 'causalmixgpd_bundle'
print(x, code = FALSE, max_code_lines = 200L, ...)
```

Arguments

<code>x</code>	A "causalmixgpd_bundle" object.
<code>code</code>	Logical; if TRUE, print the generated NIMBLE model code.
<code>max_code_lines</code>	Integer; maximum number of code lines to print when code=TRUE.
<code>...</code>	Unused.

Details

The bundle is the compiled representation of the predictive model before MCMC. For a bulk-only fit, the underlying target law is

$$f(y | x) = \sum_{k=1}^K w_k(x) f_k(y | x, \theta_k).$$

When a GPD tail is enabled, the same bulk mixture is spliced to a generalized Pareto tail above the threshold recorded in the bundle specification.

print() is intentionally brief. It is meant to confirm that the stored backend, kernel, truncation size, covariate structure, and code-generation artifacts match the intended model before you compile and sample with [run_mcmc_bundle_manual](#).

Value

The object x, invisibly.

See Also

[summary.causalmixgpd_bundle](#), [mcmc](#), [run_mcmc_bundle_manual](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = FALSE, components = 3)
print(bundle)
print(bundle, code = TRUE, max_code_lines = 30)
```

```
print.causalmixgpd_causal_bundle
```

Print a causal workflow bundle

Description

print.causalmixgpd_causal_bundle() gives a compact structural summary of the pre-run causal bundle created by [build_causal_bundle](#).

Usage

```
## S3 method for class 'causalmixgpd_causal_bundle'
print(x, code = FALSE, max_code_lines = 200L, ...)
```

Arguments

x	A "causalmixgpd_causal_bundle" object.
code	Logical; if TRUE, print generated NIMBLE code for each block.
max_code_lines	Integer; maximum number of code lines to print when code=TRUE.
...	Unused.

Details

A causal bundle collects three pre-MCMC building blocks: the optional propensity-score model for $e(x) = \Pr(A = 1 \mid X = x)$, the control outcome model for Y^0 , and the treated outcome model for Y^1 . The printed output aligns those blocks side by side so the user can verify that the treated and control outcome specifications are coherent before sampling.

No causal estimand is computed at this stage. The bundle only records the structural assumptions that will later support estimands such as $E(Y^1 - Y^0 \mid X = x)$ or $Q_{Y^1}(\tau \mid X = x) - Q_{Y^0}(\tau \mid X = x)$.

Value

The input object (invisibly).

See Also

[summary.causalmixgpd_causal_bundle](#), [run_mcmc_causal](#), [ate](#), [qte](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal")
print(cb)
```

```
print.causalmixgpd_causal_fit
      Print a fitted causal model
```

Description

`print.causalmixgpd_causal_fit()` provides a compact overview of the fitted treated/control outcome blocks and the PS component when present.

Usage

```
## S3 method for class 'causalmixgpd_causal_fit'
print(x, ...)
```

Arguments

```
x          A "causalmixgpd_causal_fit" object.
...        Unused.
```

Details

A fitted causal object combines posterior draws for the treated outcome model, the control outcome model, and optionally the propensity-score model. Those fitted blocks are the ingredients used later to evaluate causal estimands such as $\mu_1(x) - \mu_0(x)$ or $Q_{Y^1}(\tau | x) - Q_{Y^0}(\tau | x)$.

The print method is deliberately high level. It identifies which models were fitted and whether GPD tails are active, but it does not report posterior summaries or treatment-effect estimates. Use `summary()`, `predict()`, or the dedicated causal estimand helpers for inferential output.

Value

The input object (invisibly).

See Also

[summary.causalmixgpd_causal_fit](#), [predict.causalmixgpd_causal_fit](#), [ate](#), [qte](#).

```
print.causalmixgpd_causal_fit_plots
```

Print method for paired causal-fit diagnostic plots

Description

Print method for paired causal-fit diagnostic plots

Usage

```
## S3 method for class 'causalmixgpd_causal_fit_plots'
print(x, ...)
```

Arguments

`x` Object of class `causalmixgpd_causal_fit_plots`.
`...` Additional arguments passed to the stored plot-print methods.

Details

When `plot.causalmixgpd_causal_fit()` is called with `arm = "both"`, the result is a named pair of treated and control diagnostic-plot objects. This print method renders those two stored plot collections one after the other so arm-specific diagnostics remain clearly separated.

It is a formatting helper and does not recompute any diagnostics.

Value

Invisibly returns the input object.

```
print.causalmixgpd_causal_predict_plots
```

Print method for causal prediction plots

Description

Print method for causal prediction plots

Usage

```
## S3 method for class 'causalmixgpd_causal_predict_plots'  
print(x, ...)
```

Arguments

x Object of class `causalmixgpd_causal_predict_plots`.
... Additional arguments (ignored).

Details

The causal prediction plotting methods can return either a single plot or a named list of plots. This print method renders those stored plot objects in sequence so both arm-level and contrast-level graphics appear in console or notebook workflows without manual extraction.

It is a display helper only and does not modify the underlying prediction summaries.

Value

Invisibly returns the input object.

```
print.causalmixgpd_ps_bundle
```

Print a propensity score bundle

Description

Print a propensity score bundle

Usage

```
## S3 method for class 'causalmixgpd_ps_bundle'  
print(x, code = FALSE, max_code_lines = 200L, ...)
```

Arguments

x	A "causalmixgpd_ps_bundle" object.
code	Logical; if TRUE, print generated NIMBLE code for the PS model.
max_code_lines	Integer; maximum number of code lines to print when code=TRUE.
...	Unused.

Details

A PS bundle is the pre-sampling representation of the treatment-assignment model $e(x) = \Pr(A = 1 \mid X = x)$. Depending on the stored model type, the latent linear predictor is later mapped to a probability through a logit link, a probit link, or a naive Bayes factorization.

The printed output is limited to the structural PS choices because posterior draws do not exist yet. Use this method as a quick check that the requested treatment model was encoded correctly before fitting the full causal bundle.

Value

The input object (invisibly).

```
print.causalmixgpd_ps_fit
      Print a propensity score fit
```

Description

Print a propensity score fit

Usage

```
## S3 method for class 'causalmixgpd_ps_fit'
print(x, ...)
```

Arguments

x	A "causalmixgpd_ps_fit" object.
...	Unused.

Details

A propensity-score fit models the treatment assignment probability $e(x) = \Pr(A = 1 \mid X = x)$. The printed header identifies which PS family was fitted, but it intentionally omits coefficient-level summaries.

Use `summary()` on the same object when you need posterior means, spread, and intervals for the monitored PS parameters. The compact print method is mainly an identity check inside larger causal workflows.

Value

The input object (invisibly).

```
print.causalmixgpd_qte
      Print a QTE-style effect object
```

Description

print.causalmixgpd_qte() prints a compact summary for objects produced by [qte](#), [qtt](#), or [cqte](#).

Usage

```
## S3 method for class 'causalmixgpd_qte'
print(x, digits = 3, max_rows = 6, ...)
```

Arguments

x	A "causalmixgpd_qte" object from qte().
digits	Number of digits to display.
max_rows	Maximum number of estimate rows to display.
...	Unused.

Details

These objects store posterior summaries of quantile treatment contrasts. In the marginal case,

$$\Delta(\tau) = Q_{Y^1}(\tau) - Q_{Y^0}(\tau).$$

For qtt(), the same contrast is standardized to the treated covariate distribution, and for cqte() it is evaluated conditionally at the supplied covariate profiles.

The print method is intentionally compact: it reports the prediction setup and the resulting effect table, but it does not attempt to reproduce all posterior draws. Use summary() or plot() on the same object for more structured reporting.

Value

The object x, invisibly.

See Also

[summary.causalmixgpd_qte](#), [plot.causalmixgpd_qte](#), [qte](#), [cqte](#).

Examples

```

N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
q <- qte(fit, probs = c(0.25, 0.5, 0.75), interval = "credible")
print(q)

```

```

print.dpmixgpd_cluster_bundle
      Print a cluster bundle

```

Description

Compact display for a `dpmixgpd_cluster_bundle` before MCMC is run.

Usage

```

## S3 method for class 'dpmixgpd_cluster_bundle'
print(x, ...)

```

Arguments

<code>x</code>	A cluster bundle.
<code>...</code>	Unused.

Details

A cluster bundle is the pre-sampling representation of the latent partition model. It stores the formula-derived design, kernel choice, truncation level, and the rule by which predictors enter the clustering model, but it does not yet contain posterior draws of the latent labels z_1, \dots, z_n .

`print()` is intentionally brief. It is meant to confirm that the bundle matches the requested clustering structure before you run MCMC with `run_cluster_mcmc()` or the higher-level wrappers `dpmix.cluster()` and `dpmgpd.cluster()`.

Value

`x`, invisibly.

See Also

[dpmix.cluster\(\)](#), [dpmgpd.cluster\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#), [predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

```
print.dpmixgpd_cluster_fit
```

Print a cluster fit

Description

Compact display for a fitted clustering object.

Usage

```
## S3 method for class 'dpmixgpd_cluster_fit'
print(x, ...)
```

Arguments

x	A cluster fit.
...	Unused.

Details

A fitted cluster object contains posterior draws for the latent labels and associated component parameters. The printed header identifies the model family that generated those draws, including whether the fit used a bulk-only kernel or a spliced bulk-tail specification.

The printed components value is the truncation size used by the sampler. It is not the same thing as the number of occupied clusters in the Dahl representative partition, which is computed later by [predict.dpmixgpd_cluster_fit\(\)](#) and summarized by [summary.dpmixgpd_cluster_fit\(\)](#).

Value

x, invisibly.

See Also

[summary.dpmixgpd_cluster_fit\(\)](#), [predict.dpmixgpd_cluster_fit\(\)](#), [plot.dpmixgpd_cluster_fit\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#), [predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

```
print.dpmixgpd_cluster_labels
      Print cluster labels
```

Description

Compact display for a representative clustering.

Usage

```
## S3 method for class 'dpmixgpd_cluster_labels'
print(x, ...)
```

Arguments

x	Cluster labels object.
...	Unused.

Details

A `dpmixgpd_cluster_labels` object represents one partition, usually the Dahl representative partition for the training data or the induced allocation of newdata to those representative clusters. The printed output therefore describes the selected labels and their sizes, not the full posterior uncertainty over alternative partitions.

When the object comes from `predict(..., return_scores = TRUE)`, richer assignment information is carried alongside the labels and can be inspected with `summary.dpmixgpd_cluster_labels()` or `plot.dpmixgpd_cluster_labels()`.

Value

x, invisibly.

See Also

`predict.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `plot.dpmixgpd_cluster_labels()`.

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `plot.dpmixgpd_cluster_bundle`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

```
print.dpmixgpd_cluster_psm
      Print a cluster posterior similarity matrix
```

Description

Compact display for a posterior similarity matrix.

Usage

```
## S3 method for class 'dpmixgpd_cluster_psm'
print(x, ...)
```

Arguments

x	Cluster PSM object.
...	Unused.

Details

A posterior similarity matrix records pairwise co-clustering probabilities on the training sample. Its (i, j) entry is the posterior probability that observations i and j share the same latent cluster across the retained MCMC draws.

The printed header reports only matrix size and bookkeeping information. Use [summary.dpmixgpd_cluster_psm\(\)](#) for numerical summaries and [plot.dpmixgpd_cluster_psm\(\)](#) for a visual heatmap.

Value

x, invisibly.

See Also

[predict.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#), [plot.dpmixgpd_cluster_psm\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle\(\)](#), [predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

```
print.mixgpd_fit      Print a one-arm fitted model
```

Description

print.mixgpd_fit() gives a compact header for a fitted one-arm model. It is meant as a quick identity check rather than a full posterior summary.

Usage

```
## S3 method for class 'mixgpd_fit'
print(x, ...)
```

Arguments

x A fitted object of class "mixgpd_fit".
 ... Unused.

Details

The fitted object represents posterior draws from a bulk mixture model, or from its spliced bulk-tail extension when GPD = TRUE. For the bulk part, the predictive law has the mixture form

$$f(y | x) = \sum_{k=1}^K w_k(x) f_k(y | x, \theta_k).$$

When a GPD tail is active, exceedances above the threshold are instead routed through the generalized Pareto tail attached to the same bulk mixture.

The print method reports only the model identity and basic metadata. Use summary() for parameter-level posterior summaries, predict() for predictive functionals, and plot() for chain diagnostics.

Value

x invisibly.

See Also

[summary.mixgpd_fit](#), [params](#), [predict.mixgpd_fit](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
print(fit)
```

```
print.mixgpd_fitted_plots
    Print method for fitted value plots
```

Description

Print method for fitted value plots

Usage

```
## S3 method for class 'mixgpd_fitted_plots'
print(x, ...)
```

Arguments

x	Object of class mixgpd_fitted_plots.
...	Additional arguments (ignored).

Details

The fitted-value diagnostic object stores two plot panels. This print method renders them in sequence so both the observed-versus-fitted comparison and the residual-versus-fitted comparison are shown together.

It is a display helper only and does not recompute fitted values or residuals.

Value

Invisibly returns the input object.

```
print.mixgpd_fit_plots
    Print method for mixgpd_fit diagnostic plots
```

Description

Print method for mixgpd_fit diagnostic plots

Usage

```
## S3 method for class 'mixgpd_fit_plots'
print(x, ...)
```

Arguments

x	Object of class mixgpd_fit_plots.
...	Additional arguments (ignored).

Details

Diagnostic plotting for `mixgpd_fit` can return a named collection of `ggmcmc` graphics. This print method iterates through that collection and prints each stored diagnostic plot with a section label so trace, density, and related views can be read in order.

The method performs no additional posterior computation.

Value

Invisibly returns the input object.

`print.mixgpd_predict` *Print Prediction Results*

Description

Compact print method for objects returned by `predict.mixgpd_fit`.

Usage

```
## S3 method for class 'mixgpd_predict'  
print(x, digits = 3, max_rows = 10L, ...)
```

Arguments

<code>x</code>	A prediction object returned by <code>predict.mixgpd_fit()</code> .
<code>digits</code>	Number of digits to print for numeric summaries.
<code>max_rows</code>	Maximum rows to print when the prediction contains a data frame.
<code>...</code>	Unused.

Value

The input object, invisibly.

```
print.mixgpd_predict_plots
```

Print method for prediction plots

Description

Print method for prediction plots

Usage

```
## S3 method for class 'mixgpd_predict_plots'  
print(x, ...)
```

Arguments

x	Object of class mixgpd_predict_plots.
...	Additional arguments (ignored).

Details

Prediction plotting methods may return a single plot or a richer plot object with an additional wrapper class. This print method temporarily drops that wrapper class so the underlying graphics object uses its native print method.

The stored predictive summaries are not changed.

Value

Invisibly returns the input object.

```
print.mixgpd_summary
```

Print a MixGPD summary object

Description

Print a MixGPD summary object

Usage

```
## S3 method for class 'mixgpd_summary'  
print(x, digits = 3, max_rows = 60, show_ess = FALSE, ...)
```

Arguments

x	A "mixgpd_summary" object.
digits	Number of digits to print.
max_rows	Maximum rows to print.
show_ess	Logical; if TRUE, include the ess column when present.
...	Unused.

Details

This method formats the output of `summary.mixgpd_fit()`. It prints the model metadata, any stored WAIC value, the effective truncation information induced by epsilon, and the parameter-level posterior summary table.

The printed rows correspond to monitored posterior parameters. They are not predictions of densities, quantiles, or means, which should instead be obtained from `predict.mixgpd_fit()`.

Value

x invisibly.

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
summary(fit)
```

```
print.summary.causalmixgpd_ate
      Print an ATE summary
```

Description

Print an ATE summary

Usage

```
## S3 method for class 'summary.causalmixgpd_ate'
print(x, digits = 3, ...)
```

Arguments

x	A "summary.causalmixgpd_ate" object.
digits	Number of digits to display.
...	Unused.

Details

This method formats the object returned by `summary.causalmixgpd_ate()`. It prints the prediction design, interval settings, optional model metadata, and the resulting treatment-effect table on the mean or restricted-mean scale.

The method is purely a reporting layer. All posterior aggregation has already been completed by the corresponding summary constructor.

Value

The object `x`, invisibly.

```
print.summary.causalmixgpd_causal_fit
      Print a causal-model summary object
```

Description

Print a causal-model summary object

Usage

```
## S3 method for class 'summary.causalmixgpd_causal_fit'
print(x, digits = 3, max_rows = 60, ...)
```

Arguments

<code>x</code>	A "summary.causalmixgpd_causal_fit" object.
<code>digits</code>	Number of digits to print in summary tables.
<code>max_rows</code>	Maximum rows to print from each summary table.
<code>...</code>	Unused.

Details

This is a formatter for the object returned by `summary.causalmixgpd_causal_fit()`. It prints the propensity-score summary first when that block is present, followed by the control and treated outcome summaries on the same scale of posterior diagnostics.

No new computation is performed here. The method arranges the stored summary tables so that the three fitted blocks can be inspected together.

Value

`x` invisibly.

```
print.summary.causalmixgpd_ps_fit
      Print a propensity-score summary object
```

Description

Print a propensity-score summary object

Usage

```
## S3 method for class 'summary.causalmixgpd_ps_fit'
print(x, digits = 3, max_rows = 60, show_ess = FALSE, ...)
```

Arguments

x	A "summary.causalmixgpd_ps_fit" object.
digits	Number of digits to print in summary tables.
max_rows	Maximum rows to print from the summary table.
show_ess	Logical; if TRUE, include the ess column when present.
...	Unused.

Details

This is a display method for the object returned by `summary.causalmixgpd_ps_fit()`. It prints the PS model identity, the effective data dimension used by that model, and the posterior summary table for the monitored parameters.

The method does not recompute propensity scores or refit the model. It is a formatting layer over already computed posterior summaries.

Value

x invisibly.

```
print.summary.causalmixgpd_qte
      Print a QTE summary
```

Description

Print a QTE summary

Usage

```
## S3 method for class 'summary.causalmixgpd_qte'
print(x, digits = 3, ...)
```

Arguments

x	A "summary.causalmixgpd_qte" object.
digits	Number of digits to display.
...	Unused.

Details

This formatter displays the summary object returned by `summary.causalmixgpd_qte()`. It reports the quantile grid, interval configuration, model metadata when available, and the tabulated quantile effect summaries.

No additional causal computations are performed here. The method simply turns the stored summary tables into a readable report.

Value

The object x, invisibly.

qte.causalmixgpd_causal_fit
Quantile treatment effects, marginal over the empirical covariate distribution

Description

`qte()` returns the marginal quantile treatment effect implied by the causal fit.

Usage

```
## S3 method for class 'causalmixgpd_causal_fit'
qte(
  fit,
  probs = c(0.1, 0.5, 0.9),
  newdata = NULL,
  y = NULL,
  interval = "credible",
  level = 0.95,
  show_progress = TRUE
)
```

Arguments

fit	A "causalmixgpd_causal_fit" object from <code>run_mcmc_causal()</code> .
probs	Numeric vector of probabilities in (0, 1) specifying the quantile levels of the outcome distribution to estimate treatment effects at.
newdata	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.

y	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
level	Numeric credible level for intervals (default 0.95 for 95 percent CI).
show_progress	Logical; if TRUE, print step messages and render progress where supported.

Details

The package computes

$$\text{QTE}(\tau) = Q_1^m(\tau) - Q_0^m(\tau),$$

where $Q_a^m(\tau)$ is the arm- a posterior predictive marginal quantile obtained by averaging over the empirical training covariate distribution.

For unconditional causal models ($X = \text{NULL}$), this reduces to a direct contrast of the arm-level unconditional predictive distributions.

Value

An object of class "causalmixgpd_qte" containing the marginal QTE summary, the probability grid, and the arm-specific predictive objects used in the aggregation. The returned object includes a top-level `$fit_df` data frame for direct extraction.

See Also

[qtt](#), [cqte](#), [ate](#), [predict.causalmixgpd_causal_fit](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
  components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
qte(fit, probs = c(0.5, 0.9))
```

qtt *Quantile treatment effects standardized to treated covariates*

Description

qtt() computes the quantile treatment effect on the treated.

Usage

```
qtt(
  fit,
  probs = c(0.1, 0.5, 0.9),
  newdata = NULL,
  y = NULL,
  interval = "credible",
  level = 0.95,
  show_progress = TRUE
)
```

Arguments

fit	A "causalmixgpd_causal_fit" object from run_mcmc_causal().
probs	Numeric vector of probabilities in (0, 1) specifying the quantile levels of the outcome distribution to estimate treatment effects at.
newdata	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
y	Ignored for marginal estimands. If supplied, a warning is issued and training data are used.
interval	Character or NULL; type of credible interval: <ul style="list-style-type: none"> • NULL: no interval • "credible" (default): equal-tailed quantile intervals • "hpd": highest posterior density intervals
level	Numeric credible level for intervals (default 0.95 for 95 percent CI).
show_progress	Logical; if TRUE, print step messages and render progress where supported.

Details

The estimand is

$$\text{QTT}(\tau) = Q_1^t(\tau) - Q_0^t(\tau),$$

where marginalization is over the empirical covariate distribution of the treated units only.

Value

An object of class "causalmixgpd_qte" containing the QTT summary, the probability grid, and the arm-specific predictive objects used in the aggregation. The returned object includes a top-level \$fit_df data frame for direct extraction.

See Also

[qte](#), [cqte](#), [att](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
                        components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
qtt(fit, probs = c(0.5, 0.9))
```

residuals.mixgpd_fit *Residual diagnostics on the training design*

Description

`residuals.mixgpd_fit()` computes residual diagnostics for conditional fits on the original training data.

Usage

```
## S3 method for class 'mixgpd_fit'
residuals(
  object,
  type = c("raw", "pit"),
  fitted_type = c("mean", "median"),
  pit = c("plugin", "bayes_mean", "bayes_draw"),
  pit_seed = NULL,
  ...
)
```

Arguments

<code>object</code>	A fitted object of class "mixgpd_fit" (must have covariates).
<code>type</code>	Residual type: <ul style="list-style-type: none"> "raw": observed minus fitted values "pit": probability integral transform residuals (see <code>pit</code> argument)
<code>fitted_type</code>	For <code>type = "raw"</code> , use fitted means or medians.
<code>pit</code>	PIT mode for <code>type = "pit"</code> : <ul style="list-style-type: none"> "plugin": plug-in PIT using the posterior mean CDF. "bayes_mean": Bayesian PIT using draw-wise CDFs averaged over draws.

- "bayes_draw": Bayesian PIT using a single draw-wise CDF per observation.
- Bayesian PIT modes drop invalid posterior draws using the same validation rules as prediction and attach diagnostics via `attr(res, "pit_diagnostics")`.
- `pit_seed` Optional integer seed for reproducible bayes_draw sampling.
- ... Unused.

Details

Raw residuals are based on posterior predictive fitted means or medians. PIT residuals instead assess calibration through the posterior predictive CDF. The plug-in PIT uses a posterior mean CDF, while the Bayesian PIT variants work draw by draw.

This method is not available for unconditional models because no training design matrix is stored for observation-specific fitted values.

Value

Numeric vector of residuals with length equal to the training sample size. PIT variants attach diagnostic metadata as attributes.

See Also

[fitted.mixgpd_fit](#), [predict.mixgpd_fit](#), [plot.mixgpd_fitted](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
X <- data.frame(x1 = stats::rnorm(25), x2 = stats::runif(25))
bundle <- build_nimble_bundle(y = y, X = X, backend = "sb", kernel = "lognormal",
                             GPD = FALSE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
pit_plugin <- residuals(fit, type = "pit", pit = "plugin")
pit_bayes_mean <- residuals(fit, type = "pit", pit = "bayes_mean", pit_seed = 1L)
pit_bayes_draw <- residuals(fit, type = "pit", pit = "bayes_draw", pit_seed = 1L)
attr(pit_bayes_draw, "pit_diagnostics")
```

run_mcmc_bundle_manual

Run posterior sampling for a prepared one-arm bundle

Description

`run_mcmc_bundle_manual()` is the explicit runner for objects created by [build_nimble_bundle](#). It compiles the stored NIMBLE code, executes MCMC, and returns a "mixgpd_fit" object.

Usage

```
run_mcmc_bundle_manual(
  bundle,
  show_progress = TRUE,
  quiet = FALSE,
  parallel_chains = FALSE,
  workers = NULL,
  timing = FALSE,
  z_update_every = NULL
)
```

Arguments

<code>bundle</code>	A <code>causalmixgpd_bundle</code> from <code>build_nimble_bundle()</code> .
<code>show_progress</code>	Logical; if TRUE, print step messages and render progress where supported.
<code>quiet</code>	Logical; if TRUE, suppress console status messages. Set to FALSE to see progress messages during MCMC setup and execution.
<code>parallel_chains</code>	Logical; run chains concurrently when <code>nchains > 1</code> .
<code>workers</code>	Optional integer number of workers for parallel execution.
<code>timing</code>	Logical; if TRUE, include stage timings (<code>build</code> , <code>compile</code> , <code>mcmc</code>) in <code>fit\$timing</code> .
<code>z_update_every</code>	Integer ≥ 1 controlling latent cluster-label update cadence.

Details

The resulting fit supports posterior summaries of the model parameters as well as posterior predictive functionals such as $f(y | x)$, $S(y | x)$, $Q(\tau | x)$, and restricted means.

If `parallel_chains = TRUE`, chains are run concurrently when the stored MCMC configuration uses more than one chain. If the bundle was built with latent cluster labels monitored, the `z_update_every` argument controls how frequently those latent indicators are refreshed during sampling.

Value

A fitted object of class `"mixgpd_fit"` containing posterior draws, model metadata, and cached objects used by downstream S3 methods.

See Also

[build_nimble_bundle](#), [mcmc](#), [summary.mixgpd_fit](#), [predict.mixgpd_fit](#).

Examples

```
library(nimble)
y <- abs(rnorm(25)) + 0.1
bundle <- build_nimble_bundle(
  y = y,
  backend = "sb",
```

```

kernel = "normal",
GPD = FALSE,
components = 3,
mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
)
fit <- run_mcmc_bundle_manual(bundle, show_progress = FALSE)
fit

```

run_mcmc_causal

Run posterior sampling for a causal bundle

Description

run_mcmc_causal() executes the PS block (when enabled) and the two arm-specific outcome models prepared by [build_causal_bundle](#), then returns a single "causalmixgpd_causal_fit" object.

Usage

```

run_mcmc_causal(
  bundle,
  show_progress = TRUE,
  quiet = FALSE,
  parallel_arms = FALSE,
  workers = NULL,
  timing = FALSE,
  z_update_every = NULL
)

```

Arguments

bundle	A "causalmixgpd_causal_bundle" from build_causal_bundle() .
show_progress	Logical; if TRUE, print step messages and render progress where supported.
quiet	Logical; if TRUE, suppress step messages and progress display.
parallel_arms	Logical; if TRUE, run control and treated outcome arms in parallel.
workers	Optional integer workers for parallel arm execution.
timing	Logical; if TRUE, return arm and total timings in \$timing.
z_update_every	Integer >= 1 passed to arm-level outcome MCMC.

Details

The fitted object contains the posterior draws needed to evaluate arm-level predictive distributions $F_1(y | x)$ and $F_0(y | x)$, followed by marginal or conditional causal contrasts. When PS = FALSE in the bundle, the PS block is skipped and outcome prediction uses only the original covariates.

Value

A list of class "causalmixgpd_causal_fit" containing the fitted treated/control outcome models, optional PS fit, the original bundle, and timing metadata when requested.

See Also

[build_causal_bundle](#), [mcmc](#), [predict.causalmixgpd_causal_fit](#), [ate](#), [qte](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
                        mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb)
```

sim_bulk_tail

Simulate positive bulk-tail data

Description

Generate synthetic outcomes with a light-to-moderate bulk and a heavier upper tail. The sample is assembled from a lognormal-gamma bulk and a shifted tail sample, then sorted. This generator is intended for examples, help pages, and workflow checks rather than as a formal generative model matching the full package hierarchy exactly.

Usage

```
sim_bulk_tail(n = 200, tail_prob = 0.12, seed = NULL)
```

Arguments

n	Integer sample size.
tail_prob	Approximate tail probability $\Pr(X > u)$ used to split the sample into bulk and tail draws.
seed	Optional random seed for reproducibility.

Details

The generator approximates a spliced sample

$$X \sim (1 - \pi_u)F_{bulk} + \pi_u F_{tail},$$

where $\pi_u = \text{tail_prob}$. The bulk component is itself a simple two-component mixture, while the tail component is a shifted positive distribution that produces larger values.

Use this helper when you need a fast toy sample for `bundle()`, `dpmix()`, or `dpmgpd()`. It should not be interpreted as posterior predictive simulation from a fitted object.

Value

Numeric vector of length `n` containing positive outcomes sorted in ascending order.

See Also

`sim_causal_qte()`, `sim_survival_tail()`, `bundle()`, `dpmgpd()`.

Other simulation helpers: `sim_causal_qte()`, `sim_survival_tail()`

<code>sim_causal_qte</code>	<i>Simulate causal quantile-treatment-effect data</i>
-----------------------------	---

Description

Generate a treatment indicator, covariates, and a continuous outcome with both location and tail heterogeneity. The resulting structure is intended for examples involving `dpmix.causal()`, `dpmgpd.causal()`, `qte()`, and `cqte()`.

Usage

```
sim_causal_qte(n = 300, seed = NULL)
```

Arguments

<code>n</code>	Integer sample size.
<code>seed</code>	Optional random seed.

Details

Treatment assignment is generated from a logistic propensity score

$$\Pr(T = 1 | X) = \text{logit}^{-1}(\eta(X)),$$

and the observed outcome combines baseline covariate effects, an average treatment shift, and a covariate-dependent tail amplification for treated units. This produces data where marginal and conditional quantile effects differ across the outcome distribution.

The returned list can be converted directly into the arguments expected by the causal fitting wrappers after minor formatting.

Value

List with components `y`, `t`, and `X`; `A` is included as a backward-compatible alias for `t`.

See Also

[sim_bulk_tail\(\)](#), [dpmgpd.causal\(\)](#), [qte\(\)](#), [cqte\(\)](#).

Other simulation helpers: [sim_bulk_tail\(\)](#), [sim_survival_tail\(\)](#)

<code>sim_survival_tail</code>	<i>Simulate censored survival-style tail data</i>
--------------------------------	---

Description

Generate event times, censoring times, an event indicator, and covariates for examples where right tail behavior and positive support matter.

Usage

```
sim_survival_tail(n = 250, seed = NULL)
```

Arguments

<code>n</code>	Integer sample size.
<code>seed</code>	Optional random seed.

Details

Event times are sampled from an exponential model with covariate-dependent mean, then censored by an independent uniform censoring time. The observed time is

$$\tilde{T} = \min(T, C), \quad \Delta = I(T \leq C).$$

This helper is mainly for experimentation and stress-testing positive-support kernels; it does not implement a dedicated survival model from the package API.

Value

Data frame containing observed time `time`, event indicator `status`, and covariates.

See Also

[sim_bulk_tail\(\)](#), [build_nimble_bundle\(\)](#), [dpmgpd\(\)](#).

Other simulation helpers: [sim_bulk_tail\(\)](#), [sim_causal_qte\(\)](#)

```
summary.causalmixgpd_ate
```

Summarize an ATE-style effect object

Description

summary.causalmixgpd_ate() converts ATE, ATT, CATE, or restricted-mean output into a tabular summary suitable for reporting.

Usage

```
## S3 method for class 'causalmixgpd_ate'
summary(object, ...)
```

Arguments

object	A "causalmixgpd_ate" object from ate().
...	Unused.

Details

The summary reorganizes posterior treatment-effect output on the mean scale. Depending on the source object, the target estimand is a marginal ATE, treated-standardized ATT, conditional ATE, or a restricted-mean contrast based on

$$\int_0^c \{S_1(t) - S_0(t)\} dt.$$

The returned object stores overall metadata, effect tables, and interval summaries in a reporting-friendly format. It does not refit the model or recompute arm-specific predictions.

Value

An object of class "summary.causalmixgpd_ate" with overall, ate_stats, effect_table, ci_summary, meta, and the original object.

See Also

[print.causalmixgpd_ate](#), [plot.causalmixgpd_ate](#), [ate](#), [cate](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
```

```

                                components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
a <- ate(fit, interval = "credible")
summary(a)

```

```
summary.causalmixgpd_bundle
```

Summarize a one-arm workflow bundle

Description

summary.causalmixgpd_bundle() prints the structural contents of a bundle before MCMC is run.

Usage

```

## S3 method for class 'causalmixgpd_bundle'
summary(object, ...)

```

Arguments

object	A "causalmixgpd_bundle" object.
...	Unused.

Details

The summary is meant for workflow validation rather than inference. It shows:

- the model metadata (backend, kernel, components, covariates, GPD flag),
- the prior/parameter table derived from spec\$plan,
- the nodes that will be monitored during MCMC.

This is the recommended checkpoint after [build_nimble_bundle](#) and before [run_mcmc_bundle_manual](#).

Value

An invisible list with elements meta, priors, and monitors.

See Also

[build_nimble_bundle](#), [print.causalmixgpd_bundle](#), [run_mcmc_bundle_manual](#).

Examples

```

y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = FALSE, components = 3)
summary(bundle)

```

```
summary.causalmixgpd_causal_bundle
```

Summarize a causal workflow bundle

Description

summary.causalmixgpd_causal_bundle() is the bundle-level validation checkpoint for the causal workflow.

Usage

```
## S3 method for class 'causalmixgpd_causal_bundle'
summary(object, code = FALSE, max_code_lines = 200L, ...)
```

Arguments

object	A "causalmixgpd_causal_bundle" object.
code	Logical; if TRUE, print generated NIMBLE code for each block.
max_code_lines	Integer; maximum number of code lines to print when code=TRUE.
...	Unused.

Details

This summary is meant to be read before posterior sampling. It reports the stored propensity-score specification, the treated and control outcome model definitions, and the sample split across treatment arms. In other words, it verifies the model ingredients for the causal decomposition $(e(x), f_0(y | x), f_1(y | x))$.

Since no MCMC has been run yet, the summary contains only structural information. Posterior treatment-effect summaries become available after [run_mcmc_causal](#) through functions such as [ate](#) and [qte](#).

Value

The input object (invisibly).

See Also

[print.causalmixgpd_causal_bundle](#), [run_mcmc_causal](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal")
summary(cb)
```

```
summary.causalmixgpd_causal_fit
      Summarize a fitted causal model
```

Description

summary.causalmixgpd_causal_fit() returns posterior summaries for the fitted PS block (when present) and both arm-specific outcome models.

Usage

```
## S3 method for class 'causalmixgpd_causal_fit'
summary(object, pars = NULL, ps_pars = NULL, probs = c(0.025, 0.5, 0.975), ...)
```

Arguments

object	A "causalmixgpd_causal_fit" object.
pars	Optional character vector of outcome-model parameters to summarize in both treatment arms. Passed to summary.mixgpd_fit .
ps_pars	Optional character vector of PS-model parameters to summarize. If NULL, all monitored PS parameters are summarized.
probs	Numeric vector of posterior quantiles to report.
...	Unused.

Details

This summary stays at the model-parameter level. It aggregates posterior summaries for the nuisance model $e(x)$ and for the arm-specific outcome models $f_0(y | x)$ and $f_1(y | x)$, but it does not yet collapse those pieces into treatment-effect functionals.

That separation is intentional. Parameters and treatment effects answer different questions: `summary.causalmixgpd_causal_fit` summarizes posterior draws of the fitted model, whereas `ate()`, `att()`, `cate()`, `qte()`, `qtt()`, and `cqte()` transform those draws into causal contrasts.

Value

An object of class "summary.causalmixgpd_causal_fit" with elements ps, outcome, and probs.

See Also

[print.causalmixgpd_causal_fit](#), [predict.causalmixgpd_causal_fit](#), [ate](#), [qte](#), [cate](#), [cqte](#).

```
summary.causalmixgpd_ps_fit
      Summarize a propensity score fit
```

Description

summary.causalmixgpd_ps_fit() returns posterior summaries for the monitored PS-model parameters.

Usage

```
## S3 method for class 'causalmixgpd_ps_fit'
summary(object, pars = NULL, probs = c(0.025, 0.5, 0.975), ...)
```

Arguments

object	A "causalmixgpd_ps_fit" object.
pars	Optional character vector of PS parameters to summarize. If NULL, summarize all monitored parameters.
probs	Numeric vector of posterior quantiles to report.
...	Unused.

Details

The summary is parameter based. For logit and probit models, it summarizes the posterior draws of the coefficients that determine the latent linear predictor, which is then mapped to $e(x)$ by the chosen link function. For the naive Bayes option, it summarizes the class-conditional parameters used to factorize the treatment-assignment model.

This function does not compute fitted propensity scores for specific covariate rows. It summarizes the posterior distribution of the PS model itself, which is the nuisance model later used by causal prediction and treatment-effect standardization.

Value

An object of class "summary.causalmixgpd_ps_fit" with elements model and table.

```
summary.causalmixgpd_qte
```

Summarize a QTE-style effect object

Description

summary.causalmixgpd_qte() converts QTE, QTT, or CQTE output into a tabular summary suitable for reporting.

Usage

```
## S3 method for class 'causalmixgpd_qte'
summary(object, ...)
```

Arguments

object	A "causalmixgpd_qte" object from qte().
...	Unused.

Details

The summary reorganizes the posterior effect object into reporting tables. The target estimand remains a quantile contrast,

$$\Delta(\tau) = Q_{Y^1}(\tau) - Q_{Y^0}(\tau),$$

with the appropriate marginal, treated-standardized, or conditional interpretation depending on whether the source object came from qte(), qtt(), or cqte().

Besides the effect table itself, the summary records the quantile grid, the interval settings, and per-quantile distributional summaries when posterior draws are available. This makes the object convenient for reporting and downstream printing without recomputing the estimand.

Value

An object of class "summary.causalmixgpd_qte" with overall, quantile_summary, effect_table, ci_summary, meta, and the original object.

See Also

[print.causalmixgpd_qte](#), [plot.causalmixgpd_qte](#), [qte](#), [cqte](#).

Examples

```
N <- 25
X <- data.frame(x1 = stats::rnorm(N))
A <- stats::rbinom(N, 1, 0.5)
y <- abs(stats::rnorm(N)) + 0.1
mcmc_small <- list(niter = 100, nburnin = 50, thin = 1, nchains = 1, seed = 1)
cb <- build_causal_bundle(y = y, X = X, A = A, backend = "sb", kernel = "normal",
```

```

                                components = 3, mcmc_outcome = mcmc_small, mcmc_ps = mcmc_small)
fit <- run_mcmc_causal(cb, show_progress = FALSE)
q <- qte(fit, probs = c(0.25, 0.5, 0.75), interval = "credible")
summary(q)

```

```
summary.dpmixgpd_cluster_bundle
```

Summarize a cluster bundle

Description

Report the modeling choices encoded in a cluster bundle before fitting.

Usage

```
## S3 method for class 'dpmixgpd_cluster_bundle'
summary(object, ...)
```

Arguments

object	A cluster bundle.
...	Unused.

Details

This summary is a pre-flight check for the clustering workflow. It reports the latent-partition design, the chosen kernel family, whether a GPD tail will be spliced above the threshold, the effective sample and predictor dimensions, and the monitor set that will be carried into MCMC.

Because no posterior simulation has occurred yet, the summary describes only the assumed model structure. Quantities such as representative labels, pairwise co-clustering probabilities, and cluster-specific summaries become available only after the fitted object has been created and post-processed.

Value

Summary list containing kernel choice, GPD flag, dimensions, component count, and monitor configuration.

See Also

[print.dpmixgpd_cluster_bundle\(\)](#), [plot.dpmixgpd_cluster_bundle\(\)](#), [predict.dpmixgpd_cluster_fit\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#), [predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

```
summary.dpmixgpd_cluster_fit
      Summarize a cluster fit
```

Description

Summarize the posterior clustering induced by the Dahl representative partition.

Usage

```
## S3 method for class 'dpmixgpd_cluster_fit'
summary(
  object,
  burnin = NULL,
  thin = NULL,
  top_n = 5L,
  order_by = c("size", "label"),
  vars = NULL,
  ...
)
```

Arguments

object	A cluster fit.
burnin	Number of initial posterior draws to discard.
thin	Keep every thin-th posterior draw.
top_n	Number of populated clusters to profile when descriptive summaries are available.
order_by	Ordering rule for descriptive cluster profiles: <ul style="list-style-type: none"> • "size": decreasing cluster size • "label": ascending cluster label
vars	Optional character vector of numeric columns to summarize within each cluster.
...	Unused.

Details

This summary is based on `predict.dpmixgpd_cluster_fit()` with `type = "label"`. The reported cluster count K^* is the number of unique labels in the representative partition rather than the number of components available in the truncated sampler.

Value

Summary list with the number of retained clusters, cluster sizes, optional cluster-level descriptive summaries, and the burn-in/thinning settings used to construct the summary.

See Also

`predict.dpmixgpd_cluster_fit()`, `plot.dpmixgpd_cluster_fit()`, `summary.dpmixgpd_cluster_labels()`.

Other cluster workflow: `cluster_profiles()`, `dpmgpd.cluster()`, `dpmix.cluster()`, `plot.dpmixgpd_cluster_bundle`, `predict.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_bundle()`, `print.dpmixgpd_cluster_fit()`, `print.dpmixgpd_cluster_labels()`, `print.dpmixgpd_cluster_psm()`, `summary.dpmixgpd_cluster_bundle()`, `summary.dpmixgpd_cluster_labels()`, `summary.dpmixgpd_cluster_psm()`

`summary.dpmixgpd_cluster_labels`
Summarize cluster labels

Description

Summarize a representative clustering for training data or new observations.

Usage

```
## S3 method for class 'dpmixgpd_cluster_labels'
summary(object, top_n = 5L, order_by = c("size", "label"), vars = NULL, ...)
```

Arguments

<code>object</code>	Cluster labels object.
<code>top_n</code>	Number of populated clusters to profile when attached data are available.
<code>order_by</code>	Ordering rule for descriptive cluster profiles: <ul style="list-style-type: none"> • "size": decreasing cluster size • "label": ascending cluster label
<code>vars</code>	Optional character vector of numeric columns to summarize within each cluster.
<code>...</code>	Unused.

Details

If score or probability matrices are attached, certainty is summarized by the rowwise maxima $\max_k p_{ik}$, which quantify how strongly each observation is assigned to its selected cluster. When the labels object also carries attached training or prediction data, the summary includes descriptive mean/sd profiles for the first populated clusters.

Value

Summary list containing cluster sizes, optional cluster-level descriptive summaries, and, when available, assignment-certainty summaries.

See Also

[predict.dpmixgpd_cluster_fit\(\)](#), [plot.dpmixgpd_cluster_labels\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#)
[predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#),
[print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#),
[summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_psm\(\)](#)

summary.dpmixgpd_cluster_psm

Summarize a cluster posterior similarity matrix

Description

Summarize pairwise posterior co-clustering probabilities.

Usage

```
## S3 method for class 'dpmixgpd_cluster_psm'
summary(object, ...)
```

Arguments

object	Cluster PSM object.
...	Unused.

Details

The diagonal of a posterior similarity matrix is always close to one, while off-diagonal values near one indicate highly stable co-clustering across retained posterior draws.

Value

Summary list with matrix size and basic summaries of the similarity entries.

See Also

[predict.dpmixgpd_cluster_fit\(\)](#), [plot.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_fit\(\)](#).

Other cluster workflow: [cluster_profiles\(\)](#), [dpmgpd.cluster\(\)](#), [dpmix.cluster\(\)](#), [plot.dpmixgpd_cluster_bundle](#)
[predict.dpmixgpd_cluster_fit\(\)](#), [print.dpmixgpd_cluster_bundle\(\)](#), [print.dpmixgpd_cluster_fit\(\)](#),
[print.dpmixgpd_cluster_labels\(\)](#), [print.dpmixgpd_cluster_psm\(\)](#), [summary.dpmixgpd_cluster_bundle\(\)](#),
[summary.dpmixgpd_cluster_fit\(\)](#), [summary.dpmixgpd_cluster_labels\(\)](#)

summary.mixgpd_fit *Summarize posterior draws from a one-arm fitted model*

Description

summary.mixgpd_fit() computes posterior summaries for monitored model parameters.

Usage

```
## S3 method for class 'mixgpd_fit'
summary(object, pars = NULL, probs = c(0.025, 0.5, 0.975), ...)
```

Arguments

object	A fitted object of class "mixgpd_fit".
pars	Optional character vector of parameters to summarize. If NULL, summarize all (excluding v's).
probs	Numeric vector of quantiles to report.
...	Unused.

Details

The returned table is a parameter-level summary of the posterior draws, not a predictive summary. Use [predict.mixgpd_fit](#) for posterior predictive quantities such as densities, survival probabilities, quantiles, and means.

The summary respects the stored truncation metadata and reports WAIC if it was requested during MCMC.

Value

An object of class "mixgpd_summary".

See Also

[print.mixgpd_fit](#), [params](#), [predict.mixgpd_fit](#), [ess_summary](#).

Examples

```
y <- abs(stats::rnorm(25)) + 0.1
bundle <- build_nimble_bundle(y = y, backend = "sb", kernel = "normal",
                             GPD = TRUE, components = 3,
                             mcmc = list(niter = 100, nburnin = 50, thin = 1, nchains = 1))
fit <- run_mcmc_bundle_manual(bundle)
summary(fit, pars = c("alpha", "threshold"))
```

Index

- * **amoroso kernel families**
 - amoroso_gpd, 6
 - amoroso_mix, 13
 - amoroso_mixgpd, 15
 - * **base bulk distributions**
 - amoroso, 4
 - cauchy, 34
 - InvGauss, 70
 - * **base tail distributions**
 - gpd, 67
 - * **cauchy kernel families**
 - cauchy_mix, 36
 - * **cluster workflow**
 - cluster_profiles, 43
 - dpmgpd.cluster, 48
 - dpmix.cluster, 52
 - plot.dpmixgpd_cluster_bundle, 123
 - predict.dpmixgpd_cluster_fit, 130
 - print.dpmixgpd_cluster_bundle, 143
 - print.dpmixgpd_cluster_fit, 144
 - print.dpmixgpd_cluster_labels, 145
 - print.dpmixgpd_cluster_psm, 146
 - summary.dpmixgpd_cluster_bundle, 170
 - summary.dpmixgpd_cluster_fit, 171
 - summary.dpmixgpd_cluster_labels, 172
 - summary.dpmixgpd_cluster_psm, 173
 - * **datasets**
 - causal_alt_pos500_p3_k3, 40
 - causal_alt_pos500_p5_k4_tail, 40
 - causal_alt_real500_p4_k2, 41
 - causal_pos500_p3_k2, 42
 - nc_pos200_k3, 103
 - nc_pos_tail200_k4, 105
 - nc_posX100_p3_k2, 104
 - nc_posX100_p4_k3, 104
 - nc_posX100_p5_k4, 105
 - nc_real200_k2, 106
 - nc_realX100_p3_k2, 107
 - nc_realX100_p5_k3, 107
 - * **gamma kernel families**
 - gamma_gpd, 56
 - gamma_mix, 61
 - gamma_mixgpd, 63
 - * **inverse-gaussian kernel families**
 - InvGauss_gpd, 72
 - InvGauss_mix, 77
 - InvGauss_mixgpd, 79
 - * **laplace kernel families**
 - laplace_gpd, 82
 - laplace_mix, 88
 - laplace_MixGpd, 90
 - * **lognormal kernel families**
 - lognormal_gpd, 92
 - lognormal_mix, 98
 - lognormal_mixgpd, 100
 - * **normal kernel families**
 - normal_gpd, 108
 - normal_mix, 113
 - normal_mixgpd, 115
 - * **simulation helpers**
 - sim_bulk_tail, 161
 - sim_causal_qte, 162
 - sim_survival_tail, 163
 - * **vectorized kernel helpers**
 - amoroso_lowercase, 9
 - base_lowercase, 23
 - cauchy_mix_lowercase, 38
 - gamma_lowercase, 58
 - invgauss_lowercase, 74
 - laplace_lowercase, 84
 - lognormal_lowercase, 94
 - normal_lowercase, 110
- amoroso, 4, 35, 71
amoroso(), 25
amoroso_gpd, 6, 14, 17
amoroso_gpd(), 6, 12, 14, 17, 68

- amoroso_lowercase, 9, 25, 39, 61, 77, 87, 97, 112
 amoroso_lowercase(), 8, 14, 17
 amoroso_mix, 8, 13, 17
 amoroso_mix(), 6, 8, 12, 17
 amoroso_mixgpd, 8, 14, 15
 amoroso_mixgpd(), 8, 12, 14
 ate, 21, 22, 28, 33, 34, 47, 51, 120, 121, 123, 130, 135, 136, 138, 139, 155, 161, 164, 166, 167
 ate(ate.causalmixgpd_causal_fit), 18
 ate.causalmixgpd_causal_fit, 18
 ate_rmean, 19, 20, 34, 121, 135
 att, 19, 21, 33, 34, 121, 135, 157

 base_lowercase, 12, 23, 39, 61, 77, 87, 97, 112
 base_lowercase(), 5, 6, 35, 68, 71
 build_causal_bundle, 26, 32, 47, 51, 137, 160, 161
 build_nimble_bundle, 29, 32, 46, 50, 136, 158, 159, 165
 build_nimble_bundle(), 14, 25, 37, 53, 63, 71, 79, 89, 99, 115, 163
 bundle, 26, 28–30, 31, 45–47, 49–51, 103
 bundle(), 12, 39, 61, 77, 87, 97, 112, 162

 cate, 19, 21, 22, 28, 45, 47, 51, 121, 123, 130, 135, 136, 164, 167
 cate(cate.causalmixgpd_causal_fit), 32
 cate.causalmixgpd_causal_fit, 32
 cauchy, 6, 34, 71
 cauchy(), 25, 37, 39
 cauchy_mix, 36
 cauchy_mix(), 35, 39
 cauchy_mix_lowercase, 12, 25, 38, 61, 77, 87, 97, 112
 cauchy_mix_lowercase(), 37
 causal_alt_pos500_p3_k3, 40
 causal_alt_pos500_p5_k4_tail, 40
 causal_alt_real500_p4_k2, 41
 causal_pos500_p3_k2, 42
 check_glue_validity, 42
 cluster_profiles, 43, 49, 53, 126, 132, 144–146, 170, 172, 173
 cqte, 28, 34, 47, 51, 121, 123, 130, 142, 155, 157, 167, 169
 cqte(cqte.causalmixgpd_causal_fit), 44
 cqte(), 162, 163

 cqte.causalmixgpd_causal_fit, 44
 dAmoroso (amoroso), 4
 damoroso (base_lowercase), 23
 dAmorosoGpd (amoroso_gpd), 6
 damorosogpd (amoroso_lowercase), 9
 dAmorosoMix (amoroso_mix), 13
 damorosomix (amoroso_lowercase), 9
 dAmorosoMixGpd (amoroso_mixgpd), 15
 damorosomixgpd (amoroso_lowercase), 9
 dCauchy (cauchy), 34
 dcauchy_vec (base_lowercase), 23
 dCauchyMix (cauchy_mix), 36
 dcauchymix (cauchy_mix_lowercase), 38
 dGammaGpd (gamma_gpd), 56
 dgammagpd (gamma_lowercase), 58
 dGammaMix (gamma_mix), 61
 dgammamix (gamma_lowercase), 58
 dGammaMixGpd (gamma_mixgpd), 63
 dgammamixgpd (gamma_lowercase), 58
 dGpd (gpd), 67
 dgpd (base_lowercase), 23
 dInvGauss (InvGauss), 70
 dinvgauss (base_lowercase), 23
 dInvGaussGpd (InvGauss_gpd), 72
 dinvgaussgpd (invgauss_lowercase), 74
 dInvGaussMix (InvGauss_mix), 77
 dinvgaussmix (invgauss_lowercase), 74
 dInvGaussMixGpd (InvGauss_mixgpd), 79
 dinvgaussmixgpd (invgauss_lowercase), 74
 dLaplaceGpd (laplace_gpd), 82
 dlaplacegpd (laplace_lowercase), 84
 dLaplaceMix (laplace_mix), 88
 dlaplacemix (laplace_lowercase), 84
 dLaplaceMixGpd (laplace_MixGpd), 90
 dlaplacemixgpd (laplace_lowercase), 84
 dLognormalGpd (lognormal_gpd), 92
 dlognormalgpd (lognormal_lowercase), 94
 dLognormalMix (lognormal_mix), 98
 dlognormalmix (lognormal_lowercase), 94
 dLognormalMixGpd (lognormal_mixgpd), 100
 dlognormalmixgpd (lognormal_lowercase), 94
 dNormGpd (normal_gpd), 108
 dnormgpd (normal_lowercase), 110
 dNormMix (normal_mix), 113
 dnormmix (normal_lowercase), 110
 dNormMixGpd (normal_mixgpd), 115
 dnormmixgpd (normal_lowercase), 110

- dpmgpd, [31](#), [32](#), [45](#), [50](#)
 dpmgpd(), [17](#), [48](#), [49](#), [65](#), [81](#), [91](#), [102](#), [117](#),
 [162](#), [163](#)
 dpmgpd.causal, [31](#), [46](#), [50](#), [51](#)
 dpmgpd.causal(), [162](#), [163](#)
 dpmgpd.cluster, [43](#), [48](#), [53](#), [126](#), [132](#),
 [144–146](#), [170](#), [172](#), [173](#)
 dpmgpd.cluster(), [53](#), [126](#), [130](#), [132](#), [143](#),
 [144](#)
 dpmix, [31](#), [32](#), [46](#), [49](#)
 dpmix(), [53](#), [162](#)
 dpmix.causal, [31](#), [47](#), [50](#)
 dpmix.causal(), [162](#)
 dpmix.cluster, [43](#), [49](#), [52](#), [126](#), [132](#),
 [144–146](#), [170](#), [172](#), [173](#)
 dpmix.cluster(), [48](#), [49](#), [126](#), [130](#), [132](#), [143](#),
 [144](#)

 ess_summary, [53](#), [118](#), [174](#)

 fitted.mixgpd_fit, [54](#), [134](#), [158](#)

 gamma_gpd, [56](#), [63](#), [65](#)
 gamma_gpd(), [61](#), [63](#), [65](#), [68](#)
 gamma_lowercase, [12](#), [25](#), [39](#), [58](#), [77](#), [87](#), [97](#),
 [112](#)
 gamma_lowercase(), [57](#), [62](#), [63](#), [65](#)
 gamma_mix, [57](#), [61](#), [65](#)
 gamma_mix(), [57](#), [61](#), [65](#)
 gamma_mixgpd, [57](#), [63](#), [63](#)
 gamma_mixgpd(), [57](#), [61](#), [63](#)
 get_kernel_registry, [30](#), [66](#)
 get_kernel_registry(), [12](#), [39](#), [61](#), [77](#), [87](#),
 [97](#), [112](#)
 get_tail_registry, [66](#)
 gpd, [67](#)
 gpd(), [8](#), [17](#), [25](#), [57](#), [65](#), [73](#), [81](#), [84](#), [91](#), [94](#),
 [102](#), [109](#), [117](#)

 init_kernel_registry, [69](#)
 init_kernel_registry(), [66](#)
 InvGauss, [6](#), [35](#), [70](#)
 InvGauss(), [25](#)
 InvGauss_gpd, [72](#), [79](#), [81](#)
 InvGauss_gpd(), [68](#), [71](#), [77](#), [79](#), [81](#)
 invgauss_lowercase, [12](#), [25](#), [39](#), [61](#), [74](#), [87](#),
 [97](#), [112](#)
 invgauss_lowercase(), [73](#), [78](#), [79](#), [81](#)
 InvGauss_mix, [73](#), [77](#), [81](#)
 InvGauss_mix(), [71](#), [73](#), [77](#), [81](#)
 InvGauss_mixgpd, [73](#), [79](#), [79](#)
 InvGauss_mixgpd(), [73](#), [77](#), [79](#)

 kernel_support_table, [30](#), [82](#)
 kernel_support_table(), [6](#), [14](#), [25](#), [35](#), [37](#),
 [63](#), [79](#), [89](#), [99](#), [115](#)

 laplace_gpd, [82](#), [89](#), [91](#)
 laplace_gpd(), [68](#), [87](#), [89](#), [91](#)
 laplace_lowercase, [12](#), [25](#), [39](#), [61](#), [77](#), [84](#),
 [97](#), [112](#)
 laplace_lowercase(), [84](#), [89](#), [91](#)
 laplace_mix, [84](#), [88](#), [91](#)
 laplace_mix(), [84](#), [87](#), [91](#)
 laplace_MixGpd, [84](#), [89](#), [90](#)
 laplace_MixGpd(), [84](#), [87](#), [89](#)
 lognormal_gpd, [92](#), [99](#), [102](#)
 lognormal_gpd(), [68](#), [97](#), [99](#), [102](#)
 lognormal_lowercase, [12](#), [25](#), [39](#), [61](#), [77](#), [87](#),
 [94](#), [112](#)
 lognormal_lowercase(), [94](#), [99](#), [102](#)
 lognormal_mix, [94](#), [98](#), [102](#)
 lognormal_mix(), [94](#), [97](#), [102](#)
 lognormal_mixgpd, [94](#), [99](#), [100](#)
 lognormal_mixgpd(), [93](#), [94](#), [97](#), [99](#)

 mcmc, [30–32](#), [45](#), [49](#), [102](#), [137](#), [159](#), [161](#)

 nc_pos200_k3, [103](#)
 nc_pos_tail200_k4, [105](#)
 nc_posX100_p3_k2, [104](#)
 nc_posX100_p4_k3, [104](#)
 nc_posX100_p5_k4, [105](#)
 nc_real200_k2, [106](#)
 nc_realX100_p3_k2, [107](#)
 nc_realX100_p5_k3, [107](#)
 normal_gpd, [108](#), [115](#), [117](#)
 normal_gpd(), [68](#), [112](#), [115](#), [117](#)
 normal_lowercase, [12](#), [25](#), [39](#), [61](#), [77](#), [87](#), [97](#),
 [110](#)
 normal_lowercase(), [109](#), [114](#), [115](#), [117](#)
 normal_mix, [109](#), [113](#), [117](#)
 normal_mix(), [109](#), [112](#), [117](#)
 normal_mixgpd, [109](#), [115](#), [115](#)
 normal_mixgpd(), [109](#), [112](#), [115](#)

 pAmoroso (amoroso), [4](#)
 pamoroso (base_lowercase), [23](#)

- pAmorosoGpd (amoroso_gpd), 6
- pAmorosogpd (amoroso_lowercase), 9
- pAmorosoMix (amoroso_mix), 13
- pAmorosomix (amoroso_lowercase), 9
- pAmorosoMixGpd (amoroso_mixgpd), 15
- pAmorosomixgpd (amoroso_lowercase), 9
- params, 32, 54, 118, 147, 174
- pCauchy (cauchy), 34
- pcauchy_vec (base_lowercase), 23
- pCauchyMix (cauchy_mix), 36
- pcauchymix (cauchy_mix_lowercase), 38
- pGammaGpd (gamma_gpd), 56
- pgammagpd (gamma_lowercase), 58
- pGammaMix (gamma_mix), 61
- pgammamix (gamma_lowercase), 58
- pGammaMixGpd (gamma_mixgpd), 63
- pgammamixgpd (gamma_lowercase), 58
- pGpd (gpd), 67
- pgpd (base_lowercase), 23
- pInvGauss (InvGauss), 70
- pinvgauss (base_lowercase), 23
- pInvGaussGpd (InvGauss_gpd), 72
- pinvgaussgpd (invgauss_lowercase), 74
- pInvGaussMix (InvGauss_mix), 77
- pinvgaussmix (invgauss_lowercase), 74
- pInvGaussMixGpd (InvGauss_mixgpd), 79
- pinvgaussmixgpd (invgauss_lowercase), 74
- pLaplaceGpd (laplace_gpd), 82
- plaplacegpd (laplace_lowercase), 84
- pLaplaceMix (laplace_mix), 88
- plaplacemix (laplace_lowercase), 84
- pLaplaceMixGpd (laplace_MixGpd), 90
- plaplacemixgpd (laplace_lowercase), 84
- pLognormalGpd (lognormal_gpd), 92
- plognormalgpd (lognormal_lowercase), 94
- pLognormalMix (lognormal_mix), 98
- plognormalmix (lognormal_lowercase), 94
- pLognormalMixGpd (lognormal_mixgpd), 100
- plognormalmixgpd (lognormal_lowercase), 94
- plot.causalmixgpd_ate, 136, 164
- plot.causalmixgpd_ate (plot.causalmixgpd_qte), 121
- plot.causalmixgpd_causal_fit, 119
- plot.causalmixgpd_causal_predict (plot.mixgpd_predict), 127
- plot.causalmixgpd_qte, 121, 142, 169
- plot.dpmixgpd_cluster_bundle, 43, 49, 53, 123, 132, 144–146, 170, 172, 173
- plot.dpmixgpd_cluster_bundle(), 170
- plot.dpmixgpd_cluster_fit (plot.dpmixgpd_cluster_bundle), 123
- plot.dpmixgpd_cluster_fit(), 53, 125, 126, 132, 144, 172
- plot.dpmixgpd_cluster_labels (plot.dpmixgpd_cluster_bundle), 123
- plot.dpmixgpd_cluster_labels(), 125, 126, 145, 173
- plot.dpmixgpd_cluster_psm (plot.dpmixgpd_cluster_bundle), 123
- plot.dpmixgpd_cluster_psm(), 125, 126, 146, 173
- plot.mixgpd_fit, 54, 120
- plot.mixgpd_fit (plot.causalmixgpd_causal_fit), 119
- plot.mixgpd_fitted, 55, 158
- plot.mixgpd_fitted (plot.causalmixgpd_causal_fit), 119
- plot.mixgpd_predict, 127
- pNormGpd (normal_gpd), 108
- pnormgpd (normal_lowercase), 110
- pNormMix (normal_mix), 113
- pnormmix (normal_lowercase), 110
- pNormMixGpd (normal_mixgpd), 115
- pnormmixgpd (normal_lowercase), 110
- predict.causalmixgpd_causal_fit, 19, 28, 34, 45, 47, 51, 120, 128, 134, 139, 155, 161, 167
- predict.dpmixgpd_cluster_fit, 43, 49, 53, 126, 130, 144–146, 170, 172, 173
- predict.dpmixgpd_cluster_fit(), 49, 52, 53, 125, 126, 144–146, 170–173
- predict.mixgpd_fit, 21, 30, 32, 46, 50, 54, 55, 103, 118, 128–130, 132, 147, 149, 158, 159, 174
- print.causalmixgpd_ate, 135, 164
- print.causalmixgpd_bundle, 136, 165
- print.causalmixgpd_causal_bundle, 137, 166
- print.causalmixgpd_causal_fit, 138, 167
- print.causalmixgpd_causal_fit_plots,

- 139
- print.causalmixgpd_causal_predict_plots, 140
- print.causalmixgpd_ps_bundle, 140
- print.causalmixgpd_ps_fit, 141
- print.causalmixgpd_qte, 142, 169
- print.dpmixgpd_cluster_bundle, 43, 49, 53, 126, 132, 143, 144–146, 170, 172, 173
- print.dpmixgpd_cluster_bundle(), 170
- print.dpmixgpd_cluster_fit, 43, 49, 53, 126, 132, 144, 144, 145, 146, 170, 172, 173
- print.dpmixgpd_cluster_labels, 43, 49, 53, 126, 132, 144, 145, 146, 170, 172, 173
- print.dpmixgpd_cluster_psm, 43, 49, 53, 126, 132, 144, 145, 146, 170, 172, 173
- print.mixgpd_fit, 147, 174
- print.mixgpd_fit_plots, 148
- print.mixgpd_fitted_plots, 148
- print.mixgpd_predict, 149
- print.mixgpd_predict_plots, 150
- print.mixgpd_summary, 150
- print.summary.causalmixgpd_ate, 151
- print.summary.causalmixgpd_causal_fit, 152
- print.summary.causalmixgpd_ps_fit, 153
- print.summary.causalmixgpd_qte, 153
- qAmoroso (amoroso), 4
- qamoroso (base_lowercase), 23
- qAmorosoGpd (amoroso_gpd), 6
- qamorosogpd (amoroso_lowercase), 9
- qAmorosoMix (amoroso_mix), 13
- qamorosomix (amoroso_lowercase), 9
- qAmorosoMixGpd (amoroso_mixgpd), 15
- qamorosomixgpd (amoroso_lowercase), 9
- qCauchy (cauchy), 34
- qcauchy_vec (base_lowercase), 23
- qCauchyMix (cauchy_mix), 36
- qcauchymix (cauchy_mix_lowercase), 38
- qGammaGpd (gamma_gpd), 56
- qgammagpd (gamma_lowercase), 58
- qGammaMix (gamma_mix), 61
- qgammamix (gamma_lowercase), 58
- qGammaMixGpd (gamma_mixgpd), 63
- qgammamixgpd (gamma_lowercase), 58
- qGpd (gpd), 67
- qgpd (base_lowercase), 23
- qInvGauss (InvGauss), 70
- qinvgauss (base_lowercase), 23
- qInvGaussGpd (InvGauss_gpd), 72
- qinvgaussgpd (invgauss_lowercase), 74
- qInvGaussMix (InvGauss_mix), 77
- qinvgaussmix (invgauss_lowercase), 74
- qInvGaussMixGpd (InvGauss_mixgpd), 79
- qinvgaussmixgpd (invgauss_lowercase), 74
- qLaplaceGpd (laplace_gpd), 82
- qlaplacegpd (laplace_lowercase), 84
- qLaplaceMix (laplace_mix), 88
- qlaplacemix (laplace_lowercase), 84
- qLaplaceMixGpd (laplace_MixGpd), 90
- qlaplacemixgpd (laplace_lowercase), 84
- qLognormalGpd (lognormal_gpd), 92
- qlognormalgpd (lognormal_lowercase), 94
- qLognormalMix (lognormal_mix), 98
- qlognormalmix (lognormal_lowercase), 94
- qLognormalMixGpd (lognormal_mixgpd), 100
- qlognormalmixgpd (lognormal_lowercase), 94
- qNormGpd (normal_gpd), 108
- qnormgpd (normal_lowercase), 110
- qNormMix (normal_mix), 113
- qnormmix (normal_lowercase), 110
- qNormMixGpd (normal_mixgpd), 115
- qnormmixgpd (normal_lowercase), 110
- qte, 19, 28, 44, 45, 47, 51, 120, 121, 123, 130, 138, 139, 142, 157, 161, 166, 167, 169
- qte (qte.causalmixgpd_causal_fit), 154
- qte(), 162, 163
- qte.causalmixgpd_causal_fit, 154
- qtt, 22, 44, 45, 121, 142, 155, 156
- rAmoroso (amoroso), 4
- ramoroso (base_lowercase), 23
- rAmorosoGpd (amoroso_gpd), 6
- ramorosogpd (amoroso_lowercase), 9
- rAmorosoMix (amoroso_mix), 13
- ramorosomix (amoroso_lowercase), 9
- rAmorosoMixGpd (amoroso_mixgpd), 15
- ramorosomixgpd (amoroso_lowercase), 9
- rCauchy (cauchy), 34
- rcauchy_vec (base_lowercase), 23
- rCauchyMix (cauchy_mix), 36
- rcauchymix (cauchy_mix_lowercase), 38

- residuals.mixgpd_fit, [55](#), [134](#), [157](#)
- rGammaGpd (gamma_gpd), [56](#)
- rgammagpd (gamma_lowercase), [58](#)
- rGammaMix (gamma_mix), [61](#)
- rgammamix (gamma_lowercase), [58](#)
- rGammaMixGpd (gamma_mixgpd), [63](#)
- rgammamixgpd (gamma_lowercase), [58](#)
- rGpd (gpd), [67](#)
- rgpd (base_lowercase), [23](#)
- rInvGauss (InvGauss), [70](#)
- rinvgauss (base_lowercase), [23](#)
- rInvGaussGpd (InvGauss_gpd), [72](#)
- rinvgaussgpd (invgauss_lowercase), [74](#)
- rInvGaussMix (InvGauss_mix), [77](#)
- rinvgaussmix (invgauss_lowercase), [74](#)
- rInvGaussMixGpd (InvGauss_mixgpd), [79](#)
- rinvgaussmixgpd (invgauss_lowercase), [74](#)
- rLaplaceGpd (laplace_gpd), [82](#)
- rlaplacegpd (laplace_lowercase), [84](#)
- rLaplaceMix (laplace_mix), [88](#)
- rlaplacemix (laplace_lowercase), [84](#)
- rLaplaceMixGpd (laplace_MixGpd), [90](#)
- rlaplacemixgpd (laplace_lowercase), [84](#)
- rLognormalGpd (lognormal_gpd), [92](#)
- rlognormalgpd (lognormal_lowercase), [94](#)
- rLognormalMix (lognormal_mix), [98](#)
- rlognormalmix (lognormal_lowercase), [94](#)
- rLognormalMixGpd (lognormal_mixgpd), [100](#)
- rlognormalmixgpd (lognormal_lowercase), [94](#)
- rNormGpd (normal_gpd), [108](#)
- rnormgpd (normal_lowercase), [110](#)
- rNormMix (normal_mix), [113](#)
- rnormmix (normal_lowercase), [110](#)
- rNormMixGpd (normal_mixgpd), [115](#)
- rnormmixgpd (normal_lowercase), [110](#)
- run_mcmc_bundle_manual, [30](#), [102](#), [103](#), [137](#), [158](#), [165](#)
- run_mcmc_causal, [28](#), [102](#), [103](#), [138](#), [160](#), [166](#)
- sim_bulk_tail, [161](#), [163](#)
- sim_bulk_tail(), [49](#), [163](#)
- sim_causal_qte, [162](#), [162](#), [163](#)
- sim_causal_qte(), [162](#)
- sim_survival_tail, [162](#), [163](#), [163](#)
- sim_survival_tail(), [162](#)
- summary.causalmixgpd_ate, [123](#), [136](#), [164](#)
- summary.causalmixgpd_bundle, [137](#), [165](#)
- summary.causalmixgpd_causal_bundle, [138](#), [166](#)
- summary.causalmixgpd_causal_fit, [139](#), [167](#)
- summary.causalmixgpd_ps_fit, [168](#)
- summary.causalmixgpd_qte, [123](#), [142](#), [169](#)
- summary.dpmixgpd_cluster_bundle, [43](#), [49](#), [53](#), [126](#), [132](#), [144–146](#), [170](#), [172](#), [173](#)
- summary.dpmixgpd_cluster_bundle(), [126](#), [144](#)
- summary.dpmixgpd_cluster_fit, [43](#), [49](#), [53](#), [126](#), [132](#), [144–146](#), [170](#), [171](#), [173](#)
- summary.dpmixgpd_cluster_fit(), [53](#), [126](#), [132](#), [144](#), [173](#)
- summary.dpmixgpd_cluster_labels, [43](#), [49](#), [53](#), [126](#), [132](#), [144–146](#), [170](#), [172](#), [172](#), [173](#)
- summary.dpmixgpd_cluster_labels(), [126](#), [132](#), [145](#), [172](#)
- summary.dpmixgpd_cluster_psm, [43](#), [49](#), [53](#), [126](#), [132](#), [144–146](#), [170](#), [172](#), [173](#), [173](#)
- summary.dpmixgpd_cluster_psm(), [126](#), [132](#), [146](#)
- summary.mixgpd_fit, [32](#), [46](#), [50](#), [54](#), [118](#), [134](#), [147](#), [159](#), [167](#), [174](#)